

Just for your  
Tandy Color  
Computer 1, 2 and 3

May 1987

Canada \$4.95 U.S. \$3.95

The

# RAINBOW<sup>®</sup>

THE COLOR COMPUTER MONTHLY MAGAZINE

## PRINT #-2,

*Our Printer Issue*

### Utilities for

Simple screen dumps,  
Vanity phone numbers,  
and a font generator

### Plus

Design home interiors,  
Chart your biorhythms,  
and use the full 64K

### And


An H. Allen Curtis  
Graphics Tutorial

Paul Ladoucer's  
OS-9 Pause Command

A Printer Buffer Project  
from Emmett J. Lewis, Jr.

### Includes

Seven program quickies  
in Novices Niche, hints, tips,  
games, Q & A columns,  
15 new product reviews  
and more!





# NECOM PRODUCTS

## BOUNCING BOULDERS



Bouncing Boulders is a new, fast paced arcade-style game for your Coco. As you race your man around the screen you try to collect enough stars to open the exit to the next level. You can drop rocks to kill aliens that follow you around the screen trying to catch you. But beware of the falling and bouncing boulders as they will crush your man if you get trapped under one. The many different screens with lots of puzzles will keep you playing for hours on end.

64 K REQUIRED  
TAPE OR DISK

\$28.95 U.S.  
\$38.95 CAN.

## WRESTLE MANIAC



You've asked for it and now it's here, a wrestling game for your color computer. Play a single match or play a tag team match in this 1 to 4 player game. Wrestle against the computer or wrestle against your friend in a single or tag team match. Use punches, kicks, body slams, back breakers and many other moves as you attempt to pin your opponent. Super graphics and realistic play action make this a great game for all.

64 K AND JOYSTICK  
REQUIRED  
TAPE OR DISK

\$28.95 U.S.  
\$38.95 CAN.

## GANTELET



## MISSION F-16 ASSAULT



## MARBLE MAZE



## THE GATES OF DELIRIUM



Travel through towns and explore strange lands in the ultimate fantasy role-playing game for the color computer. As you travel the land you will meet different characters that you may convince to join you in your quest. During your quest you will learn the secrets of magic spells and ultimately, your final goal.

**Enter The Gates of Delirium contest!** The first person to solve the game shall be our grand prize winner of a Coco 3. There will be 5 second prizes of one free game from Diecom Products and 5 third prizes of one free hat from Diecom Products.

64K  
REQUIRED \$38.95 U.S.  
\$52.95 CAN.

AVAILABLE ON DISK ONLY

## ALSO AVAILABLE

— Paper Route, Knock Out, Karate, each game requiring 64K. Tape or disk.

\$28.95 U.S.  
\$38.95 CAN.

# NECOM PRODUCTS

6715 FIFTH LINE, MILTON, ONT., CANADA L9T 2X8

We accept:



cheque or money order

24 hr. order line:  
(416) 878-8358  
personal service 9-5


Please add \$2 for shipping & handling. Ontario residents add 7% sales tax. C.O.D. Canada only. Dealer inquiries invited. Looking for new software.



From Computer Plus to YOU ...  
**PLUS** after **PLUS** after **PLUS**




Tandy 200 24K \$649  
 Tandy 600 32K \$1269  
 Tandy 102 24K \$395




Color Computer 3  
 w/128K Ext. Basic \$169




Tandy 1000 EX \$479  
 Tandy 1000 SX \$759



DMP-130 \$269



Color Computer Disk Drive  
 Drive 0 \$239 Drive 1 \$149



DMP-106 \$160

**BIG SAVINGS ON A FULL COMPLEMENT OF RADIO SHACK COMPUTER PRODUCTS**

**COMPUTERS**

Tandy 1000 EX 1 Drive 256K	479.00
Tandy 100 SX 1 Drive 384K	679.00
Tandy 1000 SX 2 Drive 384K	759.00
Tandy 3000 HL 1 Drive 512K	1229.00
Model IVD 64K with Deskmate	889.00

**PRINTERS**

Radio Shack DMP-106 80 CPS	160.00
Radio Shack DMP-130 100 CPS	269.00
Radio Shack DMP-430 180 CPS	559.00
Radio Shack DWP-230 Daisy Wheel	310.00
Star Micronics NP-10 100 CPS	199.00
Star Micronics NX-10 120 CPS	249.00
Star Micronics NX-15 120 CPS	410.00
Panasonic P-1080i 120 CPS	239.00
Panasonic P-1091i 160 CPS	299.00
Panasonic P-1092i 240 CPS	389.00
Okidata 182 120 CPS	269.00
Okidata 192+ 200 CPS	375.00
Okidata 292 240 CPS	559.00

**MODEMS**

Radio Shack DCM-6	52.00
Radio Shack DCM-7	85.00
Radio Shack DCM-212	179.00
Practical Peripheral 1200 Baud	179.00

**COLOR COMPUTER MISC.**

Radio Shack Drive Controller	99.00
Extended Basic Rom Kit	39.95
64K Ram Upgrade Kit	39.00
Radio Shack Deluxe Keyboard Kit	24.95
HJL Keyboard Upgrade Kit	79.95
COCO Max Y Cable	27.95
Color Computer Mouse	44.00
Multi Pak Interface	89.00
Multi Pak Pal Chip for COCO 3	14.95
CM-8 6' Extension Cable	19.95
Botek Serial to Parallel Conv.	59.95
Radio Shack Deluxe Joystick	26.95
Radio Shack CM-8 RGB Monitor	249.00
Radio Shack VM-4 Green Monitor	99.00
PBJ 512K COCO 3 Upgrade	99.00
Tandy 512K COCO 3 Upgrade	129.00
Mark Data Universal Video Driver	29.95

**COLOR COMPUTER SOFTWARE**

	TAPE	DISK
The Wild West (CoCo3)		25.95
Worlds Of Flight	29.95	34.95
Mustang P-51 Flight Simul.	29.95	34.95
Nuke the Love Boat (CoCo3)		34.95
The Magic of Zanth (CoCo3)		34.95

Major Istar	24.95	27.95
Sam Sleuth Private Eye	24.95	27.95
Dungeon Quest	24.95	27.95
COCO Util II by Mark Data		39.95
COCO Max by Colorware	69.95	
COCO Max II by Colorware	79.95	
AutoTerm by PXE Computing	29.95	39.95
TelePatch III by Spectrum	29.95	
C III Graphics by Spectrum	19.95	
Font Bonanza by Spectrum	29.95	
TeleWriter 64	49.95	59.95
Pro Color Series		79.95
Max Fonts (72 COCO Max Fonts)		64.95
Elite Word 80		79.95
Elite Calc 3.0		69.95
CoCo 3512K RamDisk by CerComp		19.95
OS-9 Level II by Tandy		71.95
VIP Writer (disk only)		69.95
VIP Integrated Library (disk)		149.95

Prices are subject to change without notice. Please call for shipping charges. Prices in our retail store may be higher. Send for complete catalog.

**CALL TOLL FREE**  
**1-800-343-8124**

- LOWEST POSSIBLE PRICES
- BEST POSSIBLE WARRANTY
- KNOWLEDGEABLE SALES STAFF
- TIMELY DELIVERY
- SHOPPING CONVENIENCE




**computer  
 plus**  
 P.O. Box 1094  
 480 King Street  
 Littleton, MA 01460  
 SINCE 1973


IN MASSACHUSETTS CALL (617) 486-3193



# Under The RAINBOW



20



58



114

Cover illustration copyright © 1987  
by Fred Crawford

## FEATURES

	<b>The Rhythm of Life/Steve Tenney</b> _____	20
	<b>ENTERTAINMENT</b> <i>Chart your biorhythm to predict success</i>	
	<b>That's the Ticket/Kathryn Rocci</b> _____	26
	<b>PRINTER UTILITY</b> <i>Custom-design tickets for that special affair</i>	
	<b>Get Chart Smart/Bill Bernico</b> _____	30
	<b>TRAVEL</b> <i>Know where you're going with this mileage mapper</i>	
	<b>The Spit and Image/Allen Snook</b> _____	36
	<b>PRINTER UTILITY</b> <i>A simple screen dump for Tandy printers</i>	
	<b>A Feline CoCo 3 Fandango/H. Allen Curtis</b> _____	52
	<b>GRAPHICS TUTORIAL</b> <i>CoCo Cat shows us an interesting technique</i>	
	<b>Interiors by CoCo/Bruce K. Bell, O.D.</b> _____	58
	<b>HOME HELP</b> <i>Architectural help from our favorite machine</i>	
	<b>Ma Bell Gets Personal/Robert C. Lake</b> _____	74
	<b>TELEPHONE UTILITY</b> <i>"Vanity" phone numbers just for fun</i>	
	<b>Hi-Res Simplicity/David R. Jenkins</b> _____	99
	<b>COCO 3 UTILITY</b> <i>An easy-to-use font generator</i>	
	<b>The DMP-105 Takes a Bow/Drue King</b> _____	104
	<b>PRINTER UTILITY</b> <i>The 105 displays its screen dump talents</i>	
	<b>The Printer That Came in From the Code/David R. Jenkins</b> _____	108
	<b>PRINTER UTILITY</b> <i>Automatic printer set-up at your fingertips</i>	
	<b>Paramission/Michael Galibois</b> _____	114
	<b>GAME</b> <i>Fast and dangerous action awaits you!</i>	
	<b>Puzzler/Benjamin W. Brunotte</b> _____	152
	<b>GAME UTILITY</b> <i>Construct your own word search puzzles</i>	
	<b>Smarter-Than-Average Buffer/Emmett J. Lewis, Jr.</b> _____	160
	<b>HARDWARE PROJECT</b> <i>Have your cake and CoCo, too</i>	
	<b>All in a Row/George Quellhorst</b> _____	178
	<b>PRINTER UTILITY</b> <i>A convenient two-column lister</i>	
	<b>Thanks for the Memory/Tom Kocourek and Ken Rockwell</b> _____	186
	<b>MEMORY UTILITY</b> <i>Use the full 64K to your advantage</i>	

## NOVICES NICHE

<b>Way the Ball Bounces</b> _____	88	<b>Sized to Fit</b> _____	91
<i>Ted Kyte</i>		<i>Forrest K. White</i>	
<b>Two-Tone Text</b> _____	89	<b>Double Duty</b> _____	92
<i>Edward Jones</i>		<i>Joe Perevosnik</i>	
<b>Four Shades of Gray</b> _____	90	<b>Printing With Style</b> _____	93
<i>Pierre Salvail</i>		<i>Blake C. Hughes</i>	
<b>Library Labeler</b> _____	91		
<i>Alan L. Andrews</i>			



The cassette tape/disk symbols beside features and columns indicate that the program listings with those articles are on this month's RAINBOW ON TAPE and RAINBOW ON DISK. Those with only the disk symbol are not available on RAINBOW ON TAPE. For details, check the RAINBOW ON TAPE and RAINBOW ON DISK ads on pages 190 and 158.

**NEXT MONTH:** The first warm days of summer put a song in your heart, and our Music Issue will add to the chorus. CoCo is a tuneful fellow and needs only the slightest prompting to take center stage with its lilting melodies. So, no matter what your musical bent, our helpful articles, programs, utilities, reviews and columns will have you dancing in the streets.




Be sure to waltz on over to THE RAINBOW, the premier information source for the Color Computer 1, 2 and 3!



## COLUMNS

<b>BASIC Training/Joseph Kolar</b> _____	<b>77</b>
<i>The seven-value CIRCLE statement</i>	
<b>Building May's Rainbow/Jim Reed</b> _____	<b>16</b>
<i>Managing Editor's comments</i>	
<b>CoCo Consultations/Marty Goodman</b> _____	<b>174</b>
<i>Just what the doctor ordered</i>	
<b>Delphi Bureau/Cray Augsburg</b> _____	<b>120</b>
<i>Help is just a SIG away and Goodman's database report</i>	
<b>Doctor ASCII/Richard E. Esposito</b> _____	<b>94</b>
<i>The question fixer</i>	
 <b>Education Notes/Steve Blyn</b> _____	<b>112</b>
<i>Scales are key to understanding maps</i>	
<b>Education Overview/Michael Plog, Ph.D.</b> _____	<b>82</b>
<i>S-P analysis for curriculum improvements</i>	
<b>PRINT#-2/Lawrence C. Falk</b> _____	<b>12</b>
<i>Editor's notes</i>	
<b>Turn of the Screw/Tony DiStefano</b> _____	<b>156</b>
<i>A hardware project basics review</i>	
 <b>Wishing Well/Fred Scerbo</b> _____	<b>38</b>
<i>A new science series</i>	

## RAINBOWTECH

<b>Downloads/Dan Downard</b> _____	<b>188</b>
<i>Answers to your technical questions</i>	
 <b>KISSable OS-9/Dale L. Puckett</b> _____	<b>196</b>
<i>Setting the stage for OS-9 Level II</i>	
 <b>Pause for Thought/Paul Ladoucer</b> _____	<b>194</b>
<i>Avoid mistake lockups with a handy pause command</i>	
 <b>The Advantage of Processes/Peter Dibble</b> _____	<b>191</b>
<i>"Slicing" programs for greater memory</i>	
<i>"Barden's Buffer" and "Bits and Bytes of BASIC" return next month.</i>	

## DEPARTMENTS

<b>Adventure Contest</b> _____	<b>159</b>	<b>Rainbow Info</b> _____	<b>126</b>
<b>Advertiser Index</b> _____	<b>208</b>	<b>Received &amp; Certified</b> _____	<b>132</b>
<b>Back Issue Information</b> _____	<b>139</b>	<b>Reviewing Reviews</b> _____	<b>131</b>
<b>CoCo Gallery</b> _____	<b>18</b>	<b>Scoreboard</b> _____	<b>168</b>
<b>Corrections</b> _____	<b>128</b>	<b>Scoreboard Pointers</b> _____	<b>170</b>
<b>Letters to Rainbow</b> _____	<b>6</b>	<b>Submitting Material</b> _____	
<b>One-Liner Contest</b> _____		<b>to Rainbow</b> _____	<b>166</b>
<b>Information</b> _____	<b>165</b>	<b>Subscription Info</b> _____	<b>181</b>
<b>The Pipeline</b> _____	<b>76</b>	<b>Where to find Rainbow</b> _____	<b>206</b>

## PRODUCT REVIEWS

<b>Product Review Contents</b> _____	<b>129</b>
--------------------------------------	------------

# RAINBOW

May 1987

Vol. VI No. 10

**Editor and Publisher**  
Lawrence C. Falk

**Managing Editor** James E. Reed  
**Senior Editor** T. Kevin Nickols  
**Submissions Editor** Jutta Kapfhammer  
**Associate Editor** Jo Anna Wittman Arnott  
**Technical Editor** Cray Augsburg  
**Copy Editor** Jody Gilbert  
**Reviews Editor** Judi Hutchinson  
**Editorial Assistants** Sandra Blackthorn,  
Wendy Falk, Angela Kapfhammer,  
Julie Tallent, Monica Wheat  
**Technical Consultant** Dan Downard  
**Editorial Consultants** Ed Ellers,  
Belinda C. Kirby, Joe Pierce  
**Contributing Editors** William Barden, Jr.,  
Steve Blyn, Tony DiStefano,  
Richard Esposito, Martin Goodman, M.D.,  
Joseph Kolar, Michael Plog, Dale Puckett,  
Fred Scerbo, Richard White

**Art Director** Heidi Maxedon  
**Production Coordinator** Cynthia L. Jones  
**Designers** Tracey Jones, Rita Lawrence,  
Sandra Underwood, Denise Webb

**Lead Typesetter** Jody Doyle  
**Typesetting Services** Jill Hopkins  
Karen Semones

### Falsoft, Inc.

**President** Lawrence C. Falk  
**General Manager** Patricia H. Hirsch  
**Asst. General Mgr. for Finance** Donna Shuck  
**Admin. Asst. to the Publisher** Sue E. Rodgers

**Editorial Director** James E. Reed  
**Asst. Editorial Director** Jutta Kapfhammer  
**Creative Director** Heidi Maxedon

**Chief Bookkeeper** Diane Moore  
**Advertising Accounts** Beverly Taylor  
**Dealer Accounts** Judy Quashnock  
**Asst. General Manager For Administration**  
Bonnie Frowenfeld  
**Customer Service Mgr.** Sandy Apple  
**Asst. Customer Service Mgr.** Beverly Bearden  
**Word Processor Manager** Patricia Eaton  
**Development Coordinator** Ira Barsky  
**Chief of Printing Services** Melba Smith  
**Director of Production** Jim Cleveland  
**Pre-press Production** John Pike  
**Dispatch** Janice Eastburn  
**Asst. Dispatch** Mark Herndon  
**Business Assistants** Laurie Falk, Sharon Smith,  
Pam Workhoven

**Advertising Coordinator** Doris Taylor  
**Advertising Representative** Kim Vincent  
**Advertising Assistant** Debbie Baxter  
(502) 228-4492

**West Coast Advertising and Marketing Office**  
**President** Cindy J. Shackelford  
**For RAINBOW Advertising and**  
**Marketing Office Information, see Page 208**

THE RAINBOW is published every month of the year by FALSOFT, Inc., The Falsoft Building, 9509 U.S. Highway 42, P.O. Box 385, Prospect, KY 40059, phone (502) 228-4492. THE RAINBOW, RAINBOWfest and THE RAINBOW and RAINBOWfest logotypes are registered trademarks of FALSOFT, Inc. Second class postage paid Prospect, KY and additional offices. USPS N. 705-050 (ISSN No. 0746-4797). POSTMASTER: Send address changes to THE RAINBOW, P.O. Box 385, Prospect, KY 40059. Forwarding Postage Guaranteed. Authorized as second class postage paid from Hamilton, Ontario by Canada Post, Ottawa, Ontario, Canada. Entire contents copyright © by FALSOFT, Inc., 1987. THE RAINBOW is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of information herein is for the single end use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as is" basis, without warranty of any kind whatsoever. Tandy, Color BASIC, Extended Color BASIC and Program Pak are registered trademarks of the Tandy Corp. Subscriptions to THE RAINBOW are \$31 per year in the United States. Canadian rates are U.S. \$38. Surface mail to other countries is U.S. \$68, air mail U.S. \$103. All subscriptions begin with next available issue. Limited back issues are available. Please see notice for issues that are in print and their costs. Payment accepted by VISA, MasterCard, American Express, cash, check or money order in U.S. currency only. Full refund after mailing of one issue. A refund of 10/12ths the subscription amount after two issues are mailed. No refund after mailing of three or more magazines.



# LETTERS TO THE RAINBOW

## The Best Toy of All

### Editor:

I have owned my CoCo for about four years, and can truly say I love the little monster. I originally bought it for creating title graphics to be recorded on video tape (I was beginning in the video business at the time). In four years time, that "toy" is now practically running my business for me! It is my typewriter, filing system, calendar, accountant, financial advisor and more. Has my CoCo paid for itself yet? Are you kidding?

I finally figured out what the CoCo *really* is. It's the toy I always wanted for Christmas — the toy I never get bored with because it's always evolving into something more than it was yesterday. This is largely due to RAINBOW. Many thanks.

*T.J. Wolf  
Venice, CA*

### Modification for Solitaire

### Editor:

My letter appearing in the March issue had a modification to the Solitaire game

from the December '86 issue. Due to a misprint, the clubs turn out distorted. The modification to Line 1230 is incorrect. S5(2) should read:

R3HUEFU3GHEL3FGHD3EFD2U4RDL

A '3' was printed in place of the G. Also, Line 141 should be POKE 178, 1, instead of 178, 2, to get red paint.

*Bill Bernico  
Sheboygan, WI*

### On the Move

### Editor:

Anyone who is trying to get in touch with me (after reading "Readable Equivalents to C" in the November 1986 issue) needs to know that my address and phone number have changed. The new address is: 1641 Routt Street, Lakewood, CO 80215, (303) 233-5390.

If you are looking for information on OSK (OS-9 for the 68000) feel free to write,

as we have been using a 68020 OSK system for 10 months.

*Calvin Dodge  
Lakewood, CO*

### Adventures Unlimited

### Editor:

Unbelievable! That's the only way to describe the terrific response I've received concerning *The Adventure Processor* [August 1986, Page 27].

In my article I included a sample method of implementing the verb GET into your Adventure "shell." Most readers have commented that I did not go far enough in showing how different verbs could be implemented. Rather than write another article showing how to implement various different verbs, I decided to write an Adventure game, sprinkle it generously with remark statements and make it available. I call it *Dooms-Day*.

*Bill Cook  
4346 Rhododendron Drive  
Oak Harbor, WA 98277*

### The Red Tape Express

### Editor:


Enclosed is the wrapper from my February RAINBOW. If you think it looks bad, you should see the magazine!

At first, I completed a customer complaint card on each magazine. My post office would then send to the publisher for another copy for me. But it continued, in spite of their continual replies extending "regrets" and promises to do better. I continued completing the complaint cards, but they got tired of me and told me to start sending for my own replacement copies. I did. But I also saved all the response (regrets) cards and when I had a couple pounds of them, I sent them off to USPS in Washington, marked to the attention of the Postmaster General.

Pretty soon I received a letter from some bureaucrat expressing "regrets." If headquarters can't (won't) do anything about handling properly-packaged mail in the proper way, how can I expect the local mail people to care?

Your packaging, with a wrapper, is by far the best way to go, about the only thing better you could do would be to send them in Tyvek wrappers, and I understand the expense THAT would mean!


*Bob Ricketts  
Terrebonne, OR*



As you can see, we have pursued the matter right to the top. In the meantime, we suggest that others with this problem also contact their local post offices. Together, maybe we'll get this straightened out.



RUNS ON  
COCO 3



## AUTOTERM

Turns your color computer into the

# WORLD'S SMARTEST TERMINAL!



YOU'LL ALSO USE AUTOTERM FOR SIMPLE  
WORD PROCESSING & RECORD KEEPING

NOW HI-RES

### EASY COMMUNICATION + WORD PROCESSING + TOTAL AUTOMATION

Full prompting and error checking. Step-by-step manual has examples. Scroll text backward and forward. No split words on screen or printout. Save, load, delete files while on line. Print, save all or any part of text. XMODEM for machine language files. 128 ASCII characters, 1200 baud, etc. Works with D.C. Hayes or any modem. Handles files larger than memory. Print on line with J&M or RS232 Pak. Screen widths of 32, 40, 42, 51, 64.

Please hire the mentally retarded. They are sincere, hard working and appreciative. Thanks!

Phyllis.

Editing is super simple with the cursor. Find strings instantly too! Insert printer control codes. Specify page size and margins. Switch quickly between word processing and intelligent terminal action. Create text, correct your typing errors; then connect to the other computer, upload your text or files, download information, file it, and sign-off; then edit the receive data, print it in an attractive format, and/or save it on file. Compatible with TELEWRITER.

CASSETTE \$29.95

DISKETTE \$39.95

Add \$3 shipping and handling  
MC/VISA/C.O.D.

Advanced system of keystroke macros lets you automate any activity, such as dial via modem, sign-on, interact, sign-off, print, save. Perform entire session. Act as message taker. At start-up, disk version can automatically set parameters, dial, sign-on, interact, read/write disk, sign-off, etc. Timed execution lets AUTOTERM work while you sleep or play. No other computer can match your COCO's intelligence as a terminal.

PXE Computing

11 Vicksburg Lane  
Richardson, Texas 75080  
214/699-7273

### That Funky Feline

Editor:

My favorite part of the magazine: CoCo Cat. It's my favorite because it makes me chuckle and forget how boring typing umpteen-dozen data lines can be.

Walter Medak  
Edmonton, Canada

If you like CoCo Cat, you'll definitely like the article by H. Allen Curtis on Page 52 of this issue.

### Go to the Head of the Class

Editor:

RAINBOW is good, but much of it is far over the heads of us "freshmen" — a little like being dumped into the mid-year of a calculus class. How about a section for us beginners? One suspects that there will always be a new "class" of beginners. Those of you who are old hands must remember that this is a foreign language to us and we must start at the beginning.

L.K. Stamp  
Salem, SC

### BACK TALK

Editor:

Regarding the CO3COLOR program in the March 1987 "Bits and Bytes of BASIC" in Line 40, the first HBUFF2,98 should be HBUFF2,908. If you are seeing three green dots next to the numbers, just make this change.

Paul E. Morin  
Woonsocket, RI

### Correction: No Correction Needed

Editor:

Concerning Marty Goodman's comment [November 1986] on J & R's BANKER memory expansions, Marty misleadingly states that a hardware correction is required for our BANKER memory expansion for CoCo 1 and 2 to be compatible with certain software. There is no correction required!

We have always provided both hardware (64K switch) and software CLRFX.BAS solutions to compatibility problems. We support our product and are available to help users with their problems. When the 64K switch is on, the BANKER is absolutely 100 percent compatible with any CoCo 1 or CoCo 2 software; we guarantee that!

The partial fix Marty mentions involves connecting the 6809's LIC signal (Pin 38) to an unused input of the BANKER's address decoder (74LS133). This prevents a CLR opcode from reading the BANKER latch before writing zeros to the data bus. The CLRFX program included in our BANKER software performs the same fix, with no soldering required.

The above fix does not prevent an instruction such as LDA \$FFCO or LDA O,X from reprogramming the latch, as some memory sense routines do. The solution here is to toggle the 64K switch on when loading such programs or to use our software and support to fix the offending program.

By the way, our CoCo 3 512K JramR upgrade is absolutely compatible with

Radio Shack's 512K upgrade and runs all CoCo 3 software.

In summary, we do not recommend the fix that Marty speaks about. A hardware "correction" is neither required nor needed. From day one of J & R, we have provided complete memory systems, backed by our support. Ours was the first complete (hardware and software) 256K and 512K upgrade for CoCo 1 and CoCo 2, and we were first again with a complete CoCo 3 512K upgrade. You'll never get a memory expansion from us without software to run on it and documentation to get the maximum benefit from it!

Jesse W. Jackson  
J & R Electronics

### COCO 3

Editor:

If you are trying to run your printer through a Metric Industries interface and your CoCo 3 doesn't recognize the pokes for 4800 or 9600 baud, the problem is with the CoCo 3, not the interface. We were advised by Radio Shack's hardware support group in Fort Worth that the CoCo 3 was not designed to go faster than 2400 baud. However, they could not explain why our, and other, CoCo 3s run at these higher speeds. It seems that some will and some won't. Don't feel that CoCo 3 is inferior because of this. Most printers in use by the CoCo community cannot print faster than 2400 baud, due to the printer's mechanical



limitations. In most cases you will see no difference in printer speed between 2400 and 9600 baud.

*Don Horn  
President, Metric Industries*

### For the Price of a 'Box'

*Editor:*

I am a CoCo 1 user. I saw the articles in your September 1986 issue about the CoCo 3 and I was greatly impressed. Then I saw your paragraph which says: "Fully compatible with all the hardware you own now. Just unplug your disk drive, tape recorder, printer and so on, replace your present 'Box' with a CoCo 3, and plug everything in again. It all works."

I was so amazed that I called my local Radio Shack expecting to turn in my "Box." But they said they do not take "trade-ins." So could you please tell me what to do.

*Bernard Robichaud  
Moose Jaw, Saskatchewan*

*We did not mean to imply that you can trade in your present computer. We simply meant that the CoCo 3 is nearly 100% compatible with your old hardware.*

### HINTS AND TIPS

*Editor:*

For those of you who are bothered by the fact that the CoCo 3 can only do 192 vertical lines, here is a fix:

```
10 POKE&HE7BA,199:POKE&HE7BE,
198' IF Y>199 THEN Y=198
15 POKE&HF521,199:POKE&HF526,
198'HORAW IF Y>199 THEN Y=198
20 POKE&HEB75,198'FIX FOR PAINT
30 FORA=&HE06C TO &HE06F:POKEA,
PEEK(A) OR 32'CHANGE TO X-VALUE
BY 200
40 POKE&HEFDF,24'FIX HPRINT
COMMAND TO WORK WITH 25 ROWS
```

Don't run this before any program that uses a lot of HPAINTs; it is likely to cause spillover.

*Alan T. Dekok  
Kanata, Ontario*

### Speech/Sound Help

*Editor:*

I recently purchased the Color Computer Speech/Sound Cartridge. I've discovered a programming error used in the example programs from the manual. It occurs on lines used to check the status bits at address &HFF7E. On Page 6, the variable Y is set to equal &HFF7E.

```
140 IF PEEK(Y) AND 128=0 THEN 140
```

The basic interpreter always sees this as a true statement. No ANDing is performed between location Y and the value of 128. To force ANDing to take place, parentheses are needed.

```
140 IF (PEEK(Y) AND 128)=0 THEN 140
```

To check Bit 6 to see if the S/SC is currently speaking use:

```
100 IF (PEEK(Y) AND 64)=0 GOTO 100
```

To check Bit 5 to see if the S/SC is currently executing a sound effect use:

```
100 IF (PEEK(Y) AND 32)=0 GOTO 100
```

*Jack Shaffer  
Champaign, IL*

### The Perfect Excuse

*Editor:*

Thank you, Mr. Scerbo, for consistently good programs. Many have been useful in my second grade classroom. Thank you for sharing your talents.

The combination of his February program and Radio Shack's sale on the Speech and Sound Cartridge finally provided an excuse to purchase the cartridge. The program works very well, but it sometimes did not speak when I started up my machine. Adding a line at the beginning of the program to reset the cartridge solved it for me. The line is:

```
0 POKE &HFF7D,1:POKE &HFF7D,0
```

*Paul French  
Burlington, IA*

### Getting Organized

*Editor:*

After I am done reading the latest issue of RAINBOW, I make a copy of any OS-9 articles in the magazine and keep them in a three-ringed binder for future reference. This way, if I need some additional information on an OS-9 subject, I only have to thumb through the notebook instead of going through all of my back issues of RAINBOW.

*Paul Wicker  
Willingboro, NJ*

### In Living Color

*Editor:*

People who are unhappy about having no color for CoCo 2 programs running on their CoCo 3 with a CM-8 monitor can now add color very easily. Before loading any program, type PALETTE, Y. The Y can be any of the 63 colors available. When X=10, the PMODE4 colors that usually show up black will now be whatever color Y was set to be. When X=11, the PMODE4 colors that usually show up white will now be whatever color Y was set to be.

Also, in the 320-column mode of the CoCo 3, the foreground and background colors can be changed. Type PALETTE, Y. Again, Y can be any of the 63 colors available. When X=12, the foreground (letters and numbers) will be whatever color Y was set to be. When X=13, the background will be whatever color Y was set to be. However, pressing the reset button will change all colors back to the usual start-up colors.

*Marc Lederman  
Carmel, NY*

### REQUEST HOTLINE

*Editor:*

I am interested in assembly language programming for floppy disk communication. I have had some success in writing ML programs for ACIAs, PIAs and interrupt-driven routines. However, talking to a disk with an ML program appears to require some "tricks" in reading the data correctly.

*Barry Barnes  
P.O. Box 317  
Oswego, IL 60543*

### A Buffer Idea

*Editor:*

I am interested in a utility program that would allow routine programming and disk I/O while CSAVE or CLOAD is working. My idea is that something similar to a PCOPY could be done (with ML) to a buffer area similar to a print spool, and the spool area then activated. Is this possible with CoCo's interrupts working as they do?

*Kerry B. Rogers  
USS Orion (AS-18)  
FPO New York, NY  
Sardinia, Italy 49513-2570*

### High-Voltage Requests

*Editor:*

I need electrical engineering programs for my Color Computer — low and high pass, active and LC filters, coil design, delay lines, amplifiers simulation, transformers design (E and pot cores) and so on.

*Andrew Soltyk  
8 Town Garden Dr. Apt. 4  
Liverpool, NY 13088*

### Needs to Read

*Editor:*

We have a 9-year-old son who has difficulties in reading and reading comprehension. We have been trying to find quality programs for the CoCo 2 in this area. We have only been able to find quality reading programs from Dorsett Educational Systems. The problem we have with their programs is that after doing the programs once, our son has all the correct answers memorized. Any help would be appreciated.

*Linda A. Arver  
2175-36 N. Main Street Exit  
Butler, PA 16001*

### INFORMATION PLEASE

*Editor:*

I was wondering if there are any games for the CoCo that are similar to *King's Quest* for the Tandy 1000/1200. Thank you.

*Mark Bourdeaux  
3130 Earl Drive  
Spring Arbor, MI 49283*

### Looking for a Bargain

*Editor:*

I am running a cassette-based CoCo 2 and want to upgrade to disk. I would like to know if anyone knows where I might be able to purchase a used Drive 0.

*Shane Farris  
Route 2 Box 178  
Kings Mtn., NC 28086*

### Wants to Join In

*Editor:*

Does anybody know if there is a BBS in the Columbus, Central Ohio area? If so, write to me.

*David Carver  
3725 Rome Corners Road  
Galena, OH 43021*



# 500 POKES, PEEKs, 'N EXECs

FOR THE TRS-80 COCO



NEVER BEFORE has this information of vital significance to a programmer been so readily available to everyone. This book will help you 'GET UNDERNEATH THE COVER' of the Color Computer and develop your own HI-QUALITY Basic and ML programs. SO WHY WAIT?? This 80-page book includes POKES, PEEKs and EXECs to:

- ★ Autostart your basic programs
  - ★ Disable Color Basic/ECB/Disk Basic commands like LIST, LLIST, POKE, EXEC, CSAVE(M), DEL, EDIT, TRON, TROFF, PCLEAR, DLOAD, RENUM, PRINT USING, DIR, KILL, SAVE, LOAD, MERGE, RENAME, DSKINI, BACKUP, DSKI\$, and DSKO\$.
  - ★ Disable BREAK KEY, CLEAR KEY and RESET BUTTON.
  - ★ Generate a Repeat-key.
  - ★ Transfer ROMPAKS to tape (For 64K only).
  - ★ Speed Up your programs.
  - ★ Reset, MOTOR ON/OFF from keyboard.
  - ★ Recover Basic programs lost by NEW.
  - ★ Set 23 different GRAPHIC/SEMIGRAPHIC modes
  - ★ Merge two Basic programs.
  - ★ AND MUCH MUCH MORE!!!
- COMMANDS COMPATIBLE WITH 16K/32K/64K/COLOR BASIC/ECB/DISK BASIC SYSTEMS and CoCo 1, 2, & 3.

ONLY \$16.95

All orders \$50 & above shipped by 2nd day Air UPS with no extra charge. Last minute shoppers can benefit.

**NEW!**  
SUPPLEMENT  
to  
**500 POKES,  
PEEKs 'N EXECs**  
ONLY **\$9.95**

**200** additional Pokes, PEEKs 'n Execs to give you MORE PROGRAMMING POWER. Includes commands for:

- Rompak Transfer to disk
- PAINT with 65000 styles!
- Use of 40 track single/double sided drives with variable step-rates
- High-Speed Cassette Operation
- Telewriter 64<sup>®</sup>, Edtasm+<sup>®</sup> and CoCo Max<sup>®</sup> Enhancements
- Graphics Dump (for DMP printers) & Text Screen Dump
- AND MUCH MUCH MORE!
- 500 POKES, PEEKs 'N EXECs is a prerequisite

## DISK TUTORIAL



(2-Disk Package)



An indispensable tutorial for serious disk Basic/ML programmers. Gives almost everything you MUST know about the disk system. Some features:

- Learn about track/sectors/granules
- How the Directory is organized
- Useful disk utilities
- Useful ROM routines
- How to use double sided/40/80 track drives
- Information security on disk
- Insight into common disk errors
- Many Tips/Hints/Secrets you won't find elsewhere!
- And Much Much More!

CoCo 1, 2 & 3 ONLY \$36.95

## RUN COCO MAX II

On CoCo III

The kit contains software & replacement PAL chip for 26-3024 Multipack interface.

ONLY \$29.95



**MICROCOM SOFTWARE**  
P.O. Box 214  
Fairport, N.Y. 14450  
Phone (716) 223-1477

VISA, MC., Am Ex, Check, M.O. Please add \$3.00 shipping and handling (USA & CANADA, other countries \$5.00). COD add \$2.50 extra. NYS residents please add Sales Tax. Immediate shipment. Dealer inquiries invited.

## COCO GRAPHICS DESIGNER

The CoCo Graphics Designer allows you to create beautifully designed Greeting Cards, Signs and Banners for holidays, birthdays, parties, anniversaries and other occasions. Comes with a library of pre-drawn pictures. Also includes utilities which allow you to create your own character sets, borders and graphic pictures. Requires a TRS-80 COLOR COMPUTER I, II OR III OR TDP-100 with a MINIMUM OF 32K, ONE DISK DRIVE and a PRINTER compatible with DISK BASIC 1.0/1.1, ADOS 1.0/1.1 AND JDOS. Supports the following printers: EPSON RX/FX, GEMINI 10X/SG-10, NX-10, C-Itoh 8510, DMP-100/105/400/430, SEIKOSHA GP-100/250, LEGEND 808 and GORILLA BANANA.

DISK ONLY \$29.95

PICTURE DISK #1

This disk includes OVER 100 pre-drawn pictures for use with the CoCo Graphics Designer.

DISK ONLY \$14.95

## 512K UPGRADE

For CoCo III. Easy Installation.

ONLY \$99.95

Upgrade W/O Chips — \$44.95

## 512K RAMDISK

Have two super-fast in-memory disk drives. Requires 512K CoCo III.

ONLY \$24.95

## COCO DISK ZAPPER



Are you frustrated with crashed disks? If so, this program can save hours of labor by restoring complete or part of the information from the disk. It's indispensable!

Requires minimum 32K/64K disk system

CoCo 1, 2 & 3

ONLY \$24.95



**Call Toll Free (For Orders) 1-800-654-5244** 9 AM - 9 PM EST 7 days a week

Except NY. For information, technical information, NY orders & after-hours 1-716-223-1477



## The Little Train That CoCould

Editor:

I finally found a source for everything I've ever wanted to know about CoCos — RAINBOW.

I was in a software slump until I purchased a copy of your fine magazine at a local bookstore.

Does anyone have or know of a simulation program for railroad dispatching or train running? Can someone supply the codes to get the *Where is it?* program on Page 93 of the December 1986 issue of RAINBOW up and running with a DMP-105 printer?

Kurt Stecco  
2309 S. Prairie Avenue  
Pueblo, CO 81005

## BULLETIN BOARD SYSTEMS

• The newly formed Southeast Connecticut Color Computer Users Group meets the third Monday of every month. For further information contact me at (203) 448-1388 or the Coconut Manor BBS at (203) 449-1792 (24 hours). Leave a message for SAILORBILL.

Bill Gross  
Groton, CT

• I am proud to announce the opening of the Cocoa CocoNut BBS. It is run on a 64K Tandy CoCo 2, two drives, a DCM5 modem, and RS-BBS. The board is online from 9 p.m. to 5 a.m. EST, (305) 632-8956. All callers are instantly validated. The master logon password is RAINBOW. If you call out of hours, please call voice.

Michael Whipple  
Cocoa, FL

• I would like to inform your readers of a new CoCo BBS. It is called The Time Machine. Protocol is 8 word length, no parity and 1 stop bit. The phone number is (813) 831-8111 and is up 24 hours a day. The board is run on 64K CoCo 2, Multi-Pak, and double-disk system. The software is original, based on the *Remote 232* driver that appeared in the November 1986 issue.

Bernie Middendorf  
Tampa, FL

• The CoCoNuts of Illinois BBS can be accessed 24 hours a day at (618) 465-0808. There is about 5 meg of files and downloads. 300 or 1200 baud is available, and it uses Xmodem. It is run on a modified *Colorama* board. Hackers' Haven BBS is also online 24 hours, 300 or 1200 baud at (618) 251-4243 and is running on a *KKBBS* setup.

Al Muick  
Wood River, IL

• I would like to announce the opening of a new BBS in Mansfield. It is run on, and fully dedicated to, the CoCo. It is currently running on a 64K with three disks and Richard Duncan's *CoBBS* Version 1.2. It is up 24 hours a day. Call (617) 339-1996, and goes by the name CoCoBBS.

Roy Jerman  
Mansfield, MA

• The Siouland Color Computer is changing. It will be for members only and there is a sign-up fee to get on the board. If you

## Show 'n' Tell



Editor:

I am always interested to see how others have their CoCos set up and maybe others would also like to see this.

Here is a picture of mine to start out. I have a 64K CoCo 1, two Radio Shack disk drives, cassette and an Epson FX-80 printer.

Norman G. Thode, Austin, TX

would like to join, send me your full name and address along with a phone number where we can call and verify the information. There is a \$5 per year fee. The new board is run under the *CoBBS* System and should have a lot more to offer than before. Call (402) 494-2284.

Alan Pedersen  
South Sioux City, NE

• I am pleased to announce the very first BBS for Canandaigua, NY. CoBBS #41A, sister to CoBBS #41 of Corning, AR. CoBBS #41A features Xmodem uploads and downloads, hobby section and more. Seven days a week from 8 a.m. to 8 p.m. EST, (501) 857-3138. Please use real names. 7-E-1.

Sam Fagg  
Canandaigua, NY

• There's a new BBS that supports the CoCo 1, 2 and 3 in Altus, OK. Shamrock BBS is running on a 640K 32 meg, hard-drive PC Clone. It fully supports all CoCos with uploads, downloads and a full message base specifically for CoCo users. Call (405) 482-7080 24 hours, 300/1200 baud.

Craig Riley  
Altus, OK

• I have recently started a BBS using the *Colorama* package. The BBS number is (717) 273-8444, 24 hours a day. There are downloads for CoCo 2 and 3. Use 8 bits, no parity, 300 baud only. There is another BBS in the reading area using a *Colorama* system: Glass Menagerie at (215) 376-1819. This BBS is also 24 hours a day, 300 baud. SysOps: Balloon Meister and Glass Man.

Ricky V. Elyar  
Lebanon, PA

• The CoCo Beach BBS is going strong in Virginia Beach, VA. (804) 474-1211, 300/1200 baud, 7-E-1 or 8-N-1. Over 200 programs for downloading.

Jim McCracken  
Virginia Beach, VA

• There is a new BBS in northern Ontario. This BBS is free to all. It features E-mail, gossip, gallery, up/downloading, want ads, hints, tips and much more. Call (705) 848-1221. Hours are Monday through Friday, 7 p.m. to 7 a.m., Friday at 7 p.m. till Sunday 9 p.m. Soon to be run 24 hours.

Mike Dickerson  
Elliot Lake, Ontario

• I'd like to mention CoCo BBSs in Surrey, British Columbia. Call of the Wild, (604) 597-1964, 24 hours, Gerry Bell. Bit by Byte BBS, (604) 581-6310, 24 hours, Mark Loblaw. Delta 80 BBS, (604) 585-0680, 24 hours, Charles Lindberg.

Gerry Bell  
Surrey, British Columbia

THE RAINBOW welcomes letters to the editor. Mail should be addressed to: Letters to Rainbow, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. Letters should include the writer's full name and address. Letters may be edited for purposes of clarity or to conserve space.

Letters to the editor may also be sent to us through our Delphi CoCo SIG. From the CoCo SIG> prompt, type RA1 to take you into the Rainbow Magazine Services area of the SIG. At the RAINBOW> prompt, type LET to reach the LETTERS> prompt and then select Letters for Publication. Be sure to include your complete name and address.



## UTILITIES/BOOKS



### UTILITY ROUTINES for the TANDY & TRS-80 COCO (Vol 1)

- COMMAND KEYS • CURSOR STYLES • ERROR SKIP
- FULL LENGTH ERRORS • KEY CLICKER
- REPEAT KEY • REVERSE VIDEO (Green & Red)
- SPOOLER • SUPER SCROLLER • TAPE-TO-DISK
- AND MUCH MUCH MORE !!!

For 16K/32K/64K Cassette or Disk Systems.

CoCo 1, 2 & 3 BOOK **\$19.95**

ROUTINES ON CAS/DISK **\$24.95**

BOTH BOOK AND CAS or DISK: **\$36.95**

### UTILITY ROUTINES (Volume II)

Includes 20 oft-used utilities such as:

- PAINT with 65000 styles
- Add SUPERSCRIPTS to your DMP printer
- Design your own commands! • Programming Clock
- Fast Sort for Basic Strings • CoCo Calculator
- Create a character set for your DMP printer
- Find/Replace phrases in your Basic Program
- Let the computer locate your errors!
- Super EDITing Basic Programs
- Automatic Directory Backup • And much much more!

64K DISK ONLY **\$29.95**

### UTILITY BONANZA I

Includes 20 best-selected utilities:

- 40K Disk Basic • Disk Cataloger
- Super Tape-to-Disk Copy (with Automatic Relocate)
- LList Enhancer • X-Ref for Basic Programs
- Graphics Typesetter (two text sizes!)
- LARGE DMP Graphics Dump • Basic Stepper
- Hidden 32K (Use the "hidden" 32K from your 64K CoCo)
- RAM Disk (for Cassette & Disk Users)
- Single Key Printer Text Screen Dump
- And much, much more !!!

Most programs compatible with CoCo 3

DISK (64K Req.) ONLY **\$29.95**

### "MUST" BOOKS

**UNRAVELLED SERIES:** These books provide a complete annotated listing of the BASIC/EDB and DISK ROMs.

EXTENDED COLOR BASIC UNRAVELLED: **\$39.95**

DISK BASIC UNRAVELLED: **\$19.95**

BOTH UNRAVELLED BOOKS: **\$49.95**

SUPER ECB (CoCo3) UNRAVELLED: **\$24.95**

ALL 3 UNRAVELLED BOOKS: **\$59.95**

RAINBOW GUIDE TO OS-9 (Book): **\$18.95**

RAINBOW GUIDE TO OS-9 (2 Disks): **\$29.00**

BASIC PROGRAMMING TRICKS: Tips and tricks for Basic Programmers. Only **\$14.95**

CoCo 3 SECRETS REVEALED: **\$19.95**

ASSEMBLY LANGUAGE PROGRAMMING\*: **\$18.00**

## ALL SOFTWARE COMPATIBLE WITH COCO 1, 2 & 3

(Except those marked with \*)



### SUPER TAPE/DISK TRANSFER



- Disk-to-Disk Copy (1 - 3 passes)
- Tape-to-Disk Copy
- Tape-to-Disk Automatic Relocate
- Disk-to-Tape Copy
- Tape-to-Tape Copy

Copies Basic/ML programs and DATA files.

CoCo 1, 2 & 3 32K Disk System

(Disk to Disk Copy requires 64K)

DISK ONLY

**\$24.95**

### CABLES/HARDWARE

**AVATEX MODEM:** Hayes compatible

300/1200 Baud, Auto-Dial/Answer/Redial.

ONLY **\$129.95**

**MODEM CABLE:** **\$19.95**

**DS-69B DIGISECTOR:** Microworks Digitizer

for CoCo 1, 2 & 3. Includes software.

ONLY **\$149.95**

**VIDEO CLEAR:** Reduce TV interference.

ONLY **\$19.95**

**15' PRINTER/MODEM EXTENDER CABLE:**

ONLY **\$16.95**

**UNIVERSAL VIDEO DRIVER:** Use your monochrome or color monitor with your CoCo (ALL CoCos). Includes audio connection. Easy installation - no soldering. ONLY **\$29.95**

**INTRONICS EPROM PROGRAMMER:** Best

EPROM Programmer for the CoCo.

Lowest Price Anywhere - **\$137.95.**

**RS232 Y CABLE:** Hook 2 devices to the

serial port. ONLY **\$18.95.**

**3-POSITION SWITCHER:**

Select any one of three RS232 devices (printers/modems) from the serial port.

ONLY **\$37.95**

**Y CABLE:** Use your Disk System with CoCo

Max, DS69, etc. ONLY **\$24.95**

**SERIAL TO PARALLEL INTERFACE:** With 6 switch selectable baud rates (300-9600).

Comes with all cables. **\$44.95**

### OTHER SOFTWARE...

**Telewriter-64** (Cas) **\$47.95** (Dsk) **\$57.95**

**Teleform:** Mail Merge for TW-64® **19.95**

**Telepatch III** **29.95**

**Graf Plot** **44.95**

**CoCo Max** (Cas)\* **67.95**

**CoCo Max II** (Dsk)\* **77.95**

**FKEYS III** **24.95**

**Autoterm Terminal Prog** (Cas) **29.95**

**(Latest Version)** (Dsk) **39.95**

**Font Bonanza** **29.95**

**SPIT 'N IMAGE:** Makes a mirror image (BACKUP) of ANY disk, even protected ones. Will also initialize and BACKUP in one pass. ONLY **\$32.95**

**COCO UTIL II** (Latest Version): Transfer CoCo Disk files to IBM compatible computer.

Transfer MS-DOS files to CoCo.

CoCo 1, 2 & 3 ONLY **\$36.95**

**EARS:** Speech recognition system.

ONLY **\$99.95**

**SUPER VOICE:** Speech synthesizer.

ONLY **\$79.95**

**LYRA:** Best music composition program.

ONLY **\$54.95**

**SYMPHONY 12:** A real hardware music synthesizer. ONLY **\$69.95**

**ADOS:** Advanced disk operating system.

ONLY **\$27.95, CoCo 3: \$34.95**

**DISK ANTI-PIRATE:** Best copy-protection program for disk Basic and ML programs. CoCo 1, 2 & 3 ONLY **\$59.95**

**COLOR SCRIBE III:** The Coco 3 Word-Processor

ONLY **\$49.95**

### GAMES (DISK ONLY)

**GANTELET:** **\$28.95**

**MISSION F-16 ASSAULT:** **\$28.95**

**MARBLE MAZE:** **\$28.95**

**PAPER ROUTE:** **\$28.95**

**KNOCK OUT:** **\$28.95**

**KARATE:** **\$28.95**

**WRESTLE MANIAC:** **\$28.95**

**BOUNCING BOULDERS:** **\$28.95**

**THE GATES OF DELIRIUM:** **\$28.95**

**P-51 MUSTANG SIMULATION:** **\$34.95**

**WORLDS OF FLIGHT:** **\$34.95**



**MICROCOM SOFTWARE**

P.O. Box 214

Fairport, N.Y. 14450

Phone (716) 223-1477

To order: All orders \$50 & above shipped by 2nd day Air UPS with no extra charge. Last minute shoppers can benefit VISA, MC, Am Ex, Check, MO. Please add \$3.00 shipping and handling (USA & CANADA, other countries \$5.00) COD add \$2.50 extra. NYS residents please add Sales Tax. Immediate shipment. Dealer inquiries invited.

MasterCard




**Call Toll Free (For Orders) 1-800-654-5244**

9 AM - 9 PM EST 7 days a week

Except NY. For information, technical information, NY orders & after-hours 1-716-223-1477





# Of Contests and Books and Births


**O**ur fourth Adventure contest is being announced in this month's magazine, so it's time to "get cracking" in order to meet the August 15 entry deadline! I happen to believe that Adventures not only are a lot of fun to play (they're addictive and account for untold hours of lost sleep as Adventurers press on into the wee hours), but they're also an excellent introduction to the art and craft of programming: Many folks get their first real look at the construction of a program by "sneaking a peek" at a BASIC listing for a hint to "get past the dragon's cave."

A nice thing about writing Adventures is that you do not have to be a computer expert; imagination and an Adventurous spirit are the keys. Some of the most entertaining and challenging Adventures have a very simple program structure, but they excite us with the twists and turns and unexpected aspects of the plot itself. Therefore, even if you're a beginning BASIC programmer, you can and should enter our Rainbow Adventure Contest, and I hope that you will. The rules and all are on Page 159 of this issue.

One way to get started is to obtain a copy of our brand new, just off the presses collection of contest-winning Adventures: *The Third Rainbow Book of Adventures* (see Page 65 for details). A virtual textbook on Adventuring, it contains 19 top-notch examples of what it takes to create an entertaining — and prize-winning — Adventure. And, when our fourth Adventure contest results are announced, you could well be among those who share the prizes our advertisers are donating and perhaps see your entry published, either right in RAINBOW itself, or in our fourth Adventure book. I'm very pleased with our newest addition to The Rainbow Bookshelf and want to publicly thank not only our contestants/authors, but also Jutta Kapfhammer and Philip Helm, who conscientiously judged the




### Model 101 Interface \$39.95



- Serial to parallel interface
- Works with any COCO
- Compatible with "Centronics" parallel input printers
- 6 switch selectable baud rates 300-600-1200-2400-4800-9600
- Small size 4" x 2" x 1"
- Comes complete with cables to connect to your computer and printer

### Model 104 Deluxe Interface \$51.95



- Same features as 101 plus
- Built in serial port for your modem or other serial device
  - Switch between parallel output and serial output
  - Size is 4.5" x 2.5" x 1.25"
  - Comes complete with cables to connect to your computer and printer

### Model 102 Switcher \$35.95



- Connect to your COCO serial port and have 3 switch selectable serial ports
- Color coded indicator lights show switch position
- Lights also serve as a power on indicator for your COCO
- Heavy gauge blue anodized aluminum cabinet with non-slip rubber feet

### Model 105 Switcher \$14.95



- Connects to your COCO to give you 2 switch selectable serial ports
- 3 foot cable to connect to your COCO's serial port
- The perfect item to use to connect a printer and a modem to your COCO
- Small in size, only 4.5 x 2.5 x 1.25

### Cassette Label Program \$6.95

- New Version - tape transferable to disk - save and load labels from tape to disk
- Prints 5 lines of information on pin-feed cassette labels
- Menu driven, easy to use
- Standard, expanded and condensed characters
- Each line of text automatically centered.
- Label display on CRT, enabling editing before printing
- Program comes on tape and is supplied with 24 labels to get you started
- 16K ECB required

### Other Quality Items

High quality 5 screw shell C-10 cassette tapes. **\$7.50/dozen**

Hard plastic storage boxes for cassette tapes. **\$2.50/dozen**

Pin-Feed Cassette Labels  
White **\$3.00/100**  
Colors **\$3.60/100** (specify red, blue, yellow, tan)

### NEW! Cables for your COCO

- U.L. listed foil-shielded cable
- 2 Types: male/female extension cables (used between a serial device and existing cable) male/male cables (used between two serial devices such as a modem and one of our switchers).
- 3 ft./\$3.95, 6 ft./\$4.49, 10 ft./\$5.59 Specify M/M or M/F and length.

The 101 and 104 require power to operate. Most printers can supply power to your interface. (Star, Radio Shack and Okidata are just a few that do - Epson and Seikosha do not). The interfaces can also be powered by an AC adaptor; Radio Shack model 273-1431 plugs into all models. If you require a power supply, add a "P" to the model number and add \$5.00 to the price. (Model 101P \$44.95, Model 104P \$56.95).

The Model 101, 102, 104 and 105 work with any COCO, any level basic and any memory size. These products are covered by a **1 year warranty**.

The Model 101 and 104 work with any standard parallel input printer including Gemini, Epson, Radio Shack, Okidata, C. Itoh, Seikosha, Panasonic and many others. They support BASIC print commands, word processors and graphic commands.

We manufacture these products - dealer inquiries are invited.

### Ordering Information

Free shipping in the United States (except Alaska and Hawaii) on all orders over \$50.00. Please add \$2.50 for shipping and handling on orders under \$50.00. Ohio residents add 5.5% sales tax. Call (513) 677-0796 and use your VISA or MASTERCARD or request C.O.D. (Please add \$2.00 for C.O.D. orders). If you prefer, send check or money order; payable in U.S. Funds to:

**Metric Industries**  
P.O. Box 42396  
Cincinnati, Ohio  
45242

## Answers to Often Asked Questions About Our Products

**I have a Radio Shack printer that has a serial input as well as a parallel input, why would I need a serial to parallel interface?**

Most Radio Shack printers, that have a serial input, only permit the use of 600 or 1200 baud. With our model 101 or 104 connected to your computer and the parallel input of your printer, you may send data to the printer at up to 9600 baud. This means that your printer can operate at its maximum speed and print your documents many times faster than the serial input will permit.

**What is baud rate and how do I change it?**

Baud rate is the speed that data is transmitted. In our application it is the speed the COCO sends data to printers, modems, interfaces, or whatever is connected to the COCO's serial port. The baud rate of the COCO may be checked or changed by using a simple peek or poke. This is explained in the instructions that come with our interfaces.

**How can I find out if a certain printer will work with my COCO and one of your interfaces?**

Look in your printer manual or check with the dealer to see if the printer has a "Centronics" type parallel input. If you are still not sure call us and we will try to answer your questions.

**OK, I want an interface, but do I get the one with the power supply or without it?**

Our interfaces require power in order to operate. Most printers have 5 volts available on their parallel input port. You can look in the manual that came with your printer for this information. Find a description of your printer's parallel input connector. On PIN 18 there should be +5 volts at a minimum of 25 MA. If your printer does not have the 5 volts on PIN 18 then you will have to power your interface with an AC adapter. If you cannot find this information give us a call. We have this information on many printers.

**Should I buy a model 101 or 104?**

If you are only connecting a printer to your system the model 101 will fit your needs. But if you plan to connect a modem or maybe another printer to your COCO, then the model 104 is for you. The model 104 has a serial output as well as a parallel output. There is a switch on the 104 that lets you send the COCO's output to either a parallel printer or a serial device such as a modem.

**Can I print data while I am on-line with my modem by using the 104?**

No, the 104 will let you switch between the modem and printer. Even if the 104 would connect them both at the same time your COCO would not be able to communicate with both at the same time.

**What does the model 102 switcher do?**

The 102 is a serial switch. It connects the serial port of your COCO to up to three serial input devices. With the 102 installed in your system you can switch your COCO's serial port between interfaces, printers, modems, or even another COCO.

**Why should I buy a switcher when I can just plug and unplug cables when I want to change from printer and modem?**

Every time you plug or unplug you are wearing the contacts of the connectors. Connectors can and do fail from excessive use. Should you have to pay the price to have the serial connector on your COCO replaced, you will probably spend much more than the cost of a switcher.

**What is the difference between the 102 switcher and the 105 switcher?**

The 102 is in a metal cabinet, has lights to show switch position and has three outputs. The 105 is in a plastic cabinet, has no lights, has a pointer on the knob to show switch position, and has only two outputs. The 105 was designed for the person who has a serial printer or a parallel printer and an interface, who wants to add a modem or other serial device to their system. Simply speaking, the 105 will switch your COCO between two serial devices.

**The 102 has lights, where does it get its power?**

The 102 is powered by the serial port of the COCO. This has no effect on the computer.

**Can I print mail labels with the "Cassette Label" program?**

No, it only prints labels for cassette tapes. We will have other label printing programs in the near future.



**Metric Industries**  
P.O. Box 42396  
Cincinnati, Ohio  
45242



**"The Rainbow Bookshelf is expanding and more are on the way"**

contest and expertly edited the book — a massive undertaking that has produced a valuable new resource for learning the basics, as well as a source for just plain fun.

They say creating a book is "like having a baby." To advise us on the validity of that assertion, we have to look no further than our own Denise Webb, who did the graphic design: She no more than finished her work on the book before giving birth to 8-pound, 3-ounce Dustin Michael Webb. Of course, there's a big difference: One project is over and done, while the other is a lifelong commitment!

Actually, we have two books being "birthed" this month. Our long-awaited and scholarly work, *The Rainbow Introductory Guide to Statistics*, is also ready, just in time for RAINBOWfest Chicago. In fact, RAINBOW Contributing Editor Michael Plog will be on hand at our fifth Chicago show to autograph

copies. And, of course, Jutta will be at RAINBOWfest and might be persuaded, along with several of the winning authors who are attending, to sign the Adventure book. In fact, CoCo Cat will be autographing (or, should I say paw-printing) pictures, too.

This time, both Dale Puckett and his writing partner Peter Dibble are making the trip, so, even if you have a copy of *The Complete Rainbow Guide to OS-9* signed by Dale, you might want to bring it along for Peter to autograph, too. No, they won't have their latest book ready for the Chicago show, but we do expect to have printed copies of their comprehensive guide to the CoCo 3 and OS-9 Level II by mid-July! In the printing business, that's just around the corner.

Books and more books. Yes, The Rainbow Bookshelf is expanding and more are on the way; but, then, this is our printer issue, isn't it?

— Lonnie Falk

## SPECIAL DEAL ON 500 PROGRAMS!

GET 50 DISKS OR 50 CASSETTE TAPES FULL OF OVER 500 PROGRAMS. HERE IS WHAT YOU'LL RECEIVE:

- ★ Over 250 Utility/Home Application Programs including a Word Processor, DataBase, Spreadsheet, Account Manager, 2 Basic Compilers, Terminal Programs, ROM Copies, Mail List, Machine Language Tutorials, Plus Much More!
- ★ Over 200 exciting games including Warlords, Star Trek, Super Vaders, Solar Conquest, Horse Races, Football, Baseball, Frog Jump, Invader, Plus Much More! (Many machine language games)
- ★ Over 30 adventures including The College Adventure, Dungeon Master, Space Lab, Ice World, Ship Wreck, Zigma Experiment. Plus 32K Graphic Adventures.

EACH INDIVIDUAL ISSUE SOLD FOR \$9.00 EACH OR \$450 FOR ALL 50 ISSUES. WE SLASHED THE PRICE TO ONLY 150.00.

REG. \$450

**NOW** \$150.00

★★THIS MONTH ONLY★★

Buy this package of 500 programs and receive a free 6 month subscription. (A \$35 value)



- ★ 16K-64K Color Computer
- ★ Over 4000 Satisfied Customers
- ★ Back Issues Available From
- ★ July '82 (Over 500 Programs)

OUR LATEST ISSUE CONTAINED

1. Accounts Receivable
2. Work Mate
3. Calendar
4. Invasion
5. Trip Adventure
6. Foot Race
7. Flippy the Seal
8. Screen Calculator
9. Able Builders
10. Super Error 2

Available on COCO 1, 2 and 3!  
All Programs Include Documentation!



## THE GREATEST SOFTWARE DEAL ON EARTH JUST GOT BETTER!

THAT'S RIGHT! THIS MONTH WE'VE DROPPED OUR YEARLY SUBSCRIPTION RATE AN UNBELIEVABLE \$10.00 TO ENTICE YOU INTO SUBSCRIBING WITH US. GET 12 DISKS OR TAPES A YEAR CONTAINING OVER 120 QUALITY PROGRAMS. A SUBSCRIPTION TO T & D SOFTWARE CONSISTS OF 10 READY-TO-LOAD PROGRAMS DELIVERED BY FIRST CLASS MAIL EVERY MONTH.

NO WE ARE NOT THE SAME AS THE RAINBOW ON TAPE. IN FACT, MANY SUBSCRIBERS HAVE WRITTEN IN AND SAID THAT WE ARE MUCH BETTER THAN RAINBOW ON TAPE!



	TAPE	THIS MONTH ONLY
1 YEAR (12 Issues)	70.00	60.00
6 MO. (6 Issues)	40.00	35.00
1 ISSUE	9.00	8.00
Michigan Residents Add 4% Overseas Add \$10 to Subscription Price Personal Checks Welcome!		

T & D SUBSCRIPTION SOFTWARE, 2490 MILES STANDISH DR., HOLLAND, MI 49424 (616) 399-9648



# DISKMASTER . . . THE ULTIMATE DISK DRIVE SYSTEMS FOR THE OS-9 BASED COCO 3 **BAR NONE!!**




**COCO 3 + OS-9 + DISKMASTER = THE HIGHEST PERFORMANCE PERSONAL COMPUTER AVAILABLE TODAY!**

**THE DISKMASTER SYSTEM . . .** A Completely Integrated System with **HARDWARE AND SOFTWARE COMPATIBILITY GUARANTEED** from a Single Source. In addition to Single Source Confidence and Convenience, you will get a Disk System that has **NO EQUAL** in the COCO World! The Floppy Drives are the High Density (IBM-AT) Types with over 1 MB of Storage and **TWICE THE DATA TRANSFER RATE** of Single or Double Density Drives. Using these High Speed Drives is almost like using a Hard Disk. **PLUS . . . A FIRST FOR COCO COMPUTERS! DMA transfer of Data** from the Floppy Disk to a **SEPARATE HARDWARE DISK CACHE** frees up the CPU during Disk Accesses. The Keyboard, Printer etc. **KEEP ON WORKING DURING DISK ACCESSES!**

The Hard Disk Drives are 3 1/2" Drives with the SCSI INTERFACE. These are the Next Generation of Hard Drives where the Industry has Concentrated the Latest Innovations in Hard Drive Technology. The SCSI INTERFACE is **THE** High Performance Industry Standard for these type of Drives. No Non-Standard Interfaces used here! The Software is by D. P. JOHNSON. His SDISK Software set the Standard for 40 & 80 track Disk Drive Software for the COCO 2. This Unique Software allows DISKMASTER Systems to read 35, 40, or 80 Track, Single or Double Sided, Single, Double or High Density Drives in Radio Shack, Standard OS-9, Fujitsu or Mizar Formats!

**For Maximum Performance:** add the **PLUS 100** --- The **PREMIER 512K Memory Expansion** for the COCO 3.



\*Save \$20.00 off the regular price of \$109.00 when purchased with a DISKMASTER System.

## PLUS!!!

Each DISKMASTER System includes the following additional features . . .

- 3 Software Selectable Hardware Serial Ports with XMODE and special SETBAUD Commands
- Centronics Compatible Bi-Directional Parallel Port
- Super Accurate Hardware Clock (+/- 6 seconds/month) with Battery Backup
- Hard Disk Boot Capability
- Expansion Connector for additional Floppy Drives
- Optional 0.5 MB, 1 MB or 1.5 MB RAMDISK

**THINK ABOUT IT . . .** The Unsightly, Cumbersome and Unreliable Expansion Interface is Eliminated. NOW compare cost. Purchasing an Expansion Interface and numerous cards from various suppliers results in a system that costs about the same as a DISKMASTER SYSTEM but doesn't even begin to compare to it in performance!

## HEMPHILL ELECTRONICS, INC.

1922 Cogswell Road  
South El Monte, CA 91733

(818) 575-4530

(Mon. thru Thurs., 1:30 to 5:30 PM Pacific Time)

CC3-1 2 1MB Floppy Drives	\$ 795.00
CC3-20H 1MB Floppy + 20MB Hard Drive	\$1,295.00
RAMDISK Options	Call Factory



## A bit of bike trouble . . . . . . but we keep on pumping

**D**orris, my wife, sometimes says to me, "Do you have to tell people everything?" but since she recently blurted, "I gotta get a picture of this!" I guess it's OK to discuss my latest "peripheral."

Besides, hooking a lap keyboard to the handlebars of my exercycle is a very logical idea that needs sharing; I wish I'd thought of it sooner. I mean, with as much time as I spend in front of a monitor, anything to improve the circulation is a benefit. It was at the "pillow stage" of my exercise in exercising that she wanted to preserve the moment with a picture.

You see, since I was uncertain about how to attach the keyboard to the bike, my first response was to pile several pillows on the handlebars to form a platform of sorts. It took five big feathery ones to achieve the proper height before plopping the keyboard in place. The monitor itself, I situated atop a nearby chest of drawers in which I keep documentation and odds and ends. The whole thing was a bit precariously jury-rigged, but it worked — sort of.

My glasses posed a problem. Since my close vision is fine, I have avoided getting bifocals by just removing my glasses for reading or close work, but pedaling away on the exercycle with my keyboard on the pile of pillows and the monitor some four feet away, I need my glasses to see the screen. On the other hand, they actually impair my close vision enough that I cannot see the keyboard properly with them on. Yes, I must hunt and peck as I huff and puff. Being a creative sort, I have eliminated the need for glasses by squinting and relying heavily on the 32-column text mode. Long term goal: Learn to touch type.

A notable breakthrough came when I remembered seeing a "reading stand" designed especially for exercycles. Sure enough, the local Schwinn dealer had a nice one and, my oh my, it's the perfect height and width for the keyboard — looks like a custom installation. It can also hold a CoCo itself, though the wiring gets even junkier looking than usual. Add a Multi-Pak Interface, you're getting big-time bizarre.

Actually, I may keep one of the pillows — for the bike seat — since it looks like I'll be in front of the screen more than ever. At the moment, THE RAINBOW's CoCo SIG is adding dozens of Orchestra-90 files that we've obtained through our recent acquisition of Delphi's Tandy SIG. And, though our CoCo SIG is in high gear — the 25,000th message was posted in the Forum in early March by John Kendziora of Whitehouse, Ohio — Falsoft is busily creating both a PC Compatibles SIG and an Aviation SIG on Delphi; both will be open by the time you see this.


The Aviation SIG is tied to our newest publication, NEW PILOT, for the Student and Low-Time Flier. NEW PILOT's premier issue carries an April cover date and is two-color throughout. We're proud of all 16 pages, which make it four times as large as the first RAINBOW! If you're a student, a private pilot or simply an aviation enthusiast, I commend NEW PILOT to your attention and invite you into our Aviation SIG, too.

From pedaling to peddling, here's my usual wheeling deal: Enter an annual subscription and we'll steer a RAINBOW your way (look Ma, no hands) each month throughout a one-year cycle.

— Jim Reed


# TANDY™

## The Ideal Buy




**COLOR COMPUTER 3**  
128K  
**\$175.00\***  
26-3334

**COLOR COMPUTERS**  
26-3127 Color Computer 2 64K  
26-3131 Color Disk Drive 0  
26-3512 CM-8 RGB Color Monitor  
26-3012 Deluxe Joystick




**TANDY™ 1000SX**  
384K 2 Disk Drives  
**\$840.00\***  
25-1051

**TANDY™ 1000 COMPUTERS**  
25-1050 Tandy 1000EX 256K 1 Disk Drive  
25-1020 VM-4 Monochrome Monitor  
25-1022 CM-10 Color Monitor  
25-1023 CM-5 Color Monitor




**TANDY™ 3000 HL**  
360K Drive 512K  
**\$1195.00\***  
25-4070

**TANDY™ 3000 COMPUTERS**  
25-4001 Tandy 3000 1.2 Meg Drive 512K  
25-4010 Tandy 3000 20 Meg Hard Drive 512K  
25-4011 Tandy 3000 40 Meg Hard Drive 640K  
25-4103 MS-DOS 3.2/Basic/DeskMate



**EPSON™**  
**FX-86E**  
**\$445.00**

**EPSON™ PRINTERS**  
LX-86 Dot Matrix Printer 80 Column  
FX-286 Dot Matrix Printer 132 Column  
LQ-800 Dot Matrix Printer 80 Column  
LQ-1000 Dot Matrix Printer 132 Column



# PERRY

## COMPUTERS

All prices and offers may be changed or withdrawn without notice. Advertised prices are cash prices. C.O.D. accepted add 2% (minimum charge \$10.00). M.C. Visa add 2%. A.X. add 4%. All non-defective items requiring return merchandise authorization. Call for IBM Number before returning. Delivery is subject to product availability. Prices include shipping and handling except for orders under \$100.00 add \$5.00 shipping and handling. TM - Registered Trademark of Tandy, Epson, and IBM.

\*Monitors not included  
Monday thru Friday 9am - 6pm Saturday 9am - 3pm EST.  
124 South Main Street, Perry, MI 48872  
CALL 1-517-625-4161 or TOLL-FREE  
1-800-248-3823



# Buy 1, get 12 FREE!

Offer expires  
May 31, 1987

Buy the PRO-COLOR-SERIES for \$79.95 and get 12 months of The Rainbow FREE! If you are an existing subscriber\* to The Rainbow, we'll renew your subscription for an additional 12 months. This is a savings to you of \$31.00! The PRO-COLOR-

SERIES consists of three programs.

**PRO-COLOR-FILE** \*Enhanced\* V2.0 Design a record structure up to 60 fields with 1020 spaces per record, 4 custom designed data entry screens, math functions on single records with IF-THEN-ELSE capability. Extremely flexible reporting capability for totals, averages and summaries. Mailing label generation of up to 10 labels across and 30 lines per label. Use the posting function to perform mathematical calculations on the entire database, with records updated automatically. Output reports to the printer, disk or screen. Send information directly into a DYNACALC<sup>®</sup> compatible file for use in spread sheets. Design custom menus for report selections and streamline repetitive tasks into one keystroke with the command processor. Sort 750 records in less than 5 minutes and create special indexes of your file for reporting and accessing. Store as many records as your disk will hold!

**PRO-COLOR-FORMS** V2.0 This mail-merge feature will

allow you to write a letter and have names from your database inserted automatically. Design invoices, inventory cards and other forms. Or if you use pre-printed forms, you can set up a template to print information in the appropriate places. You can

use printer codes for features like "bold" and "underline." If you have our TELEGRAPHICS<sup>®</sup> program, you can have hi-res pictures included as part of the form! You can even right justify your text for a more professional look.

**PRO-COLOR-DIR** This utility will read the directory of all your diskettes and create a data file that can be accessed by PRO-COLOR-FILE. Store up to 1,000 entries on one diskette and generate a master report that shows where each program is in your library. You can keep track of the date you created a disk and the date you last updated it by generating labels for your disks. The PRO-COLOR-SERIES gives you database capabilities found on larger computers, but at a fraction of the cost. Our PRO-COLOR-SERIES lets you organize important information together in one place, right at your finger tips. Not only will you be getting the most widely used database program for the CoCo 1, 2 and 3, but also the ONLY magazine that can give you all the facts about the CoCo!

☐ Yes, I would like to receive The PRO-COLOR-SERIES and 12 months of the Rainbow magazine for just \$79.95.

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

PHONE \_\_\_\_\_

CITY \_\_\_\_\_

STATE \_\_\_\_\_

ZIP \_\_\_\_\_

\*If renewing, please include the mailing label from your latest issue of The Rainbow.

**Derringer Software, Inc.**

PO Box 5300 Florence, SC 29502-5300  
(803) 665-5676

For software:  
\$ 3 shipping/handling  
\$12 overseas

For subscription:  
\$37 overseas surface  
\$72 overseas air mail  
\$ 7 Canada

No refunds or returns on this offer.  
No CODs.



SIGNATURE \_\_\_\_\_

ACCOUNT NUMBER \_\_\_\_\_

EXPIRATION DATE \_\_\_\_\_





# The CoCo Gallery

# 1<sup>st</sup>

COCO 3

## Seascape

James Upperman  
Amlin, Ohio

A still photo does not do justice to this fabulous animation. To get the full effect, download it from our Delphi CoCo SIG in the graphics database. James, an architect, created this using BASIC and the CoCo 3.




# 2<sup>nd</sup>

## Gettysburg Battlefield

John Murvine  
Ebensburg, Pennsylvania

John recreates a historical battlefield from the War Between the States. He created this in BASIC on the CoCo 3.






**SHOWCASE YOUR BEST!** You are invited to nominate original work for inclusion in upcoming showings of "CoCo Gallery." Share your creations with the CoCo Community! Be sure to send a cover letter with your name, address and phone number, detailing how you created your picture (what programs you used, etc.) and how to display it. Also, please include a few facts about yourself.

Don't send us anything owned by someone else; this means no game screens, digitized images from TV programs or material that's already been submitted elsewhere. A digitized copy of a picture that appears in a book or magazine is *not* an original work.

We will award two first prizes of \$25, one for the CoCo 3 and one for the CoCo 1 and 2; one second prize of \$15 and one third prize of \$10. Honorable mentions may also be given.

Please send your entry on either tape or disk to the CoCo Gallery, THE RAINBOW, P.O. Box 385, Prospect, KY 40059. Remember, this is a contest and your entry will not be returned.

— Angela Kapfhammer  
Curator



**3<sup>rd</sup>**

**Boat**  
Teakie Hamrick  
Hilliard, Florida

Yo, ho, ho, maties. Climb aboard for a bayliner cruise. Teakie created this picture of her and her husband's 24-foot bayliner with BASIC and the CoCo 3.



**Emily**

**Andrea C. Bain**  
San Diego, California


The ultimate in relaxation. This "purr"fectly contented kitten was created with Graphicom.

**1<sup>st</sup>**

**COCO 1 & 2**

**Something Fishy**  
Keith Reynolds  
Noblesville, Indiana

We foreshadow summer fun with this aquatic scene. Keith is a student at IUPUI studying computer technology and created this graphic using Graphicom and McPaint.





*Charting biorhythms is easy with this simple program*

# The Rhythm of Life

By Steve Tenney

**A**ccording to biorhythm theory, we all have cycles that influence our physical, emotional and intellectual states. These cycles begin at birth, and each cycle follows its own particular rhythm until we die.

The physical cycle is 23 days long. The first 11½ days are the positive side of the cycle. This is when you will feel your best. The other 11½ days are the negative part of the cycle and you probably won't be up to par.

The emotional cycle is 28 days long. According to the theory, the first 14 days you should feel cheerful, optimistic and cooperative. Conversely, during the down half of the cycle, you will feel moody and irritable.

Your third cycle is the intellectual cycle, which is 33 days long. The first half of the cycle (16½ days) should be a good time for learning and creativity. During the second half of the cycle, it may be best to avoid mental challenges.

I designed *BioChart* using a CGP-115 printer, but it should work on most others. I hope you enjoy this program and have as much fun with it as I have!


*(Questions about this program may be addressed to the author at 3630 Mary Lane, Escondido, CA 92025, 916-746-9402. Please enclose an SASE when writing for a reply.)* □

*Steve Tenney is a computer operator for Advance Signs and Designs. He has worked with the CoCo for five years. His wife, Louise, is a computer widow because he's always computing.*



# The Amazing A-BUS

**NEW**



An A-BUS system with two Motherboards  
A-BUS adapter in foreground

The A-BUS system works with the original CoCo,  
the CoCo2 and the CoCo 3.

## About the A-BUS system:

- All the A-BUS cards are very easy to use with any language that can read or write to a Port or Memory. In BASIC, use INP and OUT (or PEEK and POKE with Apples and Tandy Color Computers)
- They are all compatible with each other. You can mix and match up to 25 cards to fit your application. Card addresses are easily set with jumpers.
- A-BUS cards are shipped with power supplies (except PD-123) and detailed manuals (including schematics and programming examples).

### Relay Card

RE-140: \$129

Includes eight industrial relays. (3 amp contacts, SPST) individually controlled and latched. 8 LED's show status. Easy to use (OUT or POKE in BASIC). Card address is jumper selectable.

### Reed Relay Card

RE-156: \$99

Same features as above, but uses 8 Reed Relays to switch low level signals (20mA max). Use as a channel selector, solid state relay driver, etc.

### Analog Input Card

AD-142: \$129

Eight analog inputs. 0 to +5V range can be expanded to 100V by adding a resistor. 8 bit resolution (20mV). Conversion time 120us. Perfect to measure voltage, temperature, light levels, pressure, etc. Very easy to use.

### 12 Bit A/D Converter

AN-146: \$139

This analog to digital converter is accurate to .025%. Input range is -4V to +4V. Resolution: 1 millivolt. The on board amplifier boosts signals up to 50 times to read microvolts. Conversion time is 130ms. Ideal for thermocouple, strain gauge, etc. 1 channel. (Expand to 8 channels using the RE-156 card).

### Digital Input Card

IN-141: \$59

The eight inputs are optically isolated, so it's safe and easy to connect any "on/off" devices, such as switches, thermostats, alarm loops, etc. to your computer. To read the eight inputs, simply use BASIC INP (or PEEK).

### 24 Line TTL I/O

DG-148: \$65

Connect 24 input or output signals (switches or any TTL device) to your computer. The card can be set for: input, latched output, strobed output, strobed input, and/or bidirectional strobed I/O. Uses the 8255A chip.

### Clock with Alarm

CL-144: \$89

Powerful clock/calendar with: battery backup for Time, Date and Alarm setting (time and date); built in alarm relay, led and buzzer; timing to 1/100 second. Easy to use decimal format. Lithium battery included.

### Touch Tone® Decoder


PH-145: \$79

Each tone is converted into a number which is stored on the board. Simply read the number with INP or POKE. Use for remote control projects, etc.


### A-BUS Prototyping Card

PR-152: \$15


3 1/2 by 4 1/2 in. with power and ground bus. Fits up to 10 I.C.s




ST-143




CL-144



RE-140



IN-141



AD-142

## Smart Stepper Controller SC-149: \$299

World's finest stepper controller. On board microprocessor controls 4 motors simultaneously. Incredibly, it accepts plain English commands like "Move arm 10.2 inches left". Many complex sequences can be defined as "macros" and stored in the on board memory. For each axis, you can control: coordinate (relative or absolute), ramping, speed, step type (half, full, wave), scale factor, units, holding power, etc. Many inputs: 8 limit & "wait until" switches, panic button, etc. On the fly reporting of position, speed, etc. On board drivers (350mA) for small steppers (MO-103). Send for SC-149 flyer.

**Remote Control Keypad Option** RC-121: \$49  
To control the 4 motors directly, and "teach" sequences of motions.

**Power Driver Board Option** PD-123: \$89  
Boost controller drive to 5 amps per phase. For two motors (eight drivers).

**Breakout Board Option** BB-122: \$19  
For easy connection of 2 motors. 3 ft. cable ends with screw terminal board.

## Stepper Motor Driver ST-143: \$79

Stepper motors are the ultimate in motion control. The special package (below) includes everything you need to get familiar with them. Each card drives two stepper motors (12V, bidirectional, 4 phase, 350mA per phase).

**Special Package:** 2 motors (MO-103) + ST-143: **PA-181: \$99**

## Stepper Motors MO-103: \$15 or 4 for \$39

Pancake type, 2 1/4" dia. 1/4" shaft, 7.5"/step, 4 phase bidirectional, 300 step/sec, 12V, 36 ohm, bipolar, 5 oz-in torque, same as Airpax K82701-P2.

## Current Developments

Intelligent Voice Synthesizer, 14 Bit Analog to Digital converter, 4 Channel Digital to Analog converter, Counter Timer, Voice Recognition.

## A-BUS Adapters for:

IBM PC, XT, AT and compatibles. Uses one short slot.	AR-133...\$69
Tandy 1000, 1000 EX & SX, 1200, 3000. Uses one short slot.	AR-133...\$69
Apple II, II+, IIe. Uses any slot.	AR-134...\$49
TRS-80 Model 102, 200 Plugs into 40 pin "system bus".	AR-136...\$69
Model 100. Uses 40 pin socket. (Socket is duplicated on adapter).	AR-135...\$69
TRS-80 Mod 3.4.4 D. Fits 50 pin bus. (With hard disk, use Y-cable).	AR-132...\$49
TRS-80 Model 4P. Includes extra cable. (50 pin bus is recessed).	AR-137...\$62
TRS-80 Model I. Plugs into 40 pin I/O bus on KB or E/I.	AR-131...\$39
Color Computers (Tandy). Fits ROM slot. Multipak, or Y-cable.	AR-138...\$49

## A-BUS Cable (3 ft, 50 cond.) CA-163: \$24

Connects the A-BUS adapter to one A-BUS card or to first Motherboard.  
**Special cable for two A-BUS cards: CA-162: \$34**

## A-BUS Motherboard MB-120: \$99

Each Motherboard holds five A-BUS cards. A sixth connector allows a second Motherboard to be added to the first (with connecting cable CA-161: \$12). Up to five Motherboards can be joined this way to a single A-BUS adapter. Sturdy aluminum frame and card guides included.

• The A-BUS is not a replacement for the Multi-pak

Add \$3.00 per order for shipping.  
Visa, MC, checks, M.O. welcome.  
NY residents add sales tax.  
C.O.D. add \$3.00 extra.  
Canada: shipping is \$5  
Overseas add 10%



**ALPHA Products**  
a division of Sigma Industries, Inc.

242 W. Avenue, Darien, CT 06820

Technical info: (203) 656-1806  
Orders only 800 221-0916  
Except in NY  
New York orders: (718) 296-5916  
All lines open weekdays 9 to 5 Eastern time



# CoCo Max II<sup>TM</sup>



**You'll use it all the time and love using it.**

## What is CoCo Max?

Simply the most incredible graphic and text creation "system" you have ever seen. A Hi-Res Input Pack (more on the pack later) is combined with high speed machine language software. The result will dazzle you.



CoCo Max disk system, with Y-cable.

## Is CoCo Max for you?

Anyone who has ever held a pencil or a crayon for fun, school or business will love it. A 4 year-old will have fun doodling, a 15 year-old will do class projects and adults will play with it for hours before starting useful applications (illustrations, cards, artwork, business graphics, flyers, charts, memos, etc.) This is one of the rare packages that will be enjoyed by the whole family.

## What made CoCo Max an instant success?

First there's nothing to learn, no syntax to worry about. Even a child who can't read will enjoy CoCo Max. Its power can be unleashed by simply **pointing** and **clicking** with your mouse or joystick. With **icons** and **pull down menus**, you control CoCo Max intuitively; it works the same way you think.

Don't be misled by this apparent simplicity. CoCo Max has more power than you thought possible. Its blinding speed will astound you.

It lets you work on an area 3.5 times the size of the window on the screen. It's so friendly that you will easily recover from mistakes: The **undo** feature lets you revert to your image prior to the mistake. As usual, it only takes a single click.


Later, we will tell you about the "typesetting" capabilities of CoCo Max II, but first let's glance at a few of its graphic creation tools:

With the **pencil** you can draw free hand lines, then use the **eraser** to make corrections or changes. For straight lines, the convenient **rubber-banding** lets you preview your lines before they are fixed on your picture. It's fun and accurate. Lines can be of any width and made of any color or texture.

The **paint brush**, with its 32 selectable brush shapes, will adapt to any job, and make complicated graphics or calligraphy simple. For special effects, the **spray can** is really fun: 86 standard colors and textures, all available at a click. It's like the real thing except the paint doesn't drip.

CoCo Max will instantly create many shapes: circles, squares, rectangles (with or without rounded corners), ellipses, etc. Shapes can be filled with any pattern. You can also add hundreds of custom patterns to the 86 which are included.

The **Glyphics** are 58 small drawings (symbols, faces, etc.) that can be used as rubber stamps. They're really great for enhancing your work without effort.



Pull down menus

Zoom In!

## Control Over Your Work

CoCo Max's advanced "tools" let you take any part of the screen, (text or picture) and perform many feats:

- You can move it around
- Copy it
- Shrink or enlarge it in both directions
- Save it on the electronic **Clipbook**
- Flip it vertically or horizontally
- Rotate it
- Invert it
- Clear it, etc. etc.

All this is done instantly, and you can always **undo** it if you don't like the results.

For detail work, the **fat bits** (zoom) feature is great, giving you easy control over each pixel.

To top it all, CoCo Max II works in color. Imagine the pictures in this ad in color. If you own a Radio Shack CGP-220 or CGP-115, you can even print your work in full color!

There is so much more to say, such as the capability to use CoCo Max images with your BASIC programs, the possibility to use CoCo Max's magic on any standard binary image file. There are also many advanced features such as the incredible **lasso**.




Inside the Hi-Res Input Pack

## Why a Hi-Res Input Pack?

Did you know that the CoCo joystick input port can only access 4096 positions (64x64)? That's less than 10% of the Hi-Res screen, which has 49152 points! (256x192). You lose 90% of the potential. The Hi-Res Input Pack distinguishes each of the 49152 distinct joystick or mouse positions. That's the key to CoCo Max's power. The pack plugs into the rom slot (like a rom cartridge). Inside the pack is a high speed multichannel analog to digital converter. Your existing joystick or mouse simply plugs into the back of the Hi-Res Pack.

## Electronic Typesetting...

You'll be impressed with CoCo Max's capability. Text can be added and moved around anywhere on the picture. (You can also rotate, invert and flip it...) At a click, you can choose from 14 built in **fonts** each with 16 variations. That's over 200 typestyles!



Examples of printouts

## Printing Your Creations

There are a dozen ways to print your work. All are available with a click of your joystick (or mouse) **without** exiting CoCo Max. Your CoCo Max disk includes drivers for over 30 printers!



# CoCo Max II™

The whole family will enjoy CoCo Max. Here are a few examples of the possibilities.


All these pictures are unretouched screen photos or printouts (on an Epson RX-80).




1 Publish a newsletter or bulletin




5 Over 200 typestyles to choose from! generate flyers.



2 Fun for children while stimulating creativity.




6 A new way to express your imagination.




3 Business graphs, charts, diagrams. Also memos



7 Video portrait (with optional digitizer).




9 schematics and floor plans.



4 Junior's homework and science projects. Term papers too!



8 This is a cartoon.



10 Logos and letterheads.

## System Requirements:

Any 64K CoCo and a standard joystick or mouse. (The koala pad and the track ball work, but are not recommended.)

Disk systems need a Multi-Pak or our Y-Cable. CoCo Max is compatible with any Radio Shack DOS and ADOS.

Note: the tape version of CoCo Max includes almost all the features of CoCo Max II except *Shrink, Stretch, Rotate, and Glyphics*. Also, it has 5 fonts instead of 14.

CoCo Max is not compatible with JDOS, DoubleDOS, MDOS, OS-9, the X-pad, and Daisy Wheel Printers.

## Printers Supported:

Epson MX, RX, FX and LX series, Gemini, Star, Micronix, Delta 10, 10X, 15, 15X, SG-10, Okidata 82A, 92, 93, C. Itoh Pro-writer, Apple Image-writer, Hewlett-Packard Thinkjet, Radio Shack DMP 100, 105, 110, 120, 200, 400, 500, Line Printer 7, Line Printer 8, TRP-100, CGP-220. (DMP-130 use Line Printer 8), PMC printers, Gorilla Banana. Color printing: CGP-200, CGP-115

## Pricing

CoCo Max on tape	\$69.95
with Hi-Res Pack and manual.	
CoCo Max II (disk only)	\$79.95
with Hi-Res Pack and manual.	
Upgrade: CoCo Max to CoCo Max II	
New disk and manual.	\$19.95
New features of CoCo Max II: 14 fonts and glyphic font, dynamic shrink and stretch, rotate, multiple drive capability, 68 page scrapbook, point and click file load, color printer drivers, full error reporting.	
Upgrade: CoCo Max tape to disk	
manuals, disk and binder	\$24.95
Y-Cable: Special Price	\$19.95
Super Picture Disks #1, #2, and #3	each: \$14.95
All three picture disks	\$29.95

**Guaranteed Satisfaction**  
Use CoCo Max for a full month.  
If you are not delighted with it,  
we will refund every penny.

## Font Editor Option

A font is a set of characters of a particular style. CoCo Max includes 15 fonts. You can create new fonts of letters, or even symbols or graphics with the font editor. Examples: set of symbols for electronics, foreign alphabets, etc. \$19.95

## Video Digitizer DS-69

This new Low Cost Digitizer is the next step in sophistication for your CoCo Max system. With the DS-69 you will be able to digitize and bring into CoCo Max a frame from any video source: VCR, tuner, or video camera. Comes complete with detailed manual and C-SEE software on disk. Multi-Pak is required.

New Low Price Save \$50..... \$99.95  
New: faster DS-69A..... \$149.95



Colorware Incorporated  
79-04A Jamaica Avenue  
Woodhaven, NY 11421

800 221-0916

Orders only.


NY & Info: (718) 296-5916

Hours: 9-5 Eastern time.

Add \$3.00 per order for shipping.  
We accept Visa, MC, checks, M.O.  
C.O.D. add \$3.00 extra.  
NY and CT: add sales tax.  
Shipping to Canada is \$5.00  
Overseas, FPO, APO add 10%







# The listing: BIORHYTHM

```

1 REM: BIORHYTHM
11 REM: STEVE TENNEY 1987
21 CLEAR 200:CLS
31 L=O:T=11:P=3.14159265
41 PRINT#-2,"";"*****BIORYTHM
  BY STEVE TENNEY*****":PRINT#
-2,;
51 PRINT#-2,"";"NAME"
61 INPUT"NAME"          ";N$
71 PRINT#-2,;N$
81 PRINT#-2,"";"ENTER BIRTH DATE
"
91 PRINT"ENTER BIRTH DATE"
101 PRINT#-2,"";"MONTH
    DAY          YEAR
111 GOSUB 331:GOSUB 451:JB=JD
121 PRINT#-2,"";"ENTER START DAT
E FOR CHART"
131 PRINT "ENTER START DATE
141 PRINT#-2,"";"MONTH
    DAY          YEAR
151 GOSUB 331:GOSUB 451:JC=JD
161 IF JC>=JB THEN 201
171 PRINT#-2,"";"CHART DATE CAN'
T BE EARLIER"
181 PRINT#-2,"";"THAN BIRTH DATE
."
191 SOUND 8,8:PRINT#-2,"";:GOTO
81
201 FOR K=1 TO 1000:NEXT
211 GOSUB 531
221 N=JC-JB
231 V=23:GOSUB 601
241 V=28:GOSUB 601
251 V=33:GOSUB 601
261 GOSUB 781
271 PRINT#-2,""; C$;TAB(8);L$
281 JC=JC+1:L=L+1:IF L<15 THEN 2
21
291 PRINT"'E' = END, SPACE = GO
ON";
301 R$=INKEY$:IF R$="" THEN 301
311 IF R$="E" THEN 931
321 L=O:GOTO 211
331 PRINT#-2,"";
341 INPUT "MONTH(1 TO 12)";M

```

```

351 PRINT#-2,"";
361 M=INT(M):IF M<1 OR M>12 THEN
341
371 INPUT"DAY (1 TO 31)";D
381 D=INT(D):IF D<1 OR D>31 THEN
371
391 INPUT"YEAR";Y
401 PRINT#-2,;M,D,Y,W$
411 Y=INT(Y):IF Y<0 THEN 391
421 IF Y>99 THEN 441
431 Y=Y+1900:PRINT Y;"ASSUMED."
441 RETURN
451 W=0:IF M<3 THEN W=-1
461 JD=INT(1461*(Y+4800+W)/4)
471 B=INT(367*(M-2-W*12)/12)
481 IF B<0 THEN B=B+1
491 JD=JD+B
501 B=INT(INT(3*(Y+4900+W)/100)/
4)
511 JD=JD+D-32075-B
521 RETURN
531 CLS
541 PRINT#-2,;"(I)INTELLECTUAL (
E)EMOTIONAL (P)PHYSICAL"
551 PRINT#-2," "; TAB(10);'BIORY
THM'

```

## Sample Printout

```

*****BIORYTHM BY STEVE TENNEY*****
NAME
JOE X. AMPLE
ENTER BIRTH DATE
MONTH          DAY          YEAR
3              18          1961

ENTER START DATE FOR CHART
MONTH          DAY          YEAR
4              15          1987

(I)INTELLECTUAL (E)EMOTIONAL (P)PHYSICAL
-DOWN-----UP-

4/15/87          I          P E
4/16/87          I          P E
4/17/87          I          PE
4/18/87          I          *
4/19/87          I          *
4/20/87          I          *
4/21/87          I          *
4/22/87          I          *
4/23/87          I          PE
4/24/87          I          PE
4/25/87          I          PE
4/26/87          * E
4/27/87          P E I
4/28/87          P E I
4/29/87          PE I

*****BIORYTHM BY STEVE TENNEY*****
725 N. FIG APT.56 ESCONDIDO CALIFORNIA 92025
THE IDEA OF THE BIORHYTHM IS TO TELL YOU YOUR
HIGH AND LOW CYCLES OF THE MONTH, SO READ THE
CHART AND DETERMINE YOUR GOOD DAYS AND YOUR
BAD DAYS OF THE MONTH, FOR MORE INFORMATION
ON THE BIORHYTHM CHECK WITH YOUR LOCAL LIBRARY
*****HOPE YOU ENJOY*****

```



```

561 PRINT#-2," ";"-DOWN-----*-----
UP-";TAB(12);
571 PRINT#-2," ";TAB(20);
581 FOR K=1 TO T+T+1:PRINT CHR$(
250);
591 NEXT:PRINT#-2," ":RETURN
601 W=INT(N/V):R=N-(W*V)
611 IF V<>23 THEN 661
621 L$=CHR$(32):FOR K=1 TO 4
631 L$=L$+L$:NEXT
641 L$=LEFT$(L$,T)+CHR$(30)+LEF
T$(L$,T)
651 IF V=23 THEN C$="P"
661 IF V=28 THEN C$="E"
671 IF V=33 THEN C$="I"
681 W=R/V:W=W*2*P
691 W=T*SIN(W):W=W+T+1.5
701 W=INT(W):A$=MID$(L$,W,1)
711 IF A$="P" OR A$="E" OR A$="*"
" THEN C$="*"
721 IF W=1 THEN 761
731 IF W=T+T+1 THEN 771
741 L$=LEFT$(L$,W-1)+C$+RIGHT$(L
$,T+T+1-W)
751 RETURN
761 L$=C$+RIGHT$(L$,T+T):RETURN
771 L$=LEFT$(L$,T+T)+C$:RETURN
781 W=JC+68569:R=INT(4*W/146097)
791 W=W-INT((146097*R+3)/4)
801 Y=INT(40000*(W+1)/1461001)
811 W=W-INT(1461*Y/4)+31
821 M=INT(80*W/2447)
831 D=W-INT(2447*M/80)
841 W=INT(M/11):M=M+2-12*W
851 Y=100*(R-49)+Y+W
861 A$=STR$(M):W=LEN(A$)-1
871 C$=MID$(A$,2,W)+"/"
881 A$=STR$(D):W=LEN(A$)-1
891 C$=C$+MID$(A$,2,W)+"/"
901 A$=STR$(Y):W=LEN(A$)-1
911 C$=C$+MID$(A$,W,2)
921 RETURN
931 PRINT#-2,"*****BIORY
THM BY STEVE TENNEY*****"
941 PRINT#-2," 725 N. FIG APT.5
6 ESCONDIDO CALIFORNIA 92025"
951 PRINT#-2,"THE IDEA OF THE B
IORYTHM IS TO TELL YOU YOUR"
961 PRINT#-2,"HIGH AND LOW CYCL
ES OF THE MONTH, SO READ THE"
971 PRINT#-2,"CHART AND DETERMI
NE YOUR GOOD DAYS AND YOUR"
981 PRINT#-2,"BAD DAYS OF THE M
ONTH, FOR MORE INFORMATION"
991 PRINT#-2,"ON THE BIORYTHM C
HECK WITH YOUR LOCAL LIBRARY"
1001 PRINT#-2,"*****
HOPE YOU ENJOY*****"

```

## Now Create Your Own Signs, Banners, and Greeting Cards.

### Introducing The Coco Graphics Designer

Last Christmas we introduced our COCO Greeting Card Designer program (see review April 86 Rainbow). It has been so popular that we've now expanded it into a new program called the COCO Graphics Designer. The Coco Graphics Designer produces greeting cards plus banners and signs. This program will further increase the usefulness and enjoyment of your dot matrix printer.

The Coco Graphics Designer allows you to mix text and pictures in all your creations. The program features picture, border, and character font editors, so that you can modify or expand the already built in libraries. Plus a special "grabber" utility is included to capture areas of high resolution screens for your picture library.

**Requirements:** a Coco or Coco II with a minimum of 32K, One Disk Drive (Disk Ext. BASIC 1.0/1.1, ADOS, or JDOS). Printers supported include: Epson RX/FX, GEMINI 10X, SG-10, NX-10, C-Itoh 8510, DMP-100/130/400/430, Seikosha GP-100/250, Legend 808 and Gorilla Bannana. Send a SASE for complete list of compatible printers.  
#C332 Coco Graphics Designer \$29.95

### Over 100 More Pictures

An optional supplementary library diskette containing over one hundred additional pictures is available.  
#C333 Picture Disk #1 \$14.95.

### Colored Paper Packs


Now available are packs containing 120 sheets of tractor-feed paper and 42 matching envelopes in assorted bright RED, GREEN, and BLUE. Perfect for making your productions unforgettable.  
#C274 Paper Pack \$19.95



With Zebra's Coco Graphics Designer it's easy and enjoyable making your own greeting cards, signs, and banners.

## WICO TRACKBALL Now \$19.95

Order Cat#TBR501  
(Was \$69.95)



You can benefit from our purchase of brand new WICO Trackball Controllers at closeout prices. This model was designed specifically for the Radio Shack Color Computer and plugs right into the joystick port.

WICO is the largest designer and manufacturer of control devices for commercial arcade video games. If you've ever played an arcade video game, chances are you've used a WICO joystick or trackball and experienced its

superior control, pinpoint firing accuracy, and exceptional durability.

Includes one-year limited warranty. Phenolic ball offers 360-degree movement. Two optical encoders provide split-second response. Quick-action fire button for smooth, two handed arcade response and feel. Long 5' computer connection. Heavy duty plastic case for long hard use. Compatible with all color computer models.

We have bargain priced trackballs for ATARI, Commodore, TI, and other computers. Call or write for our price list.

**Ordering Instructions:** All orders add \$3.00 Shipping & Handling. UPS COD add \$3.00. VISA/MC Accepted. NY residents add sales tax.

**Zebra Systems, Inc**  
78-06 Jamaica Ave.  
Woodhaven, NY 11421  
(718) 296-2385





# That's the Ticket

By Kathryn Rocci

**P**lanning a neighborhood dance? How about a Christmas party for work? Now you can custom-design tickets using a CGP-220 printer and *Ticket-Wicket*.

With the auto-numbering feature, you can easily keep track of your tickets. Other features include options to choose the size of line feed, number of tickets printed, color of each line, size of print in each line, individual line placement (left-centered-right), and, if necessary, date and time are available too.

You should use roll paper (Radio Shack Catalog No. 26-1333) so it can print continuously.

When you run *Ticket-Wicket*, you are greeted with a title screen.

Press any key to continue. I should mention a feature that allows only the answer prompted to be entered. This should eliminate errors in formatting your tickets.

After you have answered the first few prompts, you will see a "Line 1" prompt. This is where you enter the first line of the ticket. Once you have entered and set the standards for each line, you will come to a "Date" prompt. If a date and time are necessary, enter it in a month day, year format (May 1, 1987). Use this format for time: (0)0:00 p.m. or a.m. Certain times will not require the extra space.

This has been considered and the margins will be determined as needed. If you do not require a date or time, simply enter X and those prompts will be passed over. At this point printing begins. The screen is updated with the ticket number being printed. ☐

(Questions about this program may be addressed to the author at 5 Dukes Drive, Sandwich, MA 02563. Please enclose an SASE for a reply.) ☐

RAINBOWFEST 1999  
The Show of Shows  
ADMIT ONE  
Moonbase CoCo, The Moon  
shuttlePods  
001

RAINBOWFEST 1999  
The Show of Shows  
ADMIT ONE  
Moonbase CoCo, The Moon  
shuttlePods  
001


RAINBOWFEST 1999  
The Show of Shows  
ADMIT ONE  
Moonbase CoCo, The Moon  
shuttlePods  
001

LOCATION: Moonbase CoCo, The Moon  
Travel to the show with FESTline ShuttlePods  
001

Kathryn Rocci lives in Sandwich, Massachusetts, is a self-taught programmer and has owned her CoCo for two years. Besides her family, Kathryn enjoys programming and woodworking.



Line	Function
10-240	Creates title screen.
260	Sets 2400 printer baud rate.
360	Sets printer line-feed size.
450-700	For-Next loop to input each line and its standards.
710-830	Date and Time information and color.
850	Starts printing loop.
870	Prints dotted black line between tickets.
880	Starts printing loop for number of lines specified.
890-940	Sets specified margins for each line.
950	Sends codes to printer for print size.
960	Sends codes to printer for color.
970	Sends tab size to printer for margins.
990	Determines if user wants Date and Time.
1010	Codes for standard print size and color for Date/Time.
1020	Sets margins and prints Date/Time.
1060	Sets color to black and size to elongated.
1070	Prints ticket number.
1080	Sets print size back to standard.
1090	Prints dotted line after last ticket.
1100	Continues printing loop back to Line 850 for the next ticket.



200	.....70
360	.....192
580	.....158
780	.....251
950	.....211
END	.....112

#### The listing: TICKET

```

10 CLS
20 P$=CHR$(143+16*X) + CHR$(143+
16*X) + CHR$(143+16*X) + CHR$(14
3+16*X)
30 M$="*****"
40 W$="*
*"
50 Q$=CHR$(129+16) + CHR$(132+32
) + CHR$(133+48) + CHR$(134+64)
+ CHR$(139+80) + CHR$(142+96) +
CHR$(141+112) + CHR$(128)
60 PRINT@32,Q$;Q$;Q$;Q$
70 PRINT@ 96,M$
80 PRINT@128,W$
90 PRINT @ 160,"*          ticket-w
icket          *";
100 PRINT@192,W$
110 PRINT@ 224,"*      for the cgp-
220 printer    *";
120 PRINT@256,W$
130 PRINT@288,M$
140 PRINT@320,"*          by kathr
yn rocci      *";
150 PRINT@352,M$

```

```

160 PRINT@416,Q$;Q$;Q$;Q$
170 FOR X=1TO7
180 PLAY STR$(X):PLAY STR$(X+1)
190 P$=CHR$(143+16*X) + CHR$(143
+16*X) + CHR$(143+16*X) + CHR$(1
43+16*X)
200 PRINT@2,P$;P$;P$;P$;P$;P$;P$
;
210 PRINT@482,P$;P$;P$;P$;P$;P$;
P$;
220 I$=INKEY$:IF I$=""THEN 230 E
LSE 250
230 NEXT X
240 GOTO 170
250 CLS:FOR K=1 TO 512 STEP 32:P
RINT@4+K,"IS YOUR PRINTER READY"
;:FOR G=1 TO 100:NEXT G,K
260 CLS:POKE 150,18 'set 2400 ba
ud
270 DIM L$(100):DIM SZ$(100):DIM
CL$(100):DIM PL$(100):DIM BB$(1
00):DIM B(150)
280 CLS4:PRINT@198,"STANDARD LIN
E FEED=S";
290 PRINT@264,"3/4 LINE FEED=T";
300 PRINT@332,"S OR T";
310 PRINT@399,"";
320 LINEINPUT LF$
330 IF ASC(LF$)<83 OR ASC(LF$)>8
4 THEN 280
340 IF ASC(LF$)=83 THEN C=54
350 IF ASC(LF$)=84 THEN C=56
360 PRINT#-2,CHR$(27);CHR$(C)'se
t 3/4 lf
370 CLS3:PRINT@261,"# OF TICKETS
WANTED?";:PRINT@333,"";
380 LINEINPUT N$
390 N=VAL(N$)
400 Z=ASC(N$):IF Z<48 OR Z>57 TH
EN 370
410 CLS2:PRINT @ 261,"# OF LINES
PER TICKET?";:PRINT@333,"";
420 LINEINPUT LP$
430 Y=ASC(LP$):IF Y<48 OR Y>57
THEN 410
440 LP=VAL(LP$)
450 CLS4: FOR A = 1 TO LP
460 PRINT"<LINE:> "A"?";:LINEINP
UT L$(A)
470 T(A)=LEN(L$(A))
480 PRINT"<PRINT SIZE:> LINE "A;
490 PRINT
500 PRINT"STANDARD=15      ELONGATE
D=14";:PRINT
510 LINEINPUT SZ$(A)
520 SZ(A)=VAL(SZ$(A))
530 IF SZ(A)<14 OR SZ(A)>15 THEN
SOUND 20,3:CLS4:GOTO480
540 IF SZ(A)=14 AND T(A)>45 THEN

```



```

SOUND 20,6:CLS4:GOTO 460
550 IF SZ(A)=15 AND T(A)>91 THEN
  SOUND 20,6:CLS4:GOTO 460
560 PRINT"<COLOR:> LINE "A;
570 PRINT
580 PRINT"BLK=48  RED=49  GR=50
  YEL=51  VLT=52  PK=53  BL=54"
;
590 PRINT
600 LINEINPUT CL$(A)
610 CL(A)=VAL(CL$(A))
620 IF CL(A)<48 OR CL(A)>54 THEN
  SOUND 20,3:CLS4:GOTO 560
630 PRINT"<LINE PLACEMENT:> LINE
  "A;
640 PRINT
650 PRINT"LEFT=L      CENTERED=C
  RIGHT=R";
660 PRINT
670 LINEINPUT PL$(A)
680 IF ASC(PL$(A))=67 OR ASC(PL$(A))=76 OR ASC(PL$(A))=82 THEN 7
00 ELSE 690
690 SOUND 20,3:CLS4:GOTO 630
700 NEXT A
710 PRINT"<DATE:> X=SKIP DATE AN
D TIME";:PRINT
720 LINEINPUT DT$
730 IF LEFT$(DT$,1)="X" THEN 840
740 PRINT"<TIME:>";:PRINT
750 LINEINPUT TM$
760 TM=LEN(TM$)
770 IF TM=9 THEN TT=82 ELSE TT=8
1
780 PRINT"<COLOR FOR DATE AND TI
ME>";:PRINT
790 PRINT"<DATE AND TIME=STANDAR
D PRINT>";:PRINT
800 PRINT"BLK=48  RED=49  GR=50
  YEL=51  VLT=52  PK=53  BL=54"
;:PRINT
810 LINEINPUT DC$
820 DC=VAL(DC$)
830 IF DC<48 OR DC>54 THEN SOUND
  20,3:CLS4:GOTO 780
840 WW$="-----
-----
-----
----"
850 FOR B=1 TO N
860 CLS4:PRINT@228,"NOW PRINTING
  TICKET #"B;
870 PRINT#-2,CHR$(27);CHR$(84);C
  HR$(48)WW$
880 FOR A=1 TO LP
890 IF SZ(A)=14 AND PL$(A)="C" T
  HEN TB(A)=((91/2)-T(A))/2
900 IF SZ(A)=15 AND PL$(A)="C" T

```

```

HEN TB(A)=(91-T(A))/2
910 IF SZ(A)=14 AND PL$(A)="L" T
  HEN TB(A)=5
920 IF SZ(A)=15 AND PL$(A)="L" T
  HEN TB(A)=10
930 IF SZ(A)=14 AND PL$(A)="R" T
  HEN TB(A)=((91/2)-T(A))-5
940 IF SZ(A)=15 AND PL$(A)="R" T
  HEN TB(A)=(91-T(A))-10
950 PRINT#-2,CHR$(27);CHR$(SZ(A)
  )
960 PRINT#-2,CHR$(27);CHR$(84);C
  HR$(CL(A))
970 PRINT#-2,TAB(TB(A))L$(A)
980 NEXT A
990 IF LEFT$(DT$,1)="X" THEN 103
  0
1000 PRINT#-2
1010 PRINT#-2,CHR$(27);CHR$(15);
  CHR$(27);CHR$(84);CHR$(DC);
1020 PRINT#-2,TAB(5)DT$TAB(TT)TM
  $
1030 IF B<10 THEN BB$="      00#
      "
1040 IF B>9 THEN BB$="      0##
      "
1050 IF B>99 THEN BB$="      ###
      "
1060 PRINT#-2,CHR$(27);CHR$(84);
  CHR$(48);CHR$(27);CHR$(14):PRINT
  #-2
1070 PRINT#-2,USING BB$;B,B
1080 PRINT#-2,CHR$(27);CHR$(15)
1090 IF B=N THEN PRINT#-2,WW$
1100 NEXT B

```

### One-Liner Contest Winner . . .

This program, intended for the DMP-105, will print out your disk directory. Change or remove the control codes if you own a different printer.

#### The listing:

```

10 CLS:INPUT"NAME OF DISK";N$:IN
  PUT"SIDE";S:PRINT #-2,CHR$(27);C
  HR$(31);CHR$(27);CHR$(20);N$;CHR
  $(32);CHR$(32);"SIDE:";S;CHR$(27
  );CHR$(32);CHR$(27);CHR$(19):POK
  E 111,254:DIR:PRINT #-2,CHR$(13)
  :GOTO 10

```

Joon Y. Kim  
Bristol, TN

(For this winning one-liner contest entry, the author has been sent copies of both *The Second Rainbow Book of Simulations* and its companion *The Second Rainbow Simulations Tape*.)



Making the



MicroWorld

of

CoCo's AFFORDABLE . . . .

CoCo II	\$87
CoCo III	\$169
Drive 0	\$235
CM-8 Monitor	\$248
Deluxe Joystick	\$24
Mouse	\$40
MultiPak	\$75
CCR-81 Cass. Rec.	\$42
Joysticks (pair)	\$ 9
Disk storage box (50)	\$ 8.50

Disks (SS)	\$7.50/box
Disks (DS)	\$8.00/box
*Includes free library case	
DMP-430	\$545
DMP-130A (120 CPS)	\$265
DWP-230	\$269
Tandy 1000 EX	\$495
Tandy 1000 SX	\$790
VM-4 Monitor	\$99
CM-10 Monitor	\$360
CM-5 Monitor	\$240

CoCo 3 512K Upgrade	\$130
MultiPak Upgrade (26-3024)	\$ 8
MultiPak Upgrade (26-3124)	\$ 7
OS-9 Level 2	\$ 69.95
We will have as soon as available. Call for status.	

\* Please Note - Our ads are submitted early, so prices are subject to change!!! We appreciate your cooperation & understanding in this matter.

Method of Payment:  
MC, Visa, Am.Ex. - Sorry, No Citiline!  
Certified Check or Money Order.  
Personal Checks - Allow 1 week to clear!

Minimum order 15.00

**FREE PRICE LIST AVAILABLE**  
**20 % OFF ALL TANDY SOFTWARE**  
**MIN. 15% OFF ALL TANDY HARDWARE**

\* Full TANDY            ==> CALL <==  
  Warranty                In Pa:  
\* 100% TANDY            215/759-7794  
  PRODUCTS              In N.J.:  
\* FREE Shipping        201/735-9560



COMPUTER CENTER

MicroWorld

230 Moorestown Road, Wind Gap, PA 18091

Laneco Plaza, Clinton, N.J. 08809

**ALL PRICES INCLUDE SHIPPING !!!**

**100% TANDY EQUIPMENT WITH FULL**  
**RADIO SHACK WARRANTY**





# Get Chart Smart With Mileage Mapper

By Bill Bernico

**M**aps have always fascinated me. Maps and travel, that is. This country seems small when you look at it on a map, but just try driving the length of it sometime. It'll be the longest five or six days you ever lived.

The following program will show you, using Hi-Res graphics, just how far it is from any point in the United States to any other point. It should be accurate to within 15 to 20 miles.

The operation is quite simple. Pick a starting point and a destination point, and the distance is displayed on the screen. The only tricky part is picking the two points. When you first run the program, a framed map is drawn. After that, a message telling you to move the cursor to the starting point appears. You must hold down the right joystick button *before* the message "Move cursor to starting point and hit enter" is finished being displayed. Once the message is completely displayed, you can release the button. Now you can move the cursor around on the map to determine your starting point.

You can move in one of two ways. First, you can simply move the joystick lever around and the cursor will move. Second, if it moves too slowly for you, hold down the right joystick button while moving and it will scoot along much faster.

When you get to your chosen starting point, center the joystick to stop any further movement and press ENTER. A small circle will form around the starting point. Quickly hold down the joystick button *before* the message "Move


cursor to destination point and hit enter" is completely displayed. When that entire message is on the screen, you can release the button and move around on the map once again, using the same method as when choosing the starting point.

The cursor now leaves a trail behind it as it moves across the map. This is your path. Holding in the button produces long, coarse moves, while releasing the button smooths out the path of the cursor. When you reach your destination point, center the joystick and press ENTER again. A second circle will form around the destination point.

A message displaying the mileage will appear for a few seconds. After it is erased, the last message will tell you to press the space bar to try another. If you choose to try again, remember to hold in the joystick button *before* the first message appears and then follow the steps as before.

You may notice the mileage is not cumulative. That is, if you travel for 1,000 miles in a circle and end up in the same area you started from, your mileage will not be 1,000. More likely, it will be under 50. It computes the mileage

*Bill Bernico is a self-taught computerist who enjoys golf, music and programming. He is a drummer with a rock band and lives in Sheboygan, Wisconsin.*






from one point to another. Still, it's a nifty way to calculate distances in the U.S.

My thanks to one of my pen pals, Matt Krom, for assisting with some of the subroutines.

(Questions about this program may be directed to Mr. Bernico at 708 Michigan Avenue, Sheboygan, WI 53081, 414-459-7350. Please include an SASE for a reply when writing.)

**Editors Note:** This program contains packed lines. If the computer won't allow you to enter the last few characters of a given line, go ahead and press ENTER. Then type EDIT line number and press X to enter the editor's "extend" mode. Now you can enter the remaining characters of that line.



50	.....170
80	.....166
120	.....164
190	.....211
410	.....8
END	.....176

The listing: DISTANCE

```
10 CLEAR500:DIMA$(90),A(1,2):D$(
0)="H5":D$(1)="L5":D$(2)="G5":D$
(3)="U5":D$(5)="D5":D$(6)="E5":D
$(7)="R5":D$(8)="F5":A$(32)="BR6
":A$(48)="BDD4FU6R3D6NL3EU4BUBR3
":A$(49)="BDED6RU6BR3":A$(50)="B
DRUR2DRG4DNE4R4BU6BR3":A$(51)="R
5LD2NL3D4L3HBR5U2BU3BR3
20 A$(52)="BR3G3DR6L2U4D6RU6BR3"
:A$(53)="ND2R5L4D2R3D4L3HBR5U2BU
3BR3":A$(54)="BR4L2DLGD3FNU4R3U3
```

```
NL3FDBU5BR3":A$(86)="D6RNU6R2EU5
RND4BR3":A$(87)="D6RNU6R3U6RD6R2
EU5RND4BR3":A$(89)="D2FNU3RD3RU3
RU3RND2BR3":A$(85)="D5FNU6R3U6RN
D5BR3":A$(84)="R2D6RU6R2BR3
30 A$(55)="R5DRG4DNRE4U2BR3":A$(
56)="BRNR3D6HUBU2UF2R2D3NL3EUBU2
UHND6BR4":A$(57)="BRNR3D3HNUFR3U
3D4G2LR2E2U3BUBR3":A$(58)="BDDBD
2DRUBU2UBUBR3":A$(59)="DBD2D2BGR
U2BU2UBR3":A$(60)="BR3G3F3RH3E3N
R3":A$(61)="BD2R4BD2L4BU4BR7":A$
(62)="F3G3RE3H3BR6
40 A$(63)="BDER3DG2DE3DG2BD2LBU6
BR6":A$(65)="BDD5RU6R3D4NL3D2RU5
BUBR3":A$(66)="D6RU6R3DRNDLD2NL3
DRNDLD2L3BU6BR7":A$(67)="BDD4RDU
6R2FBD4GL2BU6BR6":A$(68)="D6RU6R
3D6ENU4GL3BU6BR7":A$(69)="D6RU6R
```

## LOWEST CONTROLLER PRICE EVER!! The New JFD-EC, Only \$75

NOW COCO 3 Compatible\*

### JFD-EC DISK CONTROLLER

The JFD-EConomical controller combines the best features of the original JFD-COCO with the two switchable ROM sockets, fully buffered data lines and Memory Minder in ROM. The JFD-EC replaces the JFD-COCO in our product line at an even lower price. The controller includes JDOS, the JDOS manual and Memory Minder in ROM. (Precision Alignment Disk not included.)

JFD-EC Disk Controller with JDOS

\$75

#### OPTIONS

Precision Alignment Disk & Memory Minder Manual D/S	\$ 40.00
Precision Alignment Disk & Memory Minder Manual S/S	\$ 26.00
JFD-EC Disk Controller with RS DOS 1.1	\$ 75.00
JFD-EC Disk Controller with JDOS and RS DOS 1.1	\$ 95.00
JFD-EC Drive O System with one double sided drive	\$250.00
JFD-EC Drive O,1 System with two double sided drives	\$365.00

### NEW TERMS

One year warranty on parts & labor. Free shipping via UPS in continental United States for payment by Visa, MasterCard or Cashiers check. Blue Label & foreign shipping extra.

### DRIVE SYSTEMS

Drive systems include our JFD-CP or JFD-EC disk controller, JDOS with Memory Minder in ROM and one or two half-height floppy drive(s) with case and power supply.



**J&M SYSTEMS, LTD.**  
15100-A CENTRAL SE  
ALBUQUERQUE, NEW MEXICO 87123  
505/292-4182

### JFD-CP DISK CONTROLLER

Our new JFD-CP, compatible with the original COCO, COCO 2 and the new COCO 3, features a parallel port to support a Centronics compatible printer or our hard drive, and an external ROM switch, which allows you to select JDOS or an optional RS DOS-type ROM. It comes in a case and includes JDOS 1.2 and manual. JDOS implements all RS DOS commands, plus many more, including auto line numbering, error trapping, baud rate selection, OS/9 boot from floppy or hard drive, and Memory Minder, our disk drive analysis program. (Precision Alignment Disk not included.)

JFD-CP Disk Controller with JDOS

\$ 99.00

#### OPTIONS

Precision Alignment Disk & Memory Minder Manual D/S	\$ 40.00
Precision Alignment Disk & Memory Minder Manual S/S	\$ 26.00
JFD-CP Disk Controller with RS DOS 1.1	\$ 99.00
JFD-CP Disk Controller with JDOS and RS DOS 1.1	\$119.00
JFD-CP Drive O System with one double sided drive	\$265.00
JFD-CP Drive O,1 System with two double sided drives	\$379.00

\*JFD-EC and JFD-CP with JDOS or RS DOS are COCO 3 compatible.



```

3BD3BLL2D3R3BU6BR3":A$(70)="D6RU
6NR3D3R2BU3BR4
50 A$(71)="BDD4FU6R3FBD2D3LNU3L3
BU6BR7":A$(72)="D6RU6D3R3U3D6RU6
BR3":A$(73)="NLD6NLRNRU6RBR3":A$
(76)="D6RNU6R2BU6BR3":A$(77)="ND
6RD2ED2ED2E3D5RU6BR3":A$(78)="ND
6FD2ED2ED2FU6BR3":A$(83)="BDDFRF
2NH3DL3ULBR5UHDH3UR3DRBUBR3":A$
(80)="D6RU6R3D3NL3EUBUBR3
60 A$(79)="BDD4FU6R3D6NL3EU4BUBR
3":A$(82)="D6RU6R3D3L2F3RH3REUBU
BR3":PMODE4,1:PCLS1:SCREEN1,1:CO
LOR0,1:LINE(0,0)-(255,191),PSET,
B:LINE(5,5)-(250,186),PSET,B:LIN
E(10,10)-(245,181),PSET,B:POKE17
8,1:PAINT(2,2),,0:POKE178,2:PAIN
T(7,7),,0:POKE178,0
70 DRAW"BM36,20D2L2F2D7M33,47M32
,64M35,75R2D2L2M41,89M45,90M54,1
01D2R10M77,107R10UR5M97,112D3M10
3,117M104,115M109,116M116,125M12
4,128U6M126,118M129,122M130,115R
9M141,117R7M145,113M156,112M160,
114M163,112M167,118D3M171,127D2M
173,131M178,129U8M177,116
80 DRAW"M172,107M175,102M178,101
M179,98M191,85M189,75M193,77M194
,75U3R3M200,65M198,64M199,61M197
,59M207,56M212,53U2R2DM215,51U2L
2UL2U6M220,40M221,35M218,34U8M21
5,27M210,25M207,35M204,36L12M181
,43L3M174,47R2D2L2M163,54M168,43
U3R2D2R2U2M169,34M159,32
90 DRAW"U7L4U2M147,22M142,25M126
,20L90BM36,34M39,35D2M48,36R9M57
,20D24M55,46M58,47D6BM32,54R43BM
49,54D18M65,87M67,90M64,93D10BM6
8,54D30L3D3BM62,20D8R2D8M67,37M6
9,44R7NU2D16R21U40BM75,42R22BM76
,60R29BM84,60D47BM68,81R59BM105,
60D21BM102,81D23M92,104D2

```

```


100 DRAW"BM102,84R10D9M119,96R12
M133,115BM127,81D2R2D14BM119,20D
6M121,29M118,37NL21M121,40D14M11
8,53GM115,53L18BM121,53M123,56M1
22,62M125,66M127,69D12BM105,66R2
0BM143,25M136,32D2L2M134,40M137,
51R11DR2BM121,48R14M137,65U13BM1
49,51M150,53M151,56D4
110 DRAW"M149,73M145,75M143,78BM
137,65M145,81D3L3U2L14BM142,84M1
37,97DL6BM137,97M139,100M138,103
M140,108R4M145,113BM139,90R29BL1
9M148,112R4U4R8M158,90BM159,109R
9UR4BM173,104M168,93DL2M169,89R5
DR6BM180,90M183,93BM144,83R4UR41
BM158,90M160,87R3M168,82
120 DRAW"BM149,73M150,74M153,72R
M160,69U15D13M161,69FM165,70M170
,78R3M174,74M177,73M178,72M181,7
1M187,72M189,77BM163,81M168,78BM
136,31M140,30M144,34R2M148,40M15
1,38M149,44M148,51BM142,31M150,2
7M149,30M152,31M156,29M159,33M15
5,34M150,35M149,39BM159,33
130 DRAW"M155,37M153,43D4M150,53
BM157,35M161,37D7R2U3M165,42M166
,47BM150,54R19M176,50U3M183,44FB
M172,52D16M191,68M194,69D3BM189,
68D3R6BM172,64M169,67M164,70BM17
5,68D4R5BM175,51D4R13M193,58R4U9
R2U12BM192,58M191,63M193,64M191,
68BM197,51R12M210,54
140 DRAW"BM205,51D6BM199,46M207,
47M210,44BM204,36M205,39M203,43D
4BM209,32M208,35M209,43RBM202,60
M209,58M210,60M206,61M202,60BM12
5,65R12BM22,150":A$="MOVE CURSOR
TO STARTING POINT":GOSUB590:DRA
W"BM70,160":A$="AND HIT ENTER.":
GOSUB590:H=128:V=60
150 GET(H-2,V-2)-(H+2,V+2),A:LIN
E(H-2,V-2)-(H+2,V+2),PSET:LINE(H
+2,V-2)-(H-2,V+2),PSET
160 GOSUB510
170 IF PEEK(338)=191 THEN 280
180 F=0:G=0
190 IF X<5 AND H<>3 THEN F=-1
200 IF X>58 AND H<>252 THEN F=1
210 IF Y<5 AND V<>3 GOSUB270:V=V
-1:GOTO150
220 IF Y<5 AND V<>3 THEN G=-1
230 IF Y>58 AND V<>140 THEN G=1
240 IF F=0 AND G=0 THEN 160
250 IF XY=1 THEN IF (H+F*5)>3 AN
D (H+F*5)<252 AND (V+G*5)>3 AND
(V+G*5)<140 THEN F=F*5:G=G*5
260 GOSUB270:H=H+F:V=V+G:GOTO150
270 PUT(H-2,V-2)-(H+2,V+2),A:RET
URN

```





# Four new programs for the CoCo




## FIRE ONE!

Submarine warfare in World War II. Completely high resolution graphic game in which you become the skipper of the USS Squallus. From the bridge you set the course and speed, check radar, plot the course, receive radio reports, up the periscope and track the convoy or go on a special mission. Twenty six scenarios with many more. Computer keeps track of torpedoes, battery level, diesel fuel, oxygen supply and more. Four torpedo tubes forward or deck gun are used to send those transports to the bottom. But watch out for those deadly patrol vessels. Crash dive, full right rudder, full speed ahead... sweat out those depth charge attacks.

Provisions for on-surface repair, Target Data Control, special missions, radio reports, radar tracking, map plotting, hull damage, depth alarm, exploding ships, ship's log (patrol vessels and transports, missions completed, points accumulated) four speeds forward, one reverse, navigation, islands, four periscope positions, supply vessel, visual sightings, and plenty of fun and excitement.

System requirements: CoCo III computer, disk drive.

**\$32.00**



## DARK HORSE


The sequel to Red Star. The Soviet Union has taken control of Europe! You must rescue Europe from Soviet control and then have the option of invading Russia. High resolution screens scrolls up, down, right, left... attack modes, unit icons and more. ECB 64K CoCo I, II, III disk. Colorless on RGB monitors.

**\$27.00**

## CharGen

CoCo III high resolution character generator makes special character set that can be used in all sorts of applications. Easy to use. Creates as many files as desired. Disk only, CoCo III only.


**\$12.00**



## STALINGRAD

You become General Von Paulus in command of the German Sixth Army consisting of Panzers, Infantry, Mechanized Units, with support from Bombers and Fighters of the dreaded Luftwaffe. Starting in the summer of 1942 you begin your offensive knowing that you have only so much time to take control of the city and then defend it from overwhelming Russian counterattack. Completely high resolution graphics for ECB 64K CoCo I, II, III disk or tape. Colorless on RGB monitors.

**\$28.00**



## FIRE & STEEL

Mammoth game of Napoleon's Waterloo campaign. Player battles combined armies of England, Russia and Austria. Completely hi res.

ECB 64K CoCo I, II, III, disk. Colorless on RGB monitors.

**\$27.00**

## KEYBOARD GENERAL

Had you subscribed to the Keyboard General back in August and taken advantage of our special discounts, you'd have saved almost \$30.00 already! That along with articles on strategy and tactics and hints and all kinds of interesting information. Plus, you might have made some new friends. Yearly subscription USA and Canada \$15.00. Overseas \$18.00.

## ARK ROYAL GAMES

P.O. Box 14806  
Jacksonville, FL 32238  
(904) 786-8603



Florida residents add 5% COD's in USA only, add roughly \$3.00. Sorry, no bankcards. All orders shipped within 24 hours except holidays and weekends. Write for free catalog. CoCo I, II, III refer to the Tandy™ Color Computer.



# Unbeatable Prices from Howard Medical Computer

## Star NX-10 Printer Only \$238

### DISK NEW FROM J&M CONTROLLER

The DC-4 is a scaled-down version of the popular DC-2 without a parallel port. It includes a switch with 2 ROM sockets, JDOS, manual and such features as gold connectors and metal box. It accesses double sided drives and accepts RSDOS 1.1 for Radio Shack compatibility.

**\$65** DC-4  
(\$2 shipping)

### RS DOS ROM CHIP

ROM chip fits inside disk controller. 24 pin fits both J&M and RS controller Release 1.1. For CoCo 3 Compatibility.

**\$20** each Reg. \$40  
(\$2 shipping)

### DISK DRIVE SPECIALS

**DRIVE 0 +** Howards Drive 0 gives you a DD-3 MPI drive, a CA-1 cable and a J&M DC-4 Disk Controller for only. Add \$34 for a Disto DC-3 replacement. (\$5 shipping)

**\$178.45** DOUBLE SIDED  
DOUBLE DENSITY  
360K

#### Separate Disk Drive Components

**DD-3** An MPI 52 double-sided, double density, 360K disk drive in a full height case and heavy-duty power supply.

**\$98** (\$5 shipping)

**DD-2** A TEAC 55B 1/2 height, double density, 360K disk drive in a 1/2 height case and heavy-duty power supply.

**\$188** (\$2 shipping)

**55B** TEAC bare drive, 1/2 height, double-sided, double density with all mounting hardware fits R.S. 501.

**\$118** (\$3 shipping)

#### BOTEK

Serial to parallel converter converts the CoCo 4 pin serial output to run a parallel printer like Star or Epson. Includes all cables. Add \$10 for modem attachment.

(\$2 shipping) **\$68.45**

**CA-1** Cable that connects the disk controller to the drive.

**\$24.95** One Drive **\$29.95** Two Drive

**GUARANTEE** — Howard Medical's 30-day guarantee is meant to eliminate the uncertainty of dealing with a company through the mail. Once you receive our hardware, try it out, test it for compatibility. If you're not happy with it for any reason, return it in 30 days and we'll give you your money back (less shipping).

### Incredible Savings on Printers!

#### EPSON

LX-86	SALE PRICE	<b>\$238</b>	EX-10000	SALE PRICE	<b>\$692</b>
FX-86E	SALE PRICE	<b>\$439</b>	LQ-800	SALE PRICE	<b>\$553</b>
FX-286E	SALE PRICE	<b>\$603</b>	LQ-1000	SALE PRICE	<b>\$792</b>
EX-800	SALE PRICE	<b>\$503</b>	LQ-2500	SALE PRICE	<b>\$1246</b>

**Star NX-10 Only \$238**

### WORD PACK RS

This ROM pack is the hardware answer for an 80 column display. It includes a built-in video controller to drive a monochrome monitor like our 123A. To get started, you need OS-9 2.0, a Y-cable or multipack interface drive 0, and a monochrome monitor.

**\$89** (\$2 shipping)

New basic driver runs word pack without need for an OS-9.

**\$10**

### Smith Corona XE 6100

The Smith Corona 6100 is state of the art for today's typewriters. It operates as a standard typewriter or it connects to the color computer via a serial/parallel convertor box. The Smith Corona has a 50,000 word dictionary that signals everytime you misspell a word. Then with a one key corrector — lifts off the word so it can be retyped correctly. The 6100 comes with all the standard selection features like auto indent, underline, repeat key, centering and carries a 90 day warranty on parts and labor.

**\$298** Reg. \$449 (\$7 shipping)

**Messenger Module** connects the Smith Corona, XE 6100 & 6000, SE 2000, SD 3000, and XD 7000 & 8000 to the color computer or Tandy 1000/IBMP.C.

**\$98**

**COCO MAX II** **\$78.45** Lets the graphic capabilities of your CoCo EXPLODE

**Y CABLE** **\$19.45** Needed to connect CoCo Max and disk drive at same time.

**MAX FONTS** **\$63** Three sets include 72 different fonts for typesetting

**COLORING BOOK™** **\$15** Twenty-two pictures of clip-art by Glenside Color Computer Club

(\$2 shipping for each product)

Howard Medical Computers 1690 N. Elston Chicago, IL 60622



ORDERS

**(800) 443-1444**

INQUIRIES AND ORDER STATUS

**(312) 278-1440**

Showroom Hours:  
8:00 - 5:00 Mon. - Fri.  
10:00 - 3:00 Sat.

WE ACCEPT: VISA • MASTERCARD • AMERICAN EXPRESS  
C.O.D. OR CHECKS • SCHOOL P.O.'S

Shipping charges are for 48 states.  
APO and Canada order slightly higher.



The Biggest  
The Best  
The Indispensable

# The RAINBOW

THE COLOR COMPUTER MONTHLY MAGAZINE

**THE RAINBOW** is the biggest, best, brightest and most comprehensive publication a happy CoCo ever had! **THE RAINBOW** features more programs, more information and more in-depth treatment of the Tandy Color Computer than any other source.

A monthly issue contains more than 200 pages and up to two dozen programs, 14 regular columns and as many as 20 product reviews. And advertisements: **THE RAINBOW** is known as *the* medium for advertisers — which means every month it has a wealth of information unavailable anywhere else about new products! Hundreds of programs are advertised in its pages each month.

Every single issue of **THE RAINBOW** covers the wide spectrum of interests in the Tandy Color Computer — from beginners' tutorials and arcade games to telecommunications and business and finance programs. Helpful utilities and do-it-yourself hardware projects make it easy and fun to expand your CoCo's capabilities. And, monthly reviews by independent reader reviewers take the guesswork out of buying new software and hardware products.

Join the tens of thousands who have found **THE RAINBOW** to be an absolute necessity for their CoCo. With all this going for it, is it surprising that more than 90 percent of **THE RAINBOW** subscribers renew their subscriptions? We're willing to bet that, a year from now, you'll be doing the same.

## Rainbow On Tape & Rainbow On Disk!

— great ways to bring **THE RAINBOW** into your life. Each month, all you do is pop the tape into your cassette player or the disk into your drive. No more lost weekends. As soon as you read an article about a program in **THE RAINBOW**, it's ready to load and run. No work. No wait.

Just think how your software library will grow. With your first year's subscription, you'll get almost 250 new programs: games, utilities, business programs, home applications. And, with **RAINBOW ON DISK**, you'll also get all the OS-9 programs.

**RAINBOW ON TAPE** and **RAINBOW ON DISK** — they're the "meat" of **THE RAINBOW** at a price that's "small potatoes." And now you even have a choice about how it should be served up to you.

To get your first heaping helping, just fill out and return the attached reply card. No postage necessary.

NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES

**BUSINESS REPLY CARD**  
FIRST CLASS PERMIT NO. 1 PROSPECT, KY

POSTAGE WILL BE PAID BY ADDRESSEE

**RAINBOW**  
The COLOR COMPUTER MONTHLY MAGAZINE

**The Falsoft Building  
P.O. Box 385  
Prospect, KY 40059**

NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES

**BUSINESS REPLY CARD**  
FIRST CLASS PERMIT NO. 1 PROSPECT, KY

POSTAGE WILL BE PAID BY ADDRESSEE

**RAINBOW**  
The COLOR COMPUTER MONTHLY MAGAZINE

**The Falsoft Building  
P.O. Box 385  
Prospect, KY 40059**



## Use our 800 number!

For credit card orders, you may want to phone in your subscription. Our credit card order number is (800) 847-0309, 8 a.m. to 5 p.m. EST. All other inquiries please call (502) 228-4492.

We accept VISA, MasterCard and American Express.

Subscriptions to **THE RAINBOW** are \$31 a year in the United States. Canadian rate is \$38 (U.S. funds only). Surface rate elsewhere is \$68 (U.S.). Airmail is \$103 (U.S.). All subscriptions begin with the current issue. Please allow 6 to 8 weeks for the first copy. Kentucky residents add 5% sales tax. In order to hold down non-editorial costs, we do not bill.

## Send Me Rainbow Magazine!

Here's your chance to have a Pot O' Gold full of programs, articles and information about CoCo every month of the year!

As the premier magazine for the Tandy Color Computer, **THE RAINBOW** has more of everything — and greater variety, too. Do yourself and your CoCo a favor and subscribe to **THE RAINBOW** today!

YES! Sign me up for a year (12 issues) of **THE RAINBOW**.

☐ NEW ☐ RENEW (attach label)

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

☐ Payment Enclosed (payment must accompany order)

Charge: ☐ VISA ☐ MasterCard ☐ American Express

Account Number \_\_\_\_\_

Signature \_\_\_\_\_ Card Expiration Date \_\_\_\_\_

## Our 800 number is also good for ordering RAINBOW ON TAPE or RAINBOW ON DISK!

Just call (800) 847-0309 anytime from 8 a.m. to 5 p.m. EST. Credit card orders only. Subscriptions to **RAINBOW ON TAPE** are \$80 a year in the United States, \$90 (U.S. funds) in Canada and \$105 (U.S.) in all other countries.

**RAINBOW ON DISK** is \$99 a year in the United States, \$115 (U.S.) in Canada and \$130 (U.S.) in all other countries.

Individual issues of **RAINBOW ON TAPE** are \$10 in the U.S., \$12 (U.S.) in Canada and all other countries. Individual issues of **RAINBOW ON DISK** are \$12 in the U.S., \$14 (U.S.) in Canada, and \$16 (U.S.) in all other countries. Kentucky residents please add 5% sales tax.

**RAINBOW ON TAPE** and **RAINBOW ON DISK** are not stand-alone products; you need the magazine for loading and operating instructions and the necessary documentation. **THE RAINBOW** magazine is a separate purchase.

## Give Your Fingers A Break!

YES! Sign me up: ☐ NEW ☐ RENEW (attach label)

☐ RAINBOW ON TAPE

☐ RAINBOW ON DISK

(Available beginning with the October 1986 issue)

☐ A Full Year ☐ Single Issue (specify month & year) \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

☐ Payment Enclosed (payment must accompany order)

Charge: ☐ VISA ☐ MasterCard ☐ American Express

Account Number \_\_\_\_\_

Signature \_\_\_\_\_ Card Expiration Date \_\_\_\_\_



```

280 X$=INKEY$:GOSUB270:SH=H:SV=V
:CIRCLE(H,V),5
290 LINE(20,145)-(240,180),PRESE
T,BF:DRAW"BM26,150":A$="MOVE CUR
SOR TO DESTINATION":GOSUB590:DRA
W"BM52,160":A$="POINT AND HIT EN
TER.":GOSUB590:A$="BM=M; ,=N;":C$
="NUNDNRNLNENFNNGH
300 IFXY=0THENH=H+F:V=V+G:DRAW"B
M=M; ,=V;"+C$:GOTO320
310 M=H:N=V:H=H+F*5:V=V+G*5:MN=F
*3+G+4:B$=D$(MN):DRAW"XA$;XB$;XA
$;UXB$;XA$;LXB$;XA$;DXB$;XA$;RXB
$;"
320 F=0:G=0:GOSUB510
330 IF Y>58THEN G=1
340 IF Y<5THEN G=-1
350 IF X>58THEN F=1
360 IF X<5THEN F=-1
370 IF PEEK(338)=191 THEN 450
380 IF PEEK(344)=253 THEN RUN
390 IF PEEK(339)=251 THEN CLS:LI
ST-40:END
400 IF H>245 THEN F=-1
410 IF H<10 THEN F=1
420 IF V>131 THEN G=-1
430 IF V<10 THEN G=1
440 GOTO 300



```

```

450 CIRCLE(H,V),5:HD=ABS(SH-H):V
D=ABS(SV-V)
460 D=SQR((HD^2)+(VD^2)):D=INT(D
*18.75)
470 D$=STR$(D):IF D>999 THEN D$=
LEFT$(D$,LEN(D$)-3)+", "+RIGHT$(D
$,3)
480 GOSUB600:A$="THE DISTANCE BE
TWEEN THE TWO":GOSUB590:DRAW"BM5
0,160":A$="POINTS IS"+D$+" MILES
.":GOSUB590:FORX=1TO2000:NEXT:GO
SUB600:A$="HIT SPACEBAR TO TRY A
NOTHER":GOSUB590
490 IFINKEY$<>CHR$(32)THEN490
500 HD=0:VD=0:GOTO60
510 X=JOYSTK(0):Y=JOYSTK(1):XY=0
520 IF PEEK(341)=247 THEN Y=0
530 IF PEEK(342)=247 THEN Y=63
540 IF PEEK(343)=247 THEN X=0
550 IF PEEK(344)=247 THEN X=63
560 IF PEEK(339)=191 THEN XY=1
570 IF PEEK(65280)=126 OR PEEK(6
5280)=254 THEN XY=1
580 RETURN
590 FORX=1TOLEN(A$):Y=ASC(MID$(A
$,X,1)):DRAWA$(Y):NEXT:RETURN
600 LINE(20,145)-(240,180),PRESE
T,BF:DRAW"BM26,150":RETURN

```

## COCO ACCESSORIES



### DISK DRIVES

NEW-4 DRIVE SYSTEM (2 DSDD DRIVES ACCESSED  
UNDER RS DOS) \$-5429.95  
2 DRIVE SYSTEM (2 DSDD DRIVES IN ONE CASE)  
\$329.95

DRIVE 1 UPGRADE (1 DSDD UPGRADE FOR YOUR  
26-3129, 3131, OR 3132-\$119.95) PLEASE  
SPECIFY CATALOG NUMBER WHEN ORDERING !!

— DRIVE 0-SSDD F/H DRIVE \$-199.95 —  
DRIVE 1-SSDD F/H DRIVE (USE W/EXISTING DR0)  
\$125.95

\*-INCLUDES EITHER R.S. OR DISTO CONTROLLER

### COCO 3

512K UPGRADE-\$109.95 TECH MANUAL-\$29.95  
RAM DISK & DIAGNOSTICS-\$19.95  
MONITOR CONNECTOR FOR CM-8-\$4.95

### OTHER STUFF

COCO GRAPHICS DESIGNER-\$29.95 ADOS-\$29.95  
MONITOR INTERFACE-\$29.95  
KEYBOARDS-\$24.95 ADAPTERS-\$9.95  
SERIAL TO PARALLEL CONVERTERS-\$44.95

FULL LINE OF EPSON PRINTERS IN STOCK !!!  
CALL FOR BEST PRICES ???

## The Computer Center

5512 POPLAR MEMPHIS, TN 38119 901-761-4565

ADD \$4.90 FOR SHIPPING AND HANDLING. VISA, MC & MONEY ORDERS ACCEPTED.  
ALLOW 3 WEEKS FOR PERSONAL CHECKS. NO CODS. PRICES MAY CHANGE WITHOUT NOTICE.





An easy-to-use screen dump for Tandy printers

## The Spit and Image

By Allen Snook

**G**raphics Generator is a utility that takes portions of the Hi-Res PMODE4 screen and generates a program that when run, reproduces the image, bit-for-bit, on any Tandy-compatible printer with seven pins and a dot-addressable graphics mode.

After you have loaded and run *Graphics Generator*, it prompts for the filename of a PMODE4 picture to load from the disk. Pressing ENTER brings up a sorted directory. Pressing any key while in directory mode displays more listings and then returns you to the filename prompt.

After selecting a filename, it is loaded and the display screen prompt appears. This also appears if you press ENTER at the filename prompt. Pressing Y displays the current picture in memory. Pressing any key during the viewing returns you to the filename prompt.


After selecting N from the display screen prompt, the picture is displayed with a small blinking cursor. Make a box around the object to be converted using the right joystick to move the cursor to the upper-right corner of the box you are going to make. Press the joystick firebutton until a click is heard. Now, as the joystick is moved, a box will stretch across the screen. Move the cursor so that you have made the box big enough to fit the entire object, but not too much larger, because processing time during conversion will increase. When your object is enclosed, press the button again. You are now prompted for the filename to be used for the generated file. Be sure to include an extension of .BAS when saving, otherwise the computer will assign .DAT.

*Allen Snook lives in Oxon Hill, Maryland, and has been a CoCo enthusiast for nearly four years. He enjoys graphics, sound and Simulation programs, and he is coordinator of a users group.*

In a few minutes (the bigger the box, the longer it takes), the computer will finish its save of the reconstruction program. Pressing any key at this point ends the program.

Be sure to keep a disk in the drive while *Graphics Generator* is being used!

(Please direct questions about this program to the author at 5203 Wheeler Road, Oxon Hill, MD 20745, 301-894-6969. Please enclose an SASE for a reply when writing.) □



180	.....90
400	.....125
660	.....254
END	.....228

The listing: GRAPHGEN

```

10 CLEAR2000
20 PCLEAR8
30 FORZ=0TO6:Z(Z)=INT(2^Z):NEXTZ
40 'INITIALIZE [30-90]
50 T$="%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%      PRINTER  GRAPHICS      %
%      PROGRAM  GENERATOR     %
%                                %
%                                %
%      BY                                %
%      ALLEN  SNOOK            %
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
"
60 CLS:PRINT"      ";T$
    
```



```

70 PRINT@416,"":PRINT@416,"FILEN
AME/EXT:";:LINEINPUTF$:IF F$<>"
AND F$<>"D" THENLOADM""+F$
80 IF F$="D" THEN 630
90 PRINT@416,"DISPLAY SCREEN? (Y
/N)"
100 EXEC44539:IFINKEY$="Y"THENPM
ODE4,1:SCREEN1,1:EXEC44539:GOTO7
0
110 FORX=1TO4:PCOPYX TO X+4:NEXT
X
120 'GET BOX      [100-210]
130 PMODE4,1:SCREEN1,1
140 A=JOYSTK(0)*4:B=JOYSTK(1)*3
150 I=PPOINT(A,B):PSET(A,B,ABS(I
-5))
160 R=PEEK(65280):IF R=254 OR R=
126 THEN SOUND200,1:GOTO180
170 PSET(A,B,I):GOTO140
180 PSET(A,B,I)
190 C=JOYSTK(0)*4:D=JOYSTK(1)*3
200 LINE(A,B)-(C,D),PSET,B
210 LINE(A,B)-(C,D),PRESET,B
220 FORX=8TO5STEP-1:PCOPYX TO X-
4:NEXTX
230 R=PEEK(65280):IF R=254 OR R=
126 THEN SOUND200,1:GOTO260
240 GOTO 190
250 'PROGRAM      [450-570]
260 GOSUB500
270 'SAVE DATA   [230-430]
280 LN=90
290 FOR Y= B TO D STEP 7
300 N=1
310 FOR X= A TO C
320 Z=-1:E=0
330 FORY2= Y TO Y+6
340 Z=Z+1
350 IF PPOINT(X,Y2)=0 THEN E=INT
(E+Z(Z))
360 NEXT Y2
370 IF LEN(C$(N))>230 THEN N=N+1
380 C$(N)=C$(N)+RIGHT$(STR$(E),L
EN(STR$(E))-1)+","
390 NEXTX
400 FORQ=1TON
410 LN=LN+10
420 C$(Q)=STR$(LN)+" DATA "+C$(Q
)
430 IF Q=N THEN C$(Q)=C$(Q)+"999
" ELSE C$(Q)=LEFT$(C$(Q),LEN(C$(
Q))-1)
440 PRINT#1,C$(Q):C$(Q)="" :NEXTQ
450 NEXTY
460 C$=STR$(LN+10)+" DATA 888"
470 PRINT#1,C$
480 CLOSE#1

```

```

490 PRINT@416,"SAVE OF GRAPHIC P
ROGRAM DONE.":EXEC44539:END
500 REM I/O
510 PRINT@416,"STORE FILE AS:";:
LINEINPUTF$
520 IF F$="" THEN 510
530 PRINT@416,"PROCESSING ";F$;"
, WAIT":PRINT@448,""
540 OPEN"O",#1,F$
550 PRINT#1,"10 PRINT#-2,CHR$(18
)"
560 PRINT#1,"20 READN:IF N=888 T
HEN 90"
570 PRINT#1,"30 IF N=999 THEN 80
"
580 PRINT#1,"40 PRINT#-2,CHR$(12
8+N);:GOTO20"
590 PRINT#1,"80 PRINT#-2:GOTO20"
600 PRINT#1,"90 PRINT#-2,CHR$(30
)
610 PRINT#1,"95 END"
620 RETURN
630 'LIST DIRECTORY
640 DIM NA$(50)
650 GOSUB730
660 FORX=1 TO N STEP 22:CLS
670 FORX2=X TO X+21
680 PRINTNA$(X2),
690 NEXT X2
700 PRINT@416,"DIRECTORY:PRESS A
NY KEY":EXEC44539
710 NEXTX
720 RUN
730 'DIRECTORY READ
740 N=1
750 FORA=3 TO 11
760 DSKI$ 0,17,A,A$(0),A$(1)
770 FORJ=0 TO 1
780 FORI=0 TO 96 STEP 32
790 EN$=MID$(A$(J),I+1,32)
800 IF ASC(MID$(EN$,1,1))=0 THEN
840
810 IF ASC(MID$(EN$,1,1))=255 TH
EN 850
820 NA$(N)=LEFT$(EN$,8)+"/"+MID$
(EN$,9,3)
830 N=N+1
840 NEXT I,J,A
850 N=N-1
860 FORX=N TO 1 STEP -1
870 FORY=1 TO X-1
880 IF NA$(Y)>NA$(Y+1) THEN B$=N
A$(Y):NA$(Y)=NA$(Y+1):NA$(Y+1)=B
$:F=1
890 NEXTY
900 IF F<>0 THEN F=0:NEXTX
910 RETURN

```





# Graphics, Education and Speech Come Together

By Fred B. Scerbo  
Rainbow Contributing Editor

*Editor's Note: If you have an idea for the "Wishing Well," submit it to Fred c/o THE RAINBOW. Remember, keep your ideas specific, and don't forget that this is BASIC. All programs resulting from your wishes are for your use, but remain the property of the author.*

This month's "Wishing Well" brings us back to some fairly advanced programming techniques. It also marks the start of a new series of programs much like our Life Skills series. (Don't worry, there will still be more in that series. Thanks to all of you who have written about that series, like second grade teacher Alice Shirley of Natrona Heights, Pennsylvania.)

This series is called Knowing Your Body and will combine some of the advanced BASIC graphics we have explored in these pages with an added bonus of synthesized speech with Radio Shack's Speech Pak. Since recent requests have centered on all three of these fields (graphics, education and speech), we will try to cover all three with this newest program and concept. Forgive me, then, if this column is a little shorter than usual. When you see the length of the listing, you will understand why.

*Fred Scerbo is a special needs instructor for the North Adams Public Schools in North Adams, Massachusetts. He holds a master's in education and has published some of the first software available for the Color Computer through his software firm, Illustrated Memory Banks.*

## The Inspiration

I don't know how many of you feel about the numerous graphics Adventure games that have been available for the CoCo over the last few years, but I have been extremely impressed with them. I am not a big Adventure fan, but I do feel that having highly detailed graphics accompany an Adventure game is really what computer games should be about. What is usually very nice about these games is that the picture just explodes onto the screen without the user having to sit through the drawing process.

Sometimes, watching the drawing process can be fun, especially if it is in the context of something like *Baseball Fever*, *Football Fever* or *Rockfest*, typed in by the user (which have appeared in previous "Wishing Well" pages). However, I have seen some BASIC graphics Adventures that are absolutely a pain to sit through while the screen creates the graphics. Somehow, the whole effect and purpose of the graphics are destroyed if you see them constructed. For this reason, all of the machine language graphics games have constructed their graphics out of the user's view.

The same applies to graphics used in an educational program. Some programmers have drawn a pumping heart for science instruction, but the drawing process really detracted from the simulation. Right now I'm working on one such simulation that I hope will knock your socks off.

For the time being, however, we will concentrate on this program. It combines some of the graphics effects used in graphics Adventures with a talking educational bent to it.

## The Program

The first program in the series is *How Your Blood Works*. Unlike other graphics programs that use the artifact colors in PMODE4, this program uses the same techniques, only in PMODE2. If you check the listing, you will find the poke commands that allow you to get these colors in the combined PMODE2/PMODE1.

There are several reasons I chose this method. I, for one, do not believe there is much difference between the graphics resolution of these two modes. Since we are actually using the PMODE3 memory map when we get the artifact colors in PMODE4, each pixel of color is two pixels, forming a rectangular dot. PMODE2/1 will use four pixels for one color dot, but the dot will be a square, not a rectangle. For my money, I feel you can get better graphics using squares than rectangles.

The second reason for using PMODE2/1 is it uses half as much memory as PMODE4/3. This allows us to PCLEARB and have extra graphics pages hidden out of sight to do our drawing on. The third reason is these lower resolution graphics modes are twice as fast as PMODE4/3. Since we are operating in BASIC, every drop of speed helps.

Next, I had to construct a new graphics character set, since our text characters are useless in this type of program. To accommodate the lower resolution of PMODE2/1, these new graphics characters will occupy only 21 characters per line. This is no problem, however, since it is more helpful for educational purposes to have larger text. This is the type of program you might want to use with a group rather than an individual. All of our text is in uppercase lettering. We



# SPEECH SYSTEMS SUPER SALE

SAVE

APRIL 20 to MAY 30

SAVE

FOR YOUR COCO 1, 2, 3

	LIST	SALE	SAVE
SUPER VOICE .....	\$ 79.95	\$ 59.95	\$20
EARS .....	99.95	79.95	20
SYMPHONY 12 .....	79.95	59.95	20
LYRA .....	54.95	44.95	10
COCO MIDI 2 .....	149.95	119.95	30
PROTOTYPE BOARD & CASE .....	29.95	14.95	15
STEREO PAK .....	39.95	29.95	10
TRIPLE Y-CABLE .....	34.95	29.95	5
DOUBLE Y-CABLE .....	28.95	23.95	5
MUSICA 2 .....	29.95	24.95	5
MUSICA LIBRARY (100-900) .....	29.95	24.95	5
LYRA LIBRARY .....	39.95	29.95	10

## EXCLUSIVELY COCO 3

512K TURBO RAM .....	149.95	99.95	50
512K TURBO RAM w/o CHIPS .....	69.95	49.95	20
MAGIC OF ZANTH .....	34.95	29.95	5
RETURN OF JUNIOR'S REVENGE .....	34.95	29.95	5





# TURBO RAM™


~~\$149.95~~

**\$119.95**



## TURBO CHARGE YOUR COCO 3

- ✓ 512K Fast High Quality Memory.
- ✓ Super Easy Solderless Installation. Installs in minutes.
- ✓ Assembled, tested, and burned-in.
- ✓ 120 ns RAM Chips
- ✓ High Quality Double Sided, Solder Masked, Silkscreened PC Board.
- ✓ Ideal for OS9 Level II
- ✓ 2 Year Warranty.
- ✓ Free GIME Chip Technical Specs (\$10.00 without Turbo Ram).
- ✓ Free 512K Ram Test Program (\$10.00 without Turbo Ram).
- ✓ Free MUSICA RAM Disk (\$10.00 without Turbo Ram).
- ✓ \$5 OFF TURBO RAM Disk.
- ✓ Also available, TURBO RAM less memory chips. . . . . \$69.95



### INSTALLATION

If you know how to hold a screwdriver, we're convinced you can install Turbo Ram in minutes. However, if you like, send us your COCO 3 insured, postage paid, and we will install it, pay the return postage and guarantee it for 1 year. . . . . **\$15.00**

### SATISFACTION GUARANTEED

If for any reason you wish to return Turbo Ram, you may do so within 15 days and be charged only a 10% restocking charge. You may keep the GIME CHIP Technical Specs, 512K Ram Test program and MUSICA RAM DISK, a \$30 value.

## TURBO RAM DISK

TURBO RAM DISK adds 2 lightning fast Ram Disks to your COCO system. Imagine saving and loading programs instantaneously and having hundreds of your programs "on line" for fast access. Single disk system users can

use TURBO RAM DISK to easily make backups without continuously switching disks.

Requires 512K Turbo Charged COCO 3 . . . . . **\$24.95**  
When purchased with TURBO RAM . . . . . **\$19.95**

## COCO 3 128K

### COLOR CONNECTION IV

This is the most comprehensive modem package for the COCO 3. All standard protocols are supported including CompuServe's Protocol B, XMODEM protocol, and XON/XOFF. Full support of the auto answer/auto dial feature for both Hayes compatible and some Radio Shack modems is provided. Single key macros allow easy entry of often-used passwords and ID's with a single key stroke.

Disk . . . . . **\$49.95**

### COLOR SCRIBE III

This great Word Processor can take full advantage of the 80 column display of the COCO 3. Justification, Headers, Footers, and Pagination make it perfect for letters and documents as well as programming in BASIC, PASCAL, "C," and Assembly Language. Over 20 line editing commands include capabilities like character insert and delete, skip over words, breaking a line, and more!

Disk . . . . . **\$49.95**

### THE MAGIC OF ZANTH

In the Land of Zanth, magic is commonplace. Dragons, Griffins, Centaurs and Demons abound. You are sent on a quest to discover the source of magic in the Land of Zanth. This intriguing adventure features over 2 dozen hi-res 16 color animated graphic screens, 4 voice music and sound effects. The 16 color, 320 x 192 graphics look great.

Disk . . . . . **\$34.95**

### RETURN OF JUNIOR'S REVENGE

This is the same Junior you've seen in the Kong arcade series, but with new COCO 3 graphics. This tireless little monkey must overcome all sorts of obstacles (4 screens worth) to rescue his father, The King, from the mean zookeeper. He will traverse the jungle and swamp, climb vines, avoid chomper and birds, open locks, and more before he finally meets with his big daddy. The 16 color, 320 x 192 graphics are superb.

Disk . . . . . **\$34.95**

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.  
Shipping and handling US and Canada . . . . . \$1.00  
Shipping and handling outside the US and Canada . . . . . \$5.00  
COD Charge . . . . . \$2.00  
Illinois residents add 6 1/2% sales tax.


*Speech Systems*

**38W255 DEERPATH ROAD  
BATAVIA, ILLINOIS 60510  
(312) 879-6880**



# Lyra™

MEETS SYMPHONY 12™



12 SIMULTANEOUS VOICES

4 NOISE GENERATORS

STEREO & MONO

SOUND EFFECTS

**SPECIAL COMBINATION OFFER!**



If you want to compose music, experiment, or just listen to music, LYRA is the tool you need. LYRA represents the new state-of-the-art super user friendly software. Pull down menus and icons make composing music as easy as pointing with a joystick or mouse and clicking. LYRA is capable of 8 individually controlled voices. You may take advantage of the 8 voice power of LYRA using external MIDI synthesizers or SYMPHONY 12. We believe that LYRA and SYMPHONY 12 was a match made in heaven. For a limited time, when you purchase both, we will include free the LYRA SYMPHONY 12 CONNECTION, a \$19.95 value.

**STEREO AND MONO.** By connecting SYMPHONY 12 to your home stereo system, music is produced in stereo, 6 voices from each channel. However, you don't need to have a stereo system, all 12 voices also come out of your TV or monitor.

**SOUND EFFECTS.** SYMPHONY 12 is a sophisticated sound generator. 12 voices and 4 noise generators give you incredible sound effect capability. We have included gun shot, explosion, racing car and more.

**SYMPHONY 12.** You get over a dozen music and sound effect selections and complete documentation. Software is shipped on Tape or Disk.

**PIANO KEYBOARD.** For those wishing to turn SYMPHONY 12 into a real polyphonic synthesizer we offer a full size 61 note piano keyboard.

Tape users using both SYMPHONY 12 and the PIANO KEYBOARD will require a Y-CABLE. Disk systems require a Triple Y-CABLE or MULTI-PAK.

**SYMPHONY 12 (T or D) #SY149 .. \$69.95**  
**LYRA SYMPHONY 12 ENHANCER #LS177 .. \$19.95**  
**PIANO KEYBOARD #PK185 .. \$169.95**  
**DOUBLE Y-CABLE #DY181 .. \$28.95**  
**TRIPLE Y-CABLE #TY173 .. \$34.95**

## GUITAR CHORD BOOK

This program, written by a guitar instructor of 17 years, displays in high resolution graphics the exact fingering for over 100,000 chord combinations. You may even tune your guitar to the computer and play along.

Whether you are a beginning guitar student or an advanced player, you will find this quick reference to guitar chords invaluable.

32K Disk only #GC153 .. \$29.95

## MUSIC THEORY

### COURSE 1

This course covers all the basics from music notation & duration, key signatures, tempo, to an introduction of the keyboard. This is an entry level course recommended as a prerequisite for Course 2.

32K Disk only. #MT101 .. \$49.95

### COURSE 2

A more advanced course that deals with: Major and Harmonic Minor scales, interval spelling, Triad (Chord) theory, Inversions, Dominant 7th chords, and ear training of the intervals.

32K Disk only #MT102 .. \$49.95



Electronic  
Audio  
Recognition  
System

**\$99.95**


**EARS™**

**Now Your  
Computer  
Can Listen  
To You!**

- **SPEECH  
RECOGNITION**
- **HANDS OFF  
PROGRAMMING**
- **HIGH  
QUALITY  
SPEECH  
REPRODUCTION**

**EARS Does It All!**

**INCREDIBLE!**



**Two Years In the Making.** Speech Systems was formed to develop new and innovative speech products. After 2 years of intensive Research and Development, we have created a truly sophisticated speech recognition device. Recognition rates from 95% to 98% are typical. Until now, such a product was outside the price range of the personnel computer market, and even small businesses.

EARS is trained by your voice and capable of recognizing any word or phrase. Training EARS to your particular voice print takes seconds. Up to 64 voice prints may be loaded into memory. You may then save on tape or disk as many as you like so that your total vocabulary is virtually infinite.

**Speech and Sound Recognition.** EARS is really a sound recognition system, so it really doesn't matter whether you speak in English, Spanish, or French. In fact you do not have to speak at all, you can train EARS to understand sounds such as a musical note or a door slamming.

**Hands Off Programming.** Imagine writing your own BASIC programs without ever touching the keyboard. Everything that

you would normally do through a keyboard can now be done by just speaking.

**Programming EARS Is Easy.** LISTEN, MATCH and other commands have been added to BASIC so that programming EARS is a piece of cake! The single BASIC line: 10 LISTEN: MATCH will instruct EARS to listen to you and return the matching phrase.

**It Talks.** EARS is also capable of high quality speech. We mean REALLY high quality. The speech is a fixed vocabulary spoken by a professional announcer. Speech Systems is currently creating a library of thousands of high quality words and phrases. For a demonstration call (312) 879-6844, you won't believe your ears or our EARS.

**DISK OWNERS.** EARS will work with any disk system with either a MULTI-PAK or Y-CABLE. Our new Triple Y-CABLE was specifically developed for those wishing to add SUPER VOICE as a third device.

**You Get Everything You Need.** You get everything you need including a specially designed professional headset style noise

cancelling microphone. The manual is easy to use and understand. Several demonstration examples are included so you don't have to write your own programs unless you want to. EARS will work in any 32K or 64K Color Computer.

#### **SUPER VOICE \$20 OFF**

Imagine talking to your computer and it talking back to you. When you need an unlimited vocabulary, you can't beat SUPER VOICE. For a limited time, we will give you the SUPER VOICE for \$59.95 with your EARS purchase. Even if you already have another speech unit, here is your chance to buy the best and save \$20.

#### **VOICE CONTROL**

Applications for EARS are astounding. Here is our first of many listening programs to come. VOICE CONTROL is a program specifically designed to allow you to control any appliance in your house with your voice and our HOME COMMANDER (sold separately) or the Radio Shack Plug 'N' Power controller. For example, you can control your TV by saying "TV ON" or "TV OFF". . \$24.95

FREE  
BLANK DISK  
OR TAPE  
WITH EVERY  
ORDER



Dealer Inquiries  
Invited

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.  
Shipping and handling US and Canada ..... \$3.00  
Shipping and handling outside the US and Canada ..... \$5.00  
COD charge ..... \$2.00  
Illinois residents add 6 1/4% sales tax

**Speech Systems**  
38W255 DEERPATH ROAD  
BATAVIA, ILLINOIS 60510  
(312) 879-6880 (TO ORDER)

CALL ANY DAY TO ORDER. ALSO ORDER BY MAIL



# 'SUPER VOICE' T.M.

**COCO'S MOST ADVANCED  
SPEECH SYNTHESIZER.**

**IT TALKS, SINGS AND  
MORE.**

**only . . . \$79.95**

**WITH EARS PURCHASE**

**only . . . \$59.95**

**CoCo 3  
Compatible**

SUPER VOICE is no ordinary speech synthesizer. It uses Silicon Systems, Inc. SSI-263, the most advanced speech/sound chip available. SUPER VOICE is not only capable of highly intelligible speech, sound effects, and singing over a 6 octave range, but now we have turned SUPER VOICE into a monophonic Super Music Synthesizer with our PIANO KEYBOARD.

IT TALKS. A free TRANSLATOR text-to-speech program makes writing your own talking program as easy as SAYING "HELLO."

SUPER VOICE works in any 32K or 64K computer. A disk system requires a Y-Cable or Multi-Pak.


**Here are the facts;  
the decision is yours.**

**SAVE  
\$24.95**

**FREE**

**SUPER TALKING HEADS**

Paul and Pauline, our talking heads program is normally \$24.95. Until Dec. 15 we will include them with each SUPER VOICE order.



	SUPER VOICE	REAL TALKER	RS SPEECH CARTRIDGE	VOICE-PAK
Synthesizer Device	SSI-263	SC-01	SP-256	SC-01
Speaking Speeds	16	1	1	1
Volume Levels	16	1	1	1
Articulation Rates	8	1	1	1
Vocal Tract Filter Settings	255	1	1	1
Basic unit of Speech	64 phonemes 4 durations each	64 phonemes	64 allophones 5 pause lengths	64 phonemes
Pitch Variations	4096 (32 absolute levels with 8 inflection speeds)	4	1	4



**Speech Systems**

**38W 255 DEERPATH ROAD  
BATAVIA, ILLINOIS 60510  
(312) 879-6880 (TO ORDER)**

1 MEGABYTE  
COLORAMA

CALL ANY DAY TO ORDER. ALSO ORDER BY MAIL OR BBS.



Dealer Inquiries  
Invited

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.  
Shipping and handling US and Canada ..... \$3.00  
Shipping and handling outside the US and Canada ..... \$5.00  
COD charge ..... \$2.00  
Illinois residents add 6 1/4% sales tax



Introducing  
ICONS!


# Lyra™

The Musical  
Coco Max™

IF YOU  
CAN POINT,  
YOU CAN COMPOSE

PULL  
DOWN  
MENUS

Now Shipping  
Version 2.4



Coco 1, 2, 3  
Compatible

A MUST  
FOR MIDI  
USERS

LYRA is the most powerful music composition program we have seen on any computer. We don't mean just the COCO, we really mean any computer. Whether you are a novice trying to learn music or a professional musician with MIDI equipment you will find LYRA a powerful tool. You

see, we wrote LYRA for musicians that hate computers. If you want proof, purchase a LYRA demo for \$7.95. We will apply the demo price to your purchase. MIDI output requires the LYRA MIDI cable (#MC158) or COCO MIDI Seq/Editor (#CM147).

- ✓ Ultra Easy to use, just point with joystick or mouse and click.
- ✓ Compose with up to 8 completely independent voices.
- ✓ Room for over 18,000 notes. (This is not a misprint!)
- ✓ Super Simple Editing Supports:
  - Note insert      Block insert
  - Note delete      Block delete
  - Note change      Block copy
- ✓ Output music to:
  - TV Speaker      Monitor Speaker
  - STEREO PAK      ORCHESTRA 90
  - SYMPHONY 12      COCO MIDI S/E
  - MIDI Synth      MIDI Drum Machine
- ✓ Output up to 4 voices without additional hardware.

- ✓ Output all 8 voices using either SYMPHONY 12 or one or more MIDI synthesizers and drum machines.
- ✓ Output any voice on any of the 8 MIDI channels.
- ✓ Transpose music to any key.
- ✓ Modify music to any tempo.
- ✓ Automatically inserts bar for each measure as you compose.
- ✓ Key signature lets you specify sharps and flats only once, LYRA will do the rest.
- ✓ Plays MUSICA 2 files using LYRA CONVERT (#LC164).
- ✓ Each voice may be visually highlighted or erased.
- ✓ Each measure is numbered for easy reading.

- ✓ Solo capability
- ✓ Block edits are highlighted.
- ✓ Tie notes together for musical continuity.
- ✓ Name of note pointed to is constantly displayed.
- ✓ Jump to any point in the score instantaneously.
- ✓ Memory remaining clearly displayed, however you will have plenty of memory even for the most demanding piece.
- ✓ Help menu makes manual virtually unnecessary.
- ✓ LYRA is 100% software, no need for extra hardware unless you want more power.
- ✓ Music easily saved to tape or disk.
- ✓ Requires 64K and mouse or joystick.

LYRA (Disk only) #LY122 ..... \$54.95

## LYRA OPTIONS

These LYRA options are **not** required. They are provided for those wishing additional flexibility.

### LYRA CONVERT

A program to convert MUSICA 2 files to LYRA files.  
(Disk) #LC164 ..... \$14.95

### VERSION UPDATE

To receive the latest version of LYRA return your original disk. #UP162 ..... \$10.00

### LYRA MIDI CABLE

A cable to connect your computer to your MIDI synthesizer.  
#MC158 ..... \$19.95

### LYRA SYMPHONY 12 ENHANCER

Lets LYRA play all 8 voices through SYMPHONY 12.  
(Disk) #LS177 ..... \$19.95

### LYRA LIBRARY

A collection of 50 songs ready to play for hours. Most have 7 and 8 voices. #LL137 ..... \$39.95

### SYMPHONY 12

A real hardware music synthesizer, lets LYRA play all 8 voices in stereo.  
(T or D) #SY149 ..... \$69.95

### COCO MID Seq/Editor

A professional quality MIDI interface for MIDI synthesizers.  
(Disk only) #CM147 ..... \$149.95

### MUSIC LIBRARY

A collection of over 900 songs. When used with CONVERT, it gives an incredible LYRA library. Each volume 100 songs.  
(T or D) #MLXXX ..... \$29.95


COCO MAX is a trademark of Colôrdware.  
ORCHESTRA 90 is a trademark of Radio Shack.

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.  
Shipping and handling US and Canada ..... \$3.00  
Shipping and handling outside the US and Canada ..... \$5.00  
COD Charge ..... \$2.00  
Illinois residents add 6 1/4% sales tax.

Speech Systems

38W255 DEERPATH ROAD  
BATAVIA, ILLINOIS 60510  
(312) 879-6880






Introducing

**Lyra  
COMPATIBLE!**

**COCO  
MIDI 2**

*Coco 1, 2, 3  
Compatible*

*Confused  
about MIDI?*  
*"Understanding  
MIDI"*  
80 pages \$3.95



*Now shipping  
version 2.4*

*Previous users return  
original disk with \$20.*

Now your COCO can talk to your MIDI music synthesizer. Whether you have a Korg, Roland, Casio, Yamaha, or Moog, it doesn't matter as long as it's MIDI equipped. Choose from our

entry level MUSICA MIDI system that plays MUSICA files or our Professional COCO MIDI 2 system.

✓ Supports 16 Track recording and playback.

✓ Adjustable tempo.

✓ Over 45 Kbytes available  
(Over 15,500 MIDI events possible).

✓ Record to any track.

✓ Low Level track editing.

✓ LYRA editing: (one voice per track)

✓ Playback from any number of tracks.

✓ Quantizing to 1/16, 1/32, 1/64 intervals.

✓ Dynamic memory allocation.

✓ Filter out MIDI data.

Key pressure  
Program change  
Pitch wheel

✓ Graphic Piano Keyboard Display in both  
record and playback mode.

✓ Adjustable Key (Transposition) for each  
track.

✓ Save recording to disk for later playback or  
editing.

✓ Syncs to drum machine as MASTER or  
SLAVE.

Control Change  
Channel Pressure  
System Message

✓ PUNCH IN and PUNCH OUT editing

✓ Sequencer features.

✓ 100% machine code.

✓ "Musician Friendly" Menu Driven.

✓ Metronome

✓ Many songs included.

Includes MIDI hardware interface, 2 MIDI cables, detailed manual, and software. Requires 64K CoCo, Y-Cable or Multi-Pak.

**COCO MIDI 2 (disk only) #CM147 . \$149.95**

**DOUBLE Y-CABLE #DY181 . . . . . \$28.95**

**TRIPLE Y-CABLE #TY173 . . . . . \$34.95**

## DX LIBRARIAN™

Save and load voice parameters for the Yamaha DX series of synthesizers (DX-7, DX-100, DX-21 etc.). Save sounds individually or as a group letting you load the entire synthesizer in seconds.

Comes with professionally developed voices for the DX-7 worth 10 times the price. Requires COCO MIDI hardware interface.

**DX LIBRARIAN (Disk only) #DX143 . . . . . \$39.95**

## CASIO LIBRARIAN

Save and load voice parameters for any Casio synthesizer (CZ-101, CZ-1000, CZ-5000 etc.) You can save from the: presets, cartridge,

memory or buffer. Requires COCO MIDI hardware interface.

**CASIO LIBRARIAN (Disk only) #CL169 . . . . . \$39.95**

## MUSICA MIDI™

MUSICA MIDI takes any MUSICA 2 music file and plays it through your MIDI synthesizer. We offer you over 800 tunes from our MUSIC LIBRARY series (sold separately) or create your own music

using MUSICA 2. Includes: documentation, plenty of music, and the cable to connect between the COCO and your synthesizer.

**MUSICA MIDI Complete (Disk Only) #CM126 . . . . . \$39.95**

## MIDI KEYBOARD

If you own the Casio CZ-101 or similar MIDI synth, you know that the mini keys and the short 3 or 4 octave keyboard is limiting. MIDI KEYBOARD when used with our full size 5 octave keyboard

gives you the flexibility you need. Comes with cable to connect the COCO to your MIDI synth.

**MIDI KEYBOARD (Disk only) #MK167 . . . . . \$29.95**



only had to design 26 characters plus a period and comma.

The text is generated to the screen using several lines with MID\$, LEFT\$, RIGHT\$ and the ASC command. Other programs I have written have scrolled the text onto the screen; this program draws the text on graphics pages 6 and 7 and then will PCOPY them to pages 1 and 2 as we view them. The same will happen with any graphics we draw. They will be drawn off the screen, and later we will PCOPY them into view. This is the technique we used in *Advanced Star\*Trench Warfare* and *Snail's Revenge*, to name a few.

The program takes basic science information on the workings of the human blood and gives a graphic illustration of what you might see if you used a high powered microscope. The user can view red blood cells, white blood cells and platelets. If the Speech Pak is used, the computer will narrate the story along with the text. Once the program is started, the user need only sit back and watch. One of the best graphics is watching the white blood cell attack and destroy a harmful invader. (Who knows, maybe I could use graph-

ics like these to make an action Adventure game based on the movie *Fantastic Voyage!*)

The material in this program is material I use with my science students. However, I did refer to Funk and Wagnall's *New Encyclopedia of Science* just to be sure my facts were accurate.

### Using the Program

As always, type in the listing exactly as you see it, being careful not to miss so much as a comma or space in the DATA statements. Be careful around lines 85 to 90, since the text 1987 in Line 85 might look like it is actually Line 87 in the listing.

Some older CoCos may require you to run the program twice before the PCLEARB command takes effect. If you get a quick Syntax Error, run the program again. If you get the error again, you've made some typos in the listing. (Please do not call me late at night with your questions on the listings. Some people on the West Coast have called me after midnight, not remembering the time difference!)

When you run the program, the screen will ask if you want (T)alking or

(N)ot. Those without the Speech Pak can still use the program by pressing N. The program will walk through all the graphics. Pressing ENTER advances to the next frame, although the program will advance itself after a short while.


If you are using the program with the Speech Pak, be sure you put the pack in with the power off before you load in the program. Never insert it with the power on!

A screen will appear in either red or blue. If the screen is red, press ENTER to proceed. If it is blue, press reset and run again until the screen turns red.

If the program seems to hesitate in a few spots, remember: It is drawing the graphics out of view, and some are more detailed than others.

### Conclusion

Give this new program a try and let me know what other ideas we can try in this series. (No sex education suggestions, please.) If time permits, I might get a simple graphics Adventure put together in this fashion. Just keep those ideas coming. □



50 .....237	390 .....217
120 .....82	430 .....193
230 .....173	465 .....104
295 .....29	505 .....223
350 .....161	565 .....191
	END .....252

### The listing: BLOOD

```

0 GOTO600
1 REM *****
2 REM *   KNOWING YOUR BODY   *
3 REM *   HOW YOUR BLOOD WORKS *
4 REM *   A GRAPHIC SIMULATION *
5 REM *   BY FRED B.SCERBO    *
6 REM *   60 HARDING AVE.     *
7 REM *   NORTH ADAMS,MA 01247 *
8 REM *   COPYRIGHT (C) 1987  *
9 REM *****
10 CLEAR1000:CLS:PRINTSTRING$(3
2,172);
15 FORI=1TO288:READA:PRINTCHR$(A
+128);:NEXT
20 PRINTSTRING$(32,163);
25 DATA,93,81,94,,93,91,84,94,85
,92,92,90,93,80,85,,85,88,92,94,
88,84,95,82,93,88,94,92,92,93,,
30 DATA85,93,82,,85,84,91,90,85,

```

```

,,90,,90,90,90,90,,90,,90,93,8
7,,90,,83,83,,
35 DATA87,,93,82,87,,87,91,85,83
,83,90,,85,,85,,83,91,82,81,90,
81,95,82,91,83,83,86,80,80
40 DATA18,,18,19,19,18,18,,17,17
,19,19,19,,115,115,115,115,,113,
115,115,115,113,115,115,114,113,
,113,,
45 DATA26,,26,26,,26,26,,21,21,,
,21,,117,,117,,117,,117,117,,
,117,117,,117,,
50 DATA26,,26,26,,26,26,,21,21,1
6,,21,,117,,117,,117,,117,117,
,,117,117,112,117,,
55 DATA20,22,16,26,,26,26,,21,21
,28,29,28,,117,124,124,124,125,1
17,,117,117,,117,,121,120,,
60 DATA,26,,26,,26,26,,21,21,,20
,26,,117,,117,117,,117,117,,
,117,,117,,
65 DATA,26,,27,19,26,27,19,23,21
,,29,32,119,115,115,115,119,117
,115,115,119,117,115,115,118,,11
7,,
70 PRINT@389," HOW YOUR BLOOD WO
RKS ";;PRINT@421," (T)ALKING OR
(N)OT ? ";
75 PRINT@453," BY FRED B.SCERB
O ";

```



```

80 PRINT@485," COPYRIGHT (C) 19
87 ";
85 X$=INKEY$:IFX$="T"THEN105
90 IFX$="N"THEN100
95 GOTO85
100 NT=1
105 CLS0
110 XX=&HFF00:YY=&HFF7E
115 POKEXX+1,52:POKEXX+3,63
120 POKEXX+35,60
125 PMODE4,1:PCLS1:PMODE4,5:PCLS
1
130 DIMR(23),L$(26),Y(40):C$(1)=
"C1":C$(2)="C2":C$(3)="C3":C$(4)
="C4"
135 FORI=1TO26:READL$(I):NEXT
140 GOTO270
145 AA$=JK$
150 A$=STR$(A):B$=STR$(B)
155 DRAW"BM"+A$+"", "+B$+C$(CL)
160 IF LEN(JK$)<=21THEN180
165 FOR T=21TO0STEP-1:IF MID$(JK
$,T,1)=" "THEN175
170 NEXT T:GOTO180
175 L$=LEFT$(JK$,T):W$=L$:GOSUB1
85:JK$=" "+RIGHT$(JK$, (LEN(JK$))
-T):GOTO150
180 W$=JK$:B=B+14:GOSUB185:RETUR
N
185 SL=LEN(W$):FORI=1TOSL:BB$=MI
D$(W$,I,1):C=ASC(BB$)-64:IF C=-3
2THEN DRAW"BR12":GOTO205
190 IF C=-18THENDRAW"BR2RBR9":GO
TO205
195 IFC=-20THENDRAW"BR2R2D2G2E4B
R7":GOTO205
200 DRAWL$(C)
205 NEXTI:B=B+14:RETURN
210 IFNT=1THEN250
215 FORII=1TOLEN(AA$)
220 IF PEEK(YY)AND 128=0 THEN220
225 POKEYY,ASC(MID$(AA$,II,1))
230 NEXTII
235 IFPEEK(YY)AND128=0THEN235
240 POKEYY,13
245 FORHH=1TO600:NEXTHH:RETURN
250 FORHH=1TO3000
255 X$=INKEY$:IFX$=CHR$(13)THEN2
65
260 NEXTHH
265 RETURN
270 PMODE2,1:PCLS1:SCREEN1,1:PMO
DE1:SCREEN1,1:PCLS0:POKE65314,24
8
275 PCLS3:A=0:B=56:CL=4:JK$=" PR
ESS RESET AND RUN IF SCREEN IS B
LUE.":GOSUB145:B=B+20:JK$=" PRES
S ENTER WHEN THE SCREEN IS RED."

```

```

:GOSUB145
280 X$=INKEY$:IFX$<>CHR$(13)THEN
280
285 PCLS0:R=3:BL=2
290 PMODE2,6:PMODE1,6:COLOR2,3:L
INE(0,0)-(256,48),PRESET,BF:A=0:
B=14:CL=4:JK$=" HUMAN BLOOD PLAY
S A VERY BIG ROLE IN YOUR DAILY
LIFE.":GOSUB145:PCOPY6TO1:GOSUB2
10
295 COLOR2,3:LINE(0,54)-(256,92)
,PSET,B:B=70:A=0:CL=1:JK$=" IT I
S MUCH MORE THAN JUST A LIQUID."
:GOSUB145:PCOPY6TO1:GOSUB210
300 COLOR2,3:LINE(0,98)-(256,180)
,PSET,BF:B=114:A=0:CL=1:JK$=" I
T IS ACTUALLY MADE UP OF MILLION
S AND MILLIONS OF INDIVIDUAL LIV
E CELLS.":GOSUB145:PCOPY7TO2:GOS
UB210
305 PMODE2,3:PMODE1,3::PCLS4
310 FORI=2TO252STEP4:PSET(I,0,R)
:PSET(I+2,2,R):NEXTI:GET(0,0)-(2
56,2),Y,G:FORI=4TO96STEP4:PUT(0,
I)-(256,I+2),Y,PSET:NEXTI
315 PCOPY3TO5
320 PCOPY3TO6:PMODE2,6:PMODE1,6:
PCLS4:LINE(0,108)-(256,180),PRES
ET,B:A=0:B=126:CL=2:JK$=" THE LI
QUID PART OF THE BLOOD IS A YELL
OW COLORED FLUID CALLED PLASMA."
:GOSUB145:PCOPY3TO1:PCOPY7TO2
325 GOSUB210
330 PCOPY5TO6:LINE(8,10)-(246,70)
,PSET,BF:A=0:B=24:CL=4:JK$=" PL
ASMA CONSISTS OF WATER, PROTEINS
, SUGAR, SALTS AND OTHER SUBSTAN
CES.":GOSUB145:PCOPY6TO1
335 GOSUB210
340 GOSUB345:PCOPY8TO3:GOTO365
345 PCOPY5TO3:PMODE2,3:PMODE1,3:
FORI=1TO10+TH
350 A=(RND(70)*3)+15:B=RND(66)+1
0:CIRCLE(A,B),26,BL,.6:PAINT(A,B)
,BL,BL:CIRCLE(A,B),26,R,.6:PAINT
(A,B),R,R:CIRCLE(A,B),12,1,.6,.
8,.4
355 CIRCLE(A,B),26,1,.6
360 NEXT:PCOPY3TO6:PCOPY3TO4:RET
URN
365 PCOPY8TO7:PMODE2,6:PMODE1,6:
LINE(0,108)-(256,164),PRESET,B:A
=0:B=126:CL=3:JK$=" FLOATING IN
THE PLASMA ARE MILLIONS OF RED B
LOOD CELLS.":GOSUB145:PCOPY6TO1:
PCOPY7TO2:PCOPY8TO7
370 GOSUB210:GOSUB345
375 PCOPY8TO7

```



```

380 COLOR3,2:PMODE2,6:PMODE1,6:LINE(0,108)-(256,164),PRESET,BF:A=0:B=126:CL=4:JK$="THE RED BLOOD CELLS ARE ALSO KNOWN AS RED CORPUSCLES.":GOSUB145:PCOPY7TO2:PCOPY6TO1:GOSUB345:PCOPY8TO7
385 AA$=LEFT$(AA$,43)+"KOHR PUSS ULS":GOSUB210
390 PMODE2,6:PMODE1,6:LINE(0,108)-(256,194),PRESET,B:A=0:B=126:CL=2:JK$="THE COLOR OF RED CORPUSCLES COMES FROM THE HEMOGLOBIN IN EACH CELL WHICH CARRIES OXYGEN.":GOSUB145:PCOPY6TO1:PCOPY7TO2:GOSUB345:PCOPY8TO7
395 AA$="THE COLOR OF RED KOHR PUSSELS COMES FROM THE HEMOGLOBIN IN EACH CELL WHICH CARRIES OXYGEN":GOSUB210
400 PMODE2,6:PMODE1,6:LINE(0,108)-(256,184),PRESET,BF:A=0:B=126:CL=3:JK$="RED BLOOD CELLS ONLY LAST FOR ABOUT ONE HUNDRED AND TWENTY DAYS.":GOSUB145:PCOPY6TO1:PCOPY7TO2:GOSUB345:PCOPY8TO7:GOSUB210
405 GOSUB410:GOTO425
410 PMODE2,6:PMODE1,6:X=2:GOSUB415:PAINT(60+WM,18),2,2:X=1:GOSUB415:PAINT(60+WM,18),4,1:RETURN
415 PMODE2,6:PMODE1,6:CIRCLE(60+WM,32),22,X,1.4,.56,1:DRAWCS(X)+"BM"+STR$(80+WM)+"",32F4M+1,+5F2M+8,+3":CIRCLE(96+WM,60),20,X,.9,.75,.4:DRAW"BM-15,+26L2H4L2M-8,+2G4DG4L4H4L2H4U4H4L2H2L8H2U2H4U4H2U8E4R2U2R6U2R4U2E4"
420 CIRCLE(64+WM,40),10,1:PAINT(64+WM,40),1,1:RETURN
425 LINE(0,108)-(256,164),PRESET,B:A=0:B=126:CL=3:JK$="WHITE BLOOD CELLS ARE ALSO FOUND IN OUR BLOOD.":GOSUB145:PCOPY6TO1:PCOPY7TO2
430 GOSUB210
435 PCOPY8TO7:GOSUB345:COLOR3,2:PMODE2,6:PMODE1,6:WM=96:GOSUB410:LINE(0,108)-(256,190),PRESET,BF:A=0:B=126:CL=4:JK$="THE WHITE BLOOD CELLS PLAY A BIG PART IN HELPING FIGHT DISEASE AND INFECTIONS.":GOSUB145:PCOPY6TO1:PCOPY7TO2
440 GOSUB210
445 PCOPY8TO7:A=0:B=126:CL=2:LINE(0,108)-(256,190),PRESET,B:JK$="THE WHITE BLOOD CELLS ATTACK AND DESTROY HARMFUL SUBSTANCES IN

```

```

YOUR BLOOD.":GOSUB145:WM=0:GOSUB410:PCOPY4TO1:PCOPY7TO2
450 GOSUB210
455 PMODE2,6:PMODE1,6:PCOPY8TO7:FORWM=-22TO160STEP22:PCOPY4TO6:FORV=2TO14STEP4:CIRCLE(220,50),V,BL:NEXTV:GOSUB410:PCOPY6TO1:NEXTWM
460 PCOPY8TO7:A=0:B=126:CL=3:LINE(0,108)-(256,190),PRESET,B:JK$="THE WHITE BLOOD CELLS DESTROY THE HARMFUL SUBSTANCE AND REMOVE IT FROM THE BLOOD.":GOSUB145:PCOPY4TO1:PCOPY7TO2
465 PMODE2,6:PMODE1,6:PCOPY8TO7:PCOPY8TO6:A=0:B=14:CL=1:COLOR2,3:LINE(0,0)-(256,62),PSET,BF:JK$="THE BLOOD HAS A SPECIAL MECHANISM THAT HELPS IT TO REPAIR WOUNDS.":GOSUB145:PCOPY7TO2:PCOPY6TO1
470 AA$=LEFT$(AA$,58)+"WOONDS":GOSUB210
475 PMODE2,6:PMODE1,6:A=0:LINE(0,68)-(256,180),PRESET,BF:CL=4:JK$="THIS MECHANISM USES TINY PLATELETS IN THE BLOOD WHICH HELP IT TO CLOT OR CLUMP WHEN YOU RECEIVE A CUT OR AN OPEN WOUND.":GOSUB145:PCOPY6TO1:PCOPY7TO2
480 AA$=LEFT$(AA$,113)+"WOOND":GOSUB210
485 PCOPY8TO6:PCOPY4TO7:PMODE2,6:PMODE1,6:A=0:B=16:CL=1:JK$="THESE PLATELETS ARE TINY DISKS THAT STICK TO EACH OTHER WHEN DAMAGE OCCURS.":GOSUB145
490 GOSUB210
495 CL=3:JK$="EX. PLATELET":GOSUB145:DRAW"BR10CL8R2G8":GOSUB500:GOTO505
500 PMODE2,6:PMODE1,6:FORI=120TO180STEP10:FORY=1TO3:A=RND(180)+20:DRAW"BM"+STR$(A)+"","+STR$(I)+"CL8R2G8BF10F8REH2":NEXTY,I:RETURN
505 PCOPY6TO1:PCOPY7TO2
510 PMODE2,6:PMODE1,6:TH=20:GOSUB345:PCOPY6TO7:PCOPY8TO6:GOSUB500
515 A=0:B=16:CL=2:LINE(0,0)-(256,80),PSET,B:JK$="WHEN BLOOD CLOTS OR CLUMPS INTO A SMALL PLUG A THROMBUS IS FORMED IN THE BLOOD STREAM.":GOSUB145
520 PCOPY7TO2:PCOPY6TO1:GOSUB210
525 PCOPY8TO6:PCOPY8TO7:PMODE2,6:PMODE1,6:A=0:B=16:CL=1:JK$="IF

```



```



A THROMBUS GOES TO THE HEART IT
CAN CAUSE A HEART ATTACK.":GOSU
B145
530 PCOPY7TO2:PCOPY6TO1
535 GOSUB210
540 A=0:CL=2:JK$=" IF A THROMBUS
GOES TO THE BRAIN IT CAN CAUSE
A STROKE AND BRAIN DAMAGE.":GOSU
B145
545 PCOPY7TO2:PCOPY6TO1:GOSUB210
550 A=0:CL=3:JK$=" BOTH CAN BE F
ATAL.":GOSUB145
555 PCOPY7TO2:AA$="BOTH AN BE FA
YTUL":GOSUB210:FORHH=1TO500:NEXT
HH
560 PCOPY8TO6:PCOPY8TO7
565 PMODE2,6:PMODE1,6:COLOR2,3:L
INE(0,0)-(256,82),PRESET,BF:A=0:
B=14:CL=4:JK$=" THE BLOOD WILL W
ORK TO SERVE YOUR BODY AS LONG A
S YOU WATCH AFTER YOUR HEALTH.":
GOSUB145:PCOPY6TO1:PCOPY7TO2
570 AA$=LEFT$(AA$,73)+"HELLTH":G
OSUB210
575 B=B+20:CL=1:JK$=" PRESS ENTE
R TO RETURN TO START.":GOSUB145:
PCOPY6TO1:PCOPY7TO2
580 DATA U6E2R2F2D2NL4D4BR6,U8R4

```

```

F2G2NL4F2G2NL4BR8,U8R4BD8NL4BR6,
U8R4F2D4G2NL4BR8,U8NR4D4NR4D4R4B
R6,U8NR4D4NR4D4BR10,U8R6BD4NL2D4
NL4BR6,U4NU4R6U4D8BR6
585 DATA R2U8L2R4L2D8R2BR6,NU4R4
U8L4R6BD8BR6,U8D4R2NE4F4BR6,NU8R
4BR6,U8F4E4D8BR6,U8F6NU6D2BR6,U8
R6D8NL6BR6,U8R6D4L6D4BR12,U8R6D8
NL6NH4NF2BR6
590 DATA U8R6D4L4F4BR6,R6U4L6U4R
6BD8BR6,BR4U8L4R8BD8BR6,NU8R6NU8
BR6,BU8D4F4E4U4BD8BR6,NU8R4NU6R4
NU8BR6,E8G4H4F8BR6,BU8D2F4ND2E4U
2BD8BR6,NR8E8NL8BD8BR6
595 IFINKEY$=CHR$(13)THEN RUN EL
SE595
600 PCLEAR8:RUN1

```



NEW FREE  
CATALOG

#### 'KEEP-TRAK' General Ledger Reg. \$69.95—ONLY \$39.95

"Double-Entry" General Ledger Accounting System for home or business. 16k, 32k, 64k. User-friendly, menu-driven. Program features: balance sheet, income & expense statement (current & YTD), journal, ledger, 899 accounts & 2350 entries on 32k & 64k (710 accounts & entries on 16k) (disk only). Version 1.2 has screen printouts. Rainbow Reviews 1.1 - 9/84, 1.2-4/85

#### "OMEGA FILE" Reg. \$69.95—ONLY \$24.95

Filing data base. File any information with Omega File. Records can have up to 16 fields with 255 characters per field (4080 characters/record). Sort, match & print any field. User friendly menu driven. Manual included (32k/64k disk only). Rainbow Review 3/85, Hot CoCo 10/85

#### BOB'S MAGIC GRAPHIC MACHINE

Can generate BASIC code to use in your programs. Easy drawing and manipulation of circles, ellipses, boxes, lines and ARCS. Single joystick operation with on line HELPS at all times. Allows text on the graphics screen & movement of objects on the screen. Can be used as a stand-alone graphics editor. Instruction Manual. GRAPHICS EDITOR. Reg. \$39.95 — ONLY \$24.95 for disk or tape, 64k ECB.

Rainbow Review 7/85, Hot CoCo 9/85 "The graphics bargain of the year"

#### 'KEEP-TRAK' Accounts Receivable.

Features: auto interest calculation, auto ageing of accounts, installment sales, total due sales, explanation space as long as you need, detailed statements. 'KEEP-TRAK' General Ledger tie in, account number checking, credit limit checking & more. User friendly/menu driven. Includes manual. \$39.95 or \$49.95 General Ledger & Accounts Receivables. (Disk Only).

#### 'COCO WINDOWS'

With hi-res character display and window generator. Features an enhanced key board (clicks) and 10 programmable function keys. Allows the user to create multiple windows from basic. Includes menu driven printer setup and auto line numbering. Four function calculator, with memory. The above options can be called anytime while running or writing in BASIC. APPLE PULL YOUR DRAPES, YOU DON'T WANT TO SEE THIS. \$24.95 (disk or tape) includes manual.

CALL TOLL FREE

1-800-942-9402



THE OTHER GUY'S Software (Add \$2.50 for postage & handling)  
P.O. Box H, 55 N. Main C.O.D., Money Order, Check in U.S. Funds  
Logan, UT 84321 (801) 753-7620 (Please specify if J&M controller)

## TANDY COMPUTER DISCOUNTS

### COLOR COMPUTERS

26-3127 64k color comp	89.95
26-334 CoCo 3	170.00
26-3131 1st disk drive	269.95
26-3215 CM-8 color monitor	259.95

### PRINTERS

26-1276 DMP 105	160.00
26-1277 DMP-430	580.00
26-1280 DMP-130	269.00

### MODEL 4 and MSDOS COMPUTERS

25-1050 Tandy 1000 EX	530.00
25-1051 Tandy 1000 SX	850.00
25-01011 Plus expansion board	155.00
25-1023 CM-5 color monitor	249.95
25-1020 VM-4 Monochrome monitor	110.00
26-1070 mod 4D 64k 2dr.	920.00


**We Carry the Complete Line of Tandy Computer Products at Discount Prices**

**CALL FOR A FREE PRICE LIST 800-257-5556  
IN N.J. CALL 609-769-0551**

**WOODSTOWN ELECTRONICS**

Rt. 40 E. WOODSTOWN, N.J. 08098





# Computerware

## personal use ...

**MAY SPECIAL!**  
Only \$34.95

### C.E.O. Complete Electronic Organizer



This desktop software becomes your personal secretary. Includes a year's datebook for daily appointments 8 am to 5 pm, calculator, clock, phone directory, and freeform database for important memos.

Requires 64K, RSDOS, Disk

### Personal Finance System




PFS makes it easy to organize your finances. Set up your own budget and chart-of-accounts; then enter your checkbook transactions. Print reports to show income & expenses, budget, etc. A special loan & investment module calculates financial transactions like interest rates, mortgages, loans, & more.

Requires 32K, RSDOS, 80 column printer, Disk

\$32.95

## for fun ...

**MAY SPECIAL!**



### Nuke the Love Boat!

It's up to you to get the bomb away from the terrorists. The Requires CoCo 3, mouse or joystick, disk

### The Magic of Zanth

You are on a journey to discover the source of magic in the land of Zanth. Face Dragons, Griffins, Centaurs, & Demons in CoCo 3 graphic detail! Requires CoCo 3, Disk




### Return of Junior's Revenge

A great arcade game that brings the popular Donkey Kong Jr. to you with full use of CoCo 3 graphics! Requires CoCo 3, joystick, disk

## Finally, you have OS-9 Level 2,

### Screen Star



#### New OS-9 Screen Editor with Smart Speller!

Screen Star implements the popular **WordStar** editing capabilities like

- Edit files larger than memory by using the disk as an extension of memory
- Move, copy or delete blocks of text with a keystroke
- Powerful cursor commands allow fast & easy movement throughout the file.
- Find/Replace makes mass changes and searches a snap.
- Set parameter commands to set tabs, toggle the video, access the OS-9 shell & more.
- Define up to 10 function keys.
- Pop-Up Help menus.
- Smart Speller included. Unlike other spelling checkers, it uses a small dictionary containing the most common misspellings and their correct spellings.
- With the Text Formatter, it makes a powerful word processing duo for OS-9!
- Versions for Level 1 & Level 2 included.

Screen Star (Requires OS-9)

\$49.95

Screen Star w/Text Formatter

\$79.95

### Text Formatter

OS-9 Text Formatter interfaces with any editor that produces standard ASCII text files including our **Screen Star** & **Radio Shack TS Edit**. It supports:

- Right & left justification
- Automatic pagination
- Headers & footers
- Macros, tabs, etc.
- Page number & auto date insert
- ESC & CTL codes to the printer

Why just print it when you can format it with OS-9 Text Formatter?

Requires OS-9

\$34.95

### Macro Conditional Assembler

MAC not only supports all standard 6809 assembler mnemonics & directives, but also thrives on macros, conditional assembly, repeat sequences, inclusion of source library files & much more. MAC can handle any size source input files & can assemble source from up to four drives into one output binary file. Also includes XREF, a label cross reference program.

Requires OS-9

\$49.95

MAY SPECIAL

\$39.95

### Textools

These utilities designed for manipulating text files are especially powerful because they use wildcards. 17 utilities allow easy file changes & compression, benchmarking, piping, input formatting, & much more!

Requires OS-9

\$29.95



# ... for all CoCo's!

but now you need ...

## 512K Memory Expansion for CoCo 3

- Completely assembled & tested.
- Prime 120 ns memory chips
- Simple installation with no soldering.

May Special! Only \$99.50



## OS-9 Connection 3.0

The best in communication software is now available for OS-9, Level 1 and Level 2. All standard protocols are supported, including CompuServe Protocol B, XMODEM, and XON/XOFF. The auto dial feature for Hayes compatible & some Radio Shack modems is supported. Macros allow easy entry to often used passwords & IDs. Communicate with confidence!

OS-9 Version \$49.95  
RSDOS Version \$49.95



## Mitsuba 1200 Modem

Hayes compatible 1200 baud modem — perfect for the Color Computer!  
Modem \$159 CoCo Cable \$25



## Combo Utilities

Get two utilities packages in one — Advanced Utilities plus Disk Fix Utilities!

**Advanced Utilities** includes: KShell which transforms your system by allowing wildcards with any utility & multiple execution directory pathing as well as FLINK, ARCHIVE, & CPY.

**DISK FIX** supports true double-sided/double-density, 40 tracks with step rates up to 6ms and each drive is separately configurable. It also includes DMODE for drive descriptor mods, DIRCOPY for sophisticated directory management, FILELOOK, & COMPARE. PATCH is a user-friendly program for inspecting & modifying any disk file including CRC & header, find/search, relative address calculation & more.

Advanced Utilities only \$29.95  
Disk Fix Utilities only \$34.95  
Combo of BOTH \$49.95

## Sourcerer


This is a menu driven symbolic 6809 disassembler that produces symbolic source code that can be assembled with most editor/assemblers including Computerware's Macro Assembler.  
Requires OS-9 \$39.95

hardware ...

## CoCo 3 Ram disk & Memory Diagnostics

- 512K memory diagnostics includes rotating bit, convergence & latency tests
- Double ramdisk creates two full features separate drive ramdisks!
- Master copy program includes copy with verify, non-alphabetic & alphabetic copies

Requires CoCo 3, 512K, RSDOS \$19.95



## Kraft Joystick

\$24.95




## Bio Detector

Learn the art of relaxation through biofeedback or use this device for party fun as a lie detector game. All hardware, software & instructions included.

Requires 16K \$24.95

## Put a Monitor on Your CoCo



## Universal Video Plus

Composite video interface for any CoCo 1 or CoCo 2

\$34.95

## Monitors

12" NAP amber monochrome monitor

\$114.95 plus \$5 shipping

OS-9 is a trademark of Microware Systems Corporation

WordStar is a trademark of MicroPro International Corporation.

Computerware is a federally registered trademark of Computerware.

Call or Write to:



**COMPUTERWARE** (619) 436-3512

Box 668 • Encinitas, CA • 92024

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Yes! Send me your FREE catalog! CoCo ☐

VISA MasterCard

Card # \_\_\_\_\_ Exp. \_\_\_\_\_

Signature \_\_\_\_\_

Item Format Price

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Shipping 6% Calif. Sales Tax \_\_\_\_\_

Surface — \$2 minimum. COD Add \$5 \_\_\_\_\_

2% for orders over \$100 Shipping\* \_\_\_\_\_

Air or Canada — \$5 minimum. TOTAL \_\_\_\_\_

5% for orders over \$100

Checks are delayed for bank clearance





# Our Highfalutin' Feline Does a CoCo 3 Fandango

By H. Allen Curtis

CoCo Cat gains ever increasing popularity with each issue of THE RAINBOW. This lovable feline has earned a shot at an audition for his own video, and recently in Williamsburg, Virginia, CoCo Cat got his chance. CoCo Cat claimed to be a sterling hooper (should we say a sterling pawer?) and *purr*formed a cat-dance routine that was *catured* on the graphics screen of the CoCo 3.

CoCo Cat's dance program is shown in Listing 1. The program not only displays CoCo Cat's graceful dancing skills, but also illustrates some of the exceptional animation capabilities of the CoCo 3. Some useful CoCo 3 discoveries have been incorporated into the program.

Five views of CoCo Cat's splendid figure were drawn and painted on the high resolution graphics screen. HGET commands were used to save the figures in the high resolution buffer memory. Then HPUTs were employed to animate CoCo Cat.


CoCo Cat likens the drawing and painting process to make-up application prior to the grand performance and has demanded that drawing and painting be accomplished completely behind the scenes. His demands were not easily met. The Color Computer 3 Extended BASIC manual points out that the HSCREEN command does the same types of tasks as three low resolution commands: PMODE, SCREEN and PCLS. To draw and paint behind scenes, we would like HSCREEN to set the features to be used on the high resolution graphics screen and to clear the screen, but it must not display the screen. Unfortunately, HSCREEN has not been designed to do its three tasks selectively, so we get a screen display whether we want it or not.

At CoCo Cat's insistence, we studied the HSCREEN routine and found that a

*H. Allen Curtis lives in Williamsburg, Virginia. He is interested in 17th and 18th century history and enjoys biking through the colonial capital. He balances past and present with his computer work.*







The photos above show the five sequential views used to make CoCo Cat appear to dance.

POKE&HE6B7,&H39 immediately before an HSCREEN and a POKE&HE6B7,&H20 directly after the HSCREEN will do the PModelike and PCLSlake tasks without displaying the high resolution graphics screen. See, for example, Line 4 of Listing 1.

Our problems were not over yet. When all the drawing and painting were done, we needed to display the graphics screen, but HSCREEN clears the screen and would therefore destroy the picture of CoCo Cat in his initial dance step. With CoCo Cat acting as a *catalyst*, we found that a POKE&HE6E4,&HE6 immediately before another HSCREEN, and a POKE&HE6E4,&HE7 just after the HSCREEN displays the screen without clearing it. CoCo Cat was *categorically* thrilled with our discoveries. See Line 91 of Listing 1.

The pokes following HSCREEN in lines 4 and 91 restore the HSCREEN routine to its original state. Because the BREAK key is used to terminate the program and it is possible the break could occur directly before or after one of the HSCREENs, lines 1 and 200 have been included to guarantee a restoration of the HSCREEN routine. It should be noted that I found it necessary to include an unaltered HSCREEN in Line 2. You might run the program once with that HSCREEN command deleted, to see the effect of its omission.

The part of Listing 1 concerned with drawing and painting — HCOLOR, HCIRCLE, HDRAW and HPAINT — was not programmed by any human or cat but by CoCo 3 itself. CoCo 3 did the programming via a graphics editor program we designed in anticipation of CoCo Cat's premiere showing. The graphics editor, depending on one's artistic skills, can program an infinite variety of graphics, not just cat graphics. We hope the graphics editor will appear in a future issue of THE RAINBOW.

Before closing, CoCo Cat wants me to discuss some interesting and advantageous implications involved in the ability to execute HSCREEN commands without clearing the high resolution graphics screen. This ability allows mode switching. As you will see, mode switching enhances Mode 4 operations by cutting painting time in half, by introducing textured (striped) colors, and by permitting a second, larger print.

Listing 2 starts in Mode 2 by means of HSCREEN, prints the larger characters of that mode and draws a rectangle filled with the Slot 2 color, blue. In Line 70, the mode is switched to 4. The rectangle changes to a lighter, striped blue. Lines 50 and 80 calculate how long it takes to produce the mode-switched, filled rectangle. Finally, the usual small letters of Mode 4 are printed.

Run Listing 2. When the words "the Rainbow" appear on the screen, press the BREAK key and note the paint time printed on the text screen (probably a number close to 135). To determine the time to produce a rectangle of the same size in Mode 4 alone, make the following changes: In Line 20 replace HSCREEN2 with HSCREEN4. In Line 60 replace 100 with 200 and replace the original 200 with 400. Delete Line 70. Then run the altered program. After the rectangle has been completely filled, stop the program by pressing BREAK. The paint time printed on the text screen will be approximately 261. Thus, the mode-switched, painted rectangle was generated in about half the time of the Mode 4 rectangle.

To produce solid colors in Mode 4 by means of mode switching, paint in Mode 2 with colors in slots 0, 5, 10 or 15 to produce the Mode 4 colors associated with slots 0, 1, 2 and 3, respectively.

CoCo Cat and I would be pleased to hear from you about his dance routine on the tube. Of course, CoCo Cat is a purist and refers to the tube as a *cathode ray tube*.

(You may direct questions about this program to Mr. Curtis at 172 Dennis Drive, Williamsburg, VA 23185, 804-229-7086. Please enclose an SASE for a reply when writing.) □

14	.....154	83	.....241
28	.....133	96	.....150
49	.....74	END	.....187
63	.....65		

Listing 1: CATDANCE

```

Ø 'CoCo Cat Dancing
  By H. Allen Curtis
    JANUARY, 1987
1 ON BRK GOTO2ØØ
2 PALETTERGB:HSCREEN1:WIDTH4Ø:CL
S4:LOCATE17,6:ATTR3,3,U:PRINT"CC

```

```

BS";:ATTR3,3:LOCATE6,8:PRINT"(Co
Co BroadCAsting System)":LOCATE1
2,11:PRINT"Proudly Presents":LOC
ATE15,14:ATTR3,3:PRINT" CoCo Cat
";:LOCATE17,6:ATTR3,3
3 POKE&HFFD9,Ø:PALETTERGB:HCOLOR
3,Ø
4 POKE&HE6B7,&H39:HSCREEN1:POKE&
HE6B7,&H2Ø
5 DIMC(15):FORI=ØTO3:READC(I):PA
LETTEI,C(I):NEXT
6 DATA18,53,63,Ø
7 HBUFF1,462:HBUFF2,462:HBUFF3,4
62:HBUFF4,462:HBUFF5,462:HBUFF6,
9Ø3:HBUFF7,9Ø3:HBUFF8,9Ø3

```



```

8 HGET(217,145)-(303,165),5
10 HCOLOR 1
11 HDRAW"BM148,64
12 HCIRCLE(160,60),13,,1,.448,.0
51
13 HDRAW"BM172,64M+7,+2M+3,+3D4M
-1,+3M-8,+1M-14,-1M-15,+1M-5,-1M
-1,-3M+1,-3M+3,-3M+3,-2M+3,-1BM1
72,64U2
14 HPAINT(162,62),1, 1
15 HDRAW"BM166,49M+6,-9M-2,+11
16 HPAINT(168,48),1, 1
17 HDRAW"BM153,50M-6,-10M+3,+13
18 HPAINT(151,48),1, 1
19 HDRAW"BM158,77D10M-2,+2M-2,-2
L3M-3,+2M+4,+4M-3,+13M-3,+6M-5,+
10M-1,+6M+2,+9M+3,+4M+3,+2D2R6BM
162,77D10M+5,+1M+4,-1M+3,+2M-3,+
3M+2,+10M+3,+7M+6,+11M+2,+7M-1,+
7M-2,+6M-2,+2D3L6U2L19D2
20 HPAINT(154,132),1, 1
21 HCOLOR 2
22 HDRAW"BM158,94M+2,-2R3M+1,+2M
+1,+7M+3,+8M+4,+7M+1,+4M+1,+5M-1
,+6M-5,+2M-5,+1M-7,-1M-3,-3M-3,-
6U8M+4,-6M+2,-5M+2,-5U2U4
23 HPAINT(158,109),2, 2
24 HCOLOR 3
25 HDRAW"BM159,65U2R3D2L3
26 HPAINT(160,64),3, 3
27 HDRAW"BM165,58D1BM156,58D1BM1
77,66M+11,-3M+3,+1BM182,69M+6,+1
M+4,+2BM181,74M+5,+2M+2,+2BM142,
67M-6,-1M-5,+2BM140,70M-7,+1M-4,
+3BM138,74M-6,+4C1BM183,133R21U1
04M-3,-2M+2,+2M+1,-4M-1,+4R21D13
L5U8L10D104L28
28 HPAINT(189,136),1, 1
29 HGET(122,88)-(203,130),8
30 HDRAW"BM149,89M-19,+21M+24,+1
4BM156,120M-18,-11M+14,-16
31 HPAINT(149,93),1, 1
32 HDRAW"BM157,120M+3,-1M+1,+2D3
M-2,+3M-3,+2M-3,-1M+1,-3
33 HPAINT(157,122),1, 1
34 HDRAW"BM173,89M+21,+21M-24,+1
6BM167,122M+18,-13M-14,-16
35 HPAINT(173,93),1, 1
36 HDRAW"BM166,122M-1,-1M-2,+2D2
M+1,+3M+2,+1M+3,+1M+1,-2U3
37 HPAINT(170,121),1, 1
38 HDRAW"BM149,145M+1,+16M-23,+2
M-2,+2R32M+2,-2M-4,-18
39 HPAINT(154,148),1, 1
40 HDRAW"BM172,145M-3,+13M+1,+5M
+2,+1M+1,+1R27M+2,-1U1M-25,-2M+1
,-16
41 HPAINT(175,149),1, 1
42 HGET(117,145)-(203,165),1:HGE
T(122,88)-(203,130),6
43 HPUT(117,145)-(203,165),5:HPU
T(122,88)-(203,130),8
44 HDRAW"BM149,89M-24,+8M+1,+19B
M132,115M-1,-14M+21,-8BM133,115R
3M+2,+2M-1,+3M-5,+1M-6,+1M-3,-1U
2M+1,-2M+3,-1
45 HPAINT(130,116),1, 1
46 HDRAW"BM175,90M+16,+18M-22,+1
4BM166,118M+16,-11M-11,-14
47 HPAINT(174,93),1, 1
48 HDRAW"BM165,118M-3,-1M-3,+3M+
1,+3M+2,+2M+4,+2M+2,-1U2U3
49 HPAINT(164,121),1, 1
50 HDRAW"BM148,145M+3,+17L16M-6,
+1M-3,+2R32M-3,-20
51 HPAINT(153,147),1, 1
52 HDRAW"BM172,145M-5,+10M-11,-1
M-11,+1M-2,+1M-1,+1M+28,+3M+3,+1
M+2,-1U4M+3,-11
53 HPAINT(174,147),1, 1
54 HPAINT(149,156),1, 1
55 HGET(117,145)-(203,165),2:HGE
T(122,88)-(203,130),7
56 HPUT(117,145)-(203,165),5:HPU
T(122,88)-(203,130),8
57 HDRAW"BM149,89M-24,+8M+1,+19B
M132,115M-1,-14M+21,-8BM133,115R
3M+2,+2M-1,+3M-5,+1M-6,+1M-3,-1U
2M+1,-2M+3,-1
58 HPAINT(130,116),1, 1
59 HDRAW"BM175,90M+16,+18M-22,+1
4BM166,118M+16,-11M-11,-14
60 HPAINT(174,93),1, 1
61 HDRAW"BM165,118M-3,-1M-3,+3M+
1,+3M+2,+2M+4,+2M+2,-1U2U3
62 HPAINT(164,121),1, 1
63 HDRAW"BM148,145M+2,+17M-18,-1
M-8,+4R32M+2,-1M-3,-19
64 HPAINT(130,163),1, 9
65 HDRAW"BM173,145M+7,+20R2M+21,
-14M-2,-2M-6,+2M-11,+5M-1,+1M-4,
-12
66 HPAINT(177,148),1, 1
67 HGET(117,145)-(203,165),3
68 HPUT(117,145)-(203,165),5:HPU
T(122,88)-(203,130),8
69 HDRAW"BM173,89M+5,-1M+12,+1M+
4,+17M+3,-1M+2,+1M+1,+3M-1,+2M-5
,+2M-3,+1M-2,-2U2M+1,-1M-5,-15M-
14,-2
70 HPAINT(176,91),1, 1
71 HDRAW"BM149,89M-18,+15D2M+1,+
2M+22,+5D2M+2,+3R4M+2,-4M-1,-4M-
2,-1M-2,+1M-16,-7M+11,-10
72 HPAINT(149,93),1, 1
73 HPAINT(159,113),1, 1

```



```

74 HDRAW"BM172,145M-3,+18M+1,+1R
30M+3,-1M-3,-2M-23,-1M+1,-16
75 HPAINT(177,147),1,1
76 HDRAW"BM149,144M+2,+9M-1,+2M+
2,+2M+30,-3M+2,-1M-1,-2L20M-6,+1
M-3,-7
77 HPAINT(154,149),1,1
78 HPAINT(181,152),1,1
79 HGET(117,145)-(203,165),4
80 HPUT(117,145)-(203,165),5:HPU
T(122,88)-(203,130),8
81 HDRAW"BM173,89M+5,-1M+12,+1M+
4,+17M+3,-1M+2,+1M+1,+3M-1,+2M-5
,+2M-3,+1M-2,-2U2M+1,-1M-5,-15M-
14,-2
82 HPAINT(176,91),1,1
83 HDRAW"BM149,89M-18,+15D2M+1,+
2M+22,+5D2M+2,+3R4M+2,-4M-1,-4M-
2,-1M-2,+1M-16,-7M+11,-10
84 HPAINT(149,93),1,1
85 HPAINT(159,113),1,1
86 HDRAW"BM172,145M-3,+18M+1,+1R
30M+3,-1M-3,-2M-23,-1M+1,-16
87 HPAINT(177,147),1,1
88 HDRAW"BM149,144M-8,+14M-17,-8
LLL5M-1,+1M+28,+14M+2,-1U4M+6,-1
5
89 HPAINT(149,151),1,1
90 HGET(117,145)-(203,165),5:HGE
T(122,88)-(203,130),8
91 HLINE(56,8)-(280,16),PRESET,B
F:HCOLOR3:HPRINT(12,1),"CoCo Cat
Dancing":POKE&HE6E4,&HE6:HSCREE
N1:POKE&HE6E4,&HE7
92 GOSUB94:GOTO92
93 HCOLOR1:HLINE(56,8)-(280,32),
PSET,BF
94 HPUT(117,145)-(203,165),1:HPU
T(122,88)-(203,130),6:GOSUB100
95 HPUT(117,145)-(203,165),2:HPU
T(122,88)-(203,130),7:GOSUB100
96 HPUT(117,145)-(203,165),3:GOS

```

```

UB100
97 HPUT(117,145)-(203,165),4:HPU
T(122,88)-(203,130),8:GOSUB100
98 HPUT(117,145)-(203,165),5:GOS
UB100
99 PALETTE0,RND(51):RETURN
100 FORK=0TO75:NEXT:RETURN
200 POKE&HE6B7,&H20:POKE&HE6E4,&
HE7:POKE&HFFD8,0:WIDTH32

```

#### Listing 2: RECTANGL

```

10 PALETTERGB
20 HSCREEN2
30 HCOLOR2
40 HPRINT(12,3),"CoCo Cat loves
50 X=TIMER
60 HLINE(100,50)-(200,120),PSET,
BF
70 POKE&HE6E4,&HE6:HSCREEN4:POKE
&HE6E4,&HE7
80 CLS:PRINT:PRINT"THE 'PAINT' T
IME WAS ";TIMER-X
90 HPRINT(32,18),"the Rainbow
100 GOTO100

```

## <<<GIMMESOFT>>>

A new generation of  
CoCo III software

**FKEYS III**

A user friendly, user programmable function key utility that creates up to 20 function keys. Other features include DOS mods, DISABLE, and is EPROMable. Compatible with CoCo I/II and includes enhanced CoCo III version! Ver 1.3 - Disk only.....\$19.95

**MULTI-LABEL III**  
VERSION 1.0

An easy to use, versatile label creating program including many new CoCo III features. Even if you already own a label program, this one's a must for the III!!

Disk.....\$14.95

GIMMESOFT

4 Hallfield Ct. Add \$2.50 for shipping  
Baltimore, MD 21236 Phone 301-256-7558

**INVENTIVE SOLUTIONS**

**RGB VIDEO** FOR ANY MODEL  
COCO \$69.95

WHITE OR GREEN CHARACTERS ON A  
BLACK SCREEN-PLUS NORMAL GREEN  
SCREEN-SWITCH SELECTABLE

NO SPECIAL SOFTWARE

HI-RES GRAPHICS

ADD \$5.00 SHIPPING & HANDLING

INVENTIVE SOLUTIONS  
BOX 286

STANFORDVILLE, N.Y.

(914) 528-4404

12506

USING THE COCO AS A DEVELOPMENT  
SYSTEM

HIDDEN MODERN

MONOCHROME VIDEO DRIVER-WHITE  
CHARACTERS ON A BLACK SCREEN

COMPOSITE VIDEO DRIVER

PARALLEL PORTS

D/A A/D CONVERTERS

ELECTRONIC FLEA-MARKET (PARTS)

AND MUCH MORE


DEAL DIRECT WITH MANUFACTURER

SEND OR CALL FOR FREE CATALOG  
OR INFORMATION



# Look What's New at NOVASOFT!

Top-quality software at affordable prices, written by well-known authors in 6809 Machine Language



## CoCo 3 Compatible only NEW RELEASE THE WILD WEST

Get out your six shooter and polish your spurs! Journey into the gunslinging land of the old west. As sheriff of Dry Gulch, your job is to keep the peace. But the notorious desperado Black Bart has escaped from jail and is on his way to Dry Gulch to recover his hidden fortune!

Can you set a trap to capture Black Bart? Or will he get you! You'll have to use every trick in the book, and be quick on the draw as well, as you talk to some unsavory characters. Decide what items you'll need to buy from the General Store, and lay a trap for your enemy!

**The Wild West is designed to be played exclusively on the Tandy Color Computer 3.) It has several features not seen in most adventures.**

- Incredible animated 320 x 192 16 color hi resolution graphic scenes!
- Four voice music and sound effects.
- Save and load games in progress.
- A vocabulary of over 100 words.
- Automatically SPEAKS with a Tandy Speech Pak.


Requires a 128k CoCo<sup>3</sup> and one disk drive  
Disk \$25.95



## \* Maui Vice

Step into the shoes of Crockett & Tubbs, and gather evidence, photographs and witnesses to convict your suspects! With "windows" to select your options, hi-res graphics, and a new story generated each time you play. This is state-of-the-art that guarantees excitement and newness every time you play.


64K Ext. Basic & Joystick Required  
Disk \$21.95



## \* NEW RELEASE FOURCUBE

Now you can play TIC-TAC-TOE in 3D. The board consists of a 4x4x4 grid of cells. Pit your wits against the computer with six levels of difficulty or against your favorite opponent. Sound easy? Try it and you'll agree with us when we say its a "real challenge".

Requires 32K 1 or 2 Players  
Tape \$15.95 Disk \$18.95



## \* Moneyopoly

Play the popular board game on one of the most realistic computer game simulations ever! Contains all the features of the original. Buy, sell, rent, wheel & deal your way to fortune.


32K Joystick Required  
Tape \$19.95 Disk \$22.95



## \* Vegas Game Pak

Six games in all! Blackjack, Keno, Video Poker & 3 slot machine lookalikes. Super graphics!

16K Ext. Basic Required  
Tape \$24.95 Disk \$27.95



## \* NEW RELEASE LUNCHTIME

Your chef, Peter Pepper, is surrounded! Dodge pickles, hot dogs, and eggs while building hamburgers. This high res game features 7 difficult levels of wild entertainment. Fast paced action for either one or two players. Have a Burger Time. . .

Requires 32K & Joysticks  
Tape \$18.95 Disk \$21.95

## Tom Mix Products at New Reduced Prices!

**Sailor Man**—Defeat the bigfatbadguy and win Elsie's heart. Super graphics. \*  
64K Tape \$24.95 Disk \$27.95

\* **Dragon Slayer**—Defeat the dragon by finding your way through a mountain maze. Gather treasure but avoid the deadly traps! 160 exciting screens.

32K & Joystick or Keyboard  
Disk \$24.95

**The King**—\*

32K Tape \$24.95 Disk \$27.95

**Draconian**—\*

32K Tape \$19.95 Disk \$22.95

**Ms. Maze**—\*

32K Tape \$19.95 Disk \$22.95

**Kater Pillar II**—\*

16K Tape \$19.95 Disk \$22.95

**Warehouse Mutants**—\*

16K Tape \$18.95 Disk \$21.95

**Buzzard Bait**—\*

32K Tape \$19.95 Disk \$22.95

\* **Equals CoCo 3 Compatible**

# NOVASOFT

A Tom Mix Company

P.O. Box 201  
Ada, Michigan 49301  
616/676-8172

## Ordering Information

- Add \$3 shipping/handling
- MI residents add 4% sales tax
- Dealers welcome
- Many more titles—write for free catalog!

## Credit Card Orders


Call 616/676-8172



**\* CoCo 3 Compatible**



# TOM MIX'S MINI-CATALOG




## \* P-51 Mustang

### Attack/Flight Simulation

The ultimate video experience! Link two CoCo's together by cable or modem, and compete against your opponent across the table OR across the country! (Both computers require a copy of this program). The P-51 flight simulator lets you fly this WWII attack fighter in actual combat situations—against another player OR against the computer.

32K Machine Language  
Flight Manual Included  
Tape \$29.95 Disk \$34.95




## \* Worlds of Flight

### Small Plane Simulation

Real-time simulation generates panoramic 3-D views of ground features as you fly your sophisticated plane in any of nine different "worlds." Program models over 35 different aircraft/flight parameters. Realistic sound effects too! Manual included helps you through a typical short flight.

32K Machine Language  
Flight Manual Included  
Joysticks Required  
Tape \$29.95 Disk \$34.95



## NEW RELEASE

### THE BLACK HOLE

For anyone who enjoys solving a challenging logical puzzle, here is a 3-dimensional puzzle composed of 63 numbered cubes in a 4 by 4 by 4 array that leaves one BLACK HOLE. You tell the computer to sort the cubes and the computer tells you to put them in numerical order. A real brain bender. Outstanding color and action. Years of entertainment. . .

For IBM PC & Compatibles  
\$24.95

More Tandy-IBM/PC software available.

## Educational Best-Sellers!

\* **Teachers Database II**—Allows teachers to keep computerized files of students. Recently updated with many new features!

- Up to 100 students, 24 items per student
- Many easy-to-follow menus
- Records can be changed, deleted, combined
- Statistical analysis of scores
- Grades can be weighed, averaged, percentaged
- Individual progress reports
- Student seating charts
- Test result graphs/grade distribution charts

64K TDBII \$59.95 Disk Only  
32K TDBI \$42.95 Tape \$39.95

**NOW AVAILABLE FOR IBM PC & COMPATIBLES**—Holds information on up to 250 students with as many as 60 individual items of data for each. Contains the features listed above PLUS.

Requires 128K - \$89.95

**Factpack**—Three programs for home or school use provide drill and practice with basic "+/-/÷/×" Grades 1-6.

32K Ext. Basic  
Tape \$24.95 Disk \$29.95

**Vocabulary Management System**—Helps children learn and practice using vocabulary and spelling words. Eleven programs including three printer segments for tests, puzzles, worksheets and five games; many features make this a popular seller!

Requires 16K Ext. Basic/  
32K for Printer Output  
Tape \$39.95 Disk \$42.95

**Fractions**—A Three-Program Package. 1/Mixed & Improper 2/Equivalence 3/Lowest Terms. Practice, review and definitions make learning easy.

32K Ext. Basic  
Tape \$30.95 Disk \$35.95

## Unique Utilities!

**New!** Use the tools we've used to create "Donkey King," "Sailor Man" and others!

- Full use of 64K RAM
- 100% Machine Language
- No ROM Calls
- Selectable Drive
- Support 1-4 drives
- Menu Selected functions
- "Cold Start" exit to Basic
- Parameters easily changeable in basic loader

**MAS Assembler**—the finest ever!  
(Includes EDT)

Disk \$74.95

**EDT**—Effortless full screen editing w/2-way cursor. Text files to 48K+. Copy, save, move, delete, print blocks, much more!

Disk \$39.95

**Deputy Inspector**—Alphabetize, resort and backup directory; fast 3-swap backups, copy files or programs, auto-reallocate granules during backup for faster loading, more!

Disk \$21.95

**Sector Inspector**—Alphabetize, backup and print directory; repair crashes, LLIST basic programs, read in and edit 23+ grans, much more!

Disk \$29.95



**TOM MIX SOFTWARE**

P.O. Box 201  
Ada, Michigan 49301  
616/676-8172

## Ordering Information


- Call us at 616/676-8172 for Charge Card orders
- Add \$3.00 postage and handling
- MI residents add 4% sales tax
- Authors—We pay top royalties!



\* CoCo 3 Compatible



# *Interiors by CoCo*







64K  
ECB

32K  
MOD.



### By Bruce K. Bell, O.D.

Often it seems we are making plans to remodel, move furniture, build an addition or even a new house (though these plans don't always find their way to completion). During these times, I whip out the old graph paper, ruler, pencil and, of course, a big eraser. Then I begin counting squares. I've always thought this was complicated and have felt there must be a better way. Well, now there is.

*Archie* is a dedicated graphics editor that allows you to use your joystick to draw and design floor plans for building, remodeling, or just rearranging furniture. *Archie* features automatic sizing, pre-drawn furniture and fixtures of standard sizes, editing capabilities, and a pull-down icon menu with a point-and-click interface. Additionally, you can save and print your designs for future reference.

#### Getting Started

Type in and save both listings to cassette or disk. Save these under the filenames ARCHIE (Listing 1) and ARC (Listing 2). Use an extension of BAS if you are saving to disk. Note that both programs must be saved on the same tape or disk. If cassette is used, save Listing 1 first and Listing 2 immediately following.

*Bruce Bell practices optometry in his hometown of Rockmart, Georgia. He spends hours using programs he finds in THE RAINBOW and programming his CoCo for use in his office and at home. Bruce's program, CoCo Zone is the grand prize winner in the Third Rainbow Adventure contest.*



Once debugged and backup copies are saved, connect your right joystick, mouse, touch pad, or other analog-to-digital device and enter RUN "ARCHIE" (disk) or CLOAD "ARCHIE" (cassette). Answer the prompts concerning the high speed poke and loading device. If you are using disk, both programs are loaded and executed automatically. For cassette, enter RUN when you've loaded *Archie* and enter RUN again when you see BASIC's OK prompt. By the way, loading from cassette can take a while, so be patient.

Because of the PCLEAR bug in Extended BASIC 1.0, you may encounter an error on the first try. Just enter RUN again, and the program should operate fine.




Figure 1: Command Mode

## Command Mode

*Archie* offers two modes of operation, the design mode and the command mode. The command mode consists of an icon menu and auxiliary menus. Each icon represents a function within the program (See Figure 1). By moving the arrow pointer to a desired icon and pressing, then immediately releasing the firebutton on the joystick, the selected function is called. The first 14 functions (Circle through Fixtures) relinquish control directly to the design mode and are covered later. The remaining functions are for controlling I/O operations or program parameters. They are as follows.

**Scale** — This program is capable of operating at 23 different scales. The scale refers to the number of inches represented by each pixel. A pixel is a single dot on the Hi-Res computer screen. Clicking on the scale icon, represented by a ruler, reverses the colors of the scale icon. Also you will notice that the numbers in the lower portion of the icon menu change as you move your joystick horizontally. You may select a scale of one to 12 inches in 1/2 inch steps. The dimensions to the right of the arrow give the maximum area available at each scale. To achieve the highest resolution, it is advised that

the smallest scale (inches per pixel) in which your plan will fit, be used. When the desired scale appears, click to set the scale and return to the command mode.

**Print** — Clicking on this icon allows you to print the floor plan to a dot matrix printer. The printer driver included in *Archie* is a modified version of J. Paul Fountain's *GrafDump* (RAINBOW, October 1983). This driver works with printers recognizing the following codes:

```
$0D carriage return-line feed
$1C repeat data
$12 enter graphics mode
$1E end graphics mode
```

This includes most Tandy/Radio Shack printers with dot-addressable graphics capability. The resulting printout is double sized and is printed on its side, using almost all of an 8 1/2-by-11 inch page. When this function is selected, the icon color is reversed, and an auxiliary menu appears with three options. Move the arrow to the desired function and click. Clicking on Return takes you back to the icon menu. Clicking on Print begins the screen dump. Clicking on Grid overlays a dot grid on your floor plan and then begins the screen dump to your printer. This grid is useful for measuring on the hardcopy floor plan. The space between each dot is equal to that in the legend at the top right.

You can terminate printing by pressing and holding down the CLEAR key. You may have to hold this down for a few passes of the print head before printing stops.

**Disk and Cassette** — Either of these functions calls an auxiliary menu with options for Save, Load, Return and Drive #.

Before saving a file, you should enter the new filename, designer, and date in the default menu. When using a disk, all files are saved with the extensions ARC. Also with disk, a file menu is displayed when loading. To load a displayed file, point and click the desired filename. *Archie* displays only those filenames that have the extension ARC. If a file is desired that does not have this extension, point and click on \*Load. You will be asked for the filename. Include its extension. Point and click on \*Abort to return without loading a new file. When loading a cassette file, you will be asked for a filename. Prepare the tape for a filename (whether disk or cassette). You may abort the procedure by entering an up arrow instead of a filename. Of course, once the loading device is en-

gaged, you must wait for the procedure to complete.

When a file is saved to disk or cassette, the designer's name, date and current scale are also saved. This information is retrieved when a file is loaded, and that scale is put in force.

If you attempt to save a file on a disk that is full, a full-disk error message alerts you. Also, if you attempt to load a non-existent file, an unable-to-find error message appears. If you attempt to choose the disk I/O option without Disk BASIC in force, the message WHERE'S DISK BASIC? appears.

If a file is saved to tape under Disk BASIC, then it must be loaded under Disk BASIC. If saved without Disk BASIC, then load it without Disk BASIC. This is due to the different starting locations of graphics memory for Disk and non-disk BASIC.

**Screen** — Clicking on this icon toggles the screen between a buff background (Screen 1,1) and a green background (Screen 1,0).

**Help** — Calls three different screens of reminders. These help screens are not intended to replace these instructions. They are intended to assist those who have a basic understanding of *Archie's* operations.

**Palette** — There are 256 different colors/patterns available to you on 32 different palettes — eight colors on each palette. The current color palette appears in the eight boxes on the fourth row of the icon menu. Clicking on the palette icon reverses the color of this icon and changes the colors in these eight boxes, depending on the horizontal position of the joystick. Adjust the joystick until the palette containing the desired color appears and click. The new palette is set.

To select a particular color, point and click on the color. The color box in the upper-right corner of the screen will change, showing the new current color. If the current function (also shown in the upper-right of the screen) is Box Filled or Paint, control is transferred to the design mode; otherwise control remains in the command mode.

**Defaults** — Clicking this icon will bring up an auxiliary menu with Filename, Author, Date, Wall, Auto Size, Print I.D, Measure and Return. Each of these may be altered by pointing and clicking the menu item. The last three items automatically toggle. The first three allow you to type in the appropriate information. The Wall item allows you to specify wall thickness in your floor plan. This may be changed



as often as desired. All calculations and drawings will be based on the parameter in force at the time they are drawn. This is useful when drawing 6-inch exterior walls and 4½-inch interior walls. The Print I.D. item, when on, prints the filename, author's name, and date when two or more designs are concatenated (joined together) to make one large printout. Notice that the right side of screen is printed first, so that the right side of the second plan should be designed to match the left side of the first plan. Also notice that drawings may only be concatenated along the horizontal axis.

Realizing that both the Color Computer and RAINBOW have become international entities, a choice between U.S. and metric systems of measurement are available. Clicking on Measure toggles between the two. When in the metric system, the scale is given in centimeters (C) and the dimensions are given in meters. A conversion of 30.48 centimeters per foot is used.

**Trash** — This clears the current screen. This may also be accomplished by pressing SHIFT-CLEAR simultaneously in the design mode. This can be undone by pressing SHIFT and the down arrow in the design mode.

**Quit** — If you accidentally quit, type CONT and press ENTER to return to the program. Type POKE 113,0: EXEC40999 to clear memory for a new program. I made it a bit cumbersome on purpose so that accidental data loss would be less likely.

### Design Mode

The design mode allows you to work on your plan using the current function (see Figure 2). Most of the control is through joystick input, although some keyboard input is required. A small blinking dot, acting as cursor, represents the current draw position. First let's look at the 14 functions available. In each of the descriptions below, the function is invoked by pressing and holding down the firebutton while moving the joystick. Releasing the firebutton completes the maneuver.

**Circle** — Place the joystick where you want the center of your circle and, while pressing the firebutton, move the joystick to produce the desired radius. The radius (one-half the diameter) appears in feet and inches in the top center of the screen.

**Square** — Place the cursor at one outside corner of the desired position of the square and, while pressing the firebutton, move the joystick until the desired square is made. The width and




Figure 2: Design Mode

height of the square are given in the size box. These dimensions are inclusive of the lines of the square.

**Box Filled** — Works the same as Square, but produces a square filled with the current paint color.

**Line** — Place the cursor at the starting point of the desired line and move the joystick to position the other end of the line. The total length of the line is given at the top of the screen.

**Draw** — Place the cursor at the desired starting point and, while pressing the firebutton, move the joystick.

**Erase** — While pressing the firebutton, a blinking box erases anything in its path.

**Paint** — Place the cursor inside the area to be filled. Press the firebutton, and the appropriate area will be painted.


**Type** — Position the cursor. Click and the text cursor will appear (a bell). Type your message and press ENTER. If you are finished with your message,

press CLEAR; otherwise press the space bar to continue the next line. Pressing SHIFT-0 simultaneously toggles between dark and light letters. Pressing SHIFT-@ toggles between red and blue letters. Each cursor position represents one of BASIC's PRINT@ locations. If these do not correspond exactly to a desired location, printed text can later be moved, as described below.

**Circle Wall** — This draws a circular wall of the thickness specified in the default menu and functions as the Circle command. The program begins with 4½-inch walls. The dimensions given at the top of screen are "on center" width and height radii.

**Square Wall** — This draws a square or rectangular wall and functions as the Square command. Again, the height and width are given as "on center" dimensions. "On center" is a standard architectural designation and refers to the distance from the center of one wall to the center of the opposite wall. This measurement is usually less than the whole area covered by the thickness of one wall in each direction. Always place the cursor at the position you want the outside edge of the wall before pressing the joystick to draw.

**Move** — While pressing the joystick firebutton, enclose the area you want to move with the blinking square. A certain amount of memory has been reserved for storing a surrounded item for a move. In the dimension box, the remaining reserved memory is given.



Sample printout of a vacation home design.



Once the reserved memory is used, a warning sound is heard. The message *AREA TOO LARGE* appears if you attempt to enclose too great an area. Once the desired area is enclosed, release the button and move the cursor to the approximate point you want to place the acquired area. Press the button again and, while holding it down, adjust the position. The old area will be erased when the firebutton is released.

**Copy** — This works exactly like Move, except that the old area is not erased.

**Furniture** — This program is complete with pre-drawn furniture and fixtures that may be placed anywhere in your plan. Clicking on the chair icon will bring up the various furniture drawings. Move the blinking bell to the desired item, click and the design screen will appear. Clicking on Cancel returns you to the command mode.

Once back in the design mode, the familiar dot cursor can be seen on the screen. Move the cursor to the approximate area in which you will place the selected furniture item. Press and hold down the firebutton to fine-adjust its position. Then release the firebutton and press the space bar to set that item. A door bell chime will sound to remind you to press the space bar. A second chime sounds when the space bar has been pressed, to let you know the item has been set.

You may also rotate the furniture item 90 degrees by releasing the firebutton (after initially pressing it) and pressing it again. You can then set the item as described above or release and press the button again to rotate another 90 degrees. This rotation feature is why you must press the space bar to set the item once it is where you want it.

Fixtures operation is the same as with Furniture, except for the doors. After the door has been placed, but before it is set, you may toggle between right and left hinges by pressing the right arrow. A right or left arrow will appear in the upper-right corner of the screen as this is toggled. Make sure you press the space bar once you have the fixture item where you want it.

### Cursor Control

One of the problems encountered in designing any joystick operated graphics editor is the fact that there are 256 by 192 available points on the screen, but only 64 by 64 divisions recognized by the joystick interface. This provides a poor resolution — much poorer than we want. This problem can be solved by

hardware (e.g., CoCo Max) or software as in *Archie*, which offers three modes of cursor control.

**Relative Control** — This is the default cursor mode, though it is the one I use least often. Basically, the cursor travels in the direction the joystick is pointing. If the joystick is at an extreme position, the cursor moves two pixels at a time. Placing the joystick closer to the center allows movement at a rate of one pixel. Bringing the joystick still closer to center halts the cursor. The current joystick values are given at the top of the screen (see Figure 2).

**Full Screen Immediate Control** — This is invoked by pressing the down arrow key while in the design mode. When in this mode, the cursor can be placed anywhere on the screen immediately, by moving the joystick to its relative position. However, you will note there are some "in-between" positions you cannot achieve in this way. Once in this mode, you may press the down arrow again to toggle to the Relative mode, or you may press the up arrow to switch to the Single Pixel Immediate mode.

**Single Pixel Immediate Control** — Pressing the up arrow while in the design mode invokes this mode. Whenever the cursor is at the time this mode is invoked becomes the center of a 64 by 64 pixel square. The cursor can be placed at any spot within the square by moving the joystick to its relative position. This allows easy fine adjusting of position or size. Pressing the up arrow while in this mode toggles back to the Relative mode; pressing the down arrow switches to the Full Screen Immediate mode.

At the top of the design screen, an up arrow (Single Pixel Immediate), a down arrow (Full Screen Immediate), or a space (Relative) appears to advise which of the three modes are in force (see Figure 2).

### Keyboard Commands

There are several commands called by keyboard input. All other keyboard input is ignored.

**Space bar** — This actually has three uses:

- Pressing the space bar in the design mode switches you to the command mode, bringing down the icon menu. This is the only way to call the icon menu.

- Pressing it in the command mode switches you to the design mode, leaving in force the current function. You

may also point and click to call the design mode.

- You must press the space bar to set a furniture or fixture item as described above. Pressing it a second time calls the icon menu.

**Arrow keys** — The up and down arrows change cursor control as described. The right arrow toggles the door hinges as described.

**SHIFT-down arrow** — Pressed simultaneously, this erases whatever you have done to the last click. You may undo anything (including a trashed screen), but you cannot undo an undo. So be careful.

**SHIFT-CLEAR** — This trashes (or clears) the design screen. You may also do this from the command mode by clicking on the trash can icon.

**C** — This is the Continue function. You may continue a function after releasing the firebutton by pressing C. Your old drawing (up to the last click) is erased and, when you press the button again, a new drawing appears from the initial starting point to the new cursor position. This is especially useful when changing cursor modes. For example, you may draw a large square in the Full Screen mode. Then release the firebutton, press C, press up arrow to invoke the Single Pixel mode, and then press the firebutton to fine-adjust the original large square. Continue may be used only while drawing with Square, Circle, Box Filled, Line, Circle Wall, Square Wall, Copy and Move.

**R** — The Recall feature allows you to display the dimensions of the last figure drawn. The dimensions appear at the top of the screen momentarily and are then replaced by the current cursor position. Note, however, after returning from the command mode, pressing R recalls the maximum dimensions allowed at the current scale.

**P** — This is a special Recall with Print. After the most recent dimensions are replaced by the cursor position (as described above), move the cursor to the approximate place you would like to print these dimensions on your plan and, while pressing the firebutton, fine adjust. Then release the firebutton.

### 32K Modification

*Archie* may be easily modified to operate on a 32K CoCo with Extended Color BASIC. On a disk system, the help screens must be sacrificed as well as the maximum area size that may be Moved or Copied at a time. Otherwise operation is identical. The modification for 32K is as follows:



### Listing 1

In lines 5 and 100, change 64K to 32K.  
 Line 5: Change 31409 to 29209.  
 Line 180: Change 31410 to 29209.  
 Change 31449 to 29239.

Change Line 185 to read:

```
185 DATA 34,37,30,8D,0,19,
10,9E,BC,31,A9,C,A0,C6,15,
31,36,A6,A2,A7,B0,5A,2C,F9,
10,9C,BC,2E,F0,35,B7
```

Delete Line 190.

Line 225: Change to EXEC29209

Change Line 230 to:

```
230 POKE29227,&H80:POKE
29229,&HA2
```

### Listing 2

In lines 5 and 160, change 400 to 200 (disk only).

Line 225: Change 31410 to 29209.

Change Line 365 to read: 365 REM (disk only).

Delete lines 370 to 395 (disk only).

### Typing the Listings

A few special characters are used in the listings that may need clarification. To generate '^', use up arrow; for '[', use SHIFT-down arrow; for ']', use SHIFT-right arrow; the '-' is made with SHIFT-up arrow; and the '\' with SHIFT-CLEAR.

Also, if you are not operating a disk system, you will be typing in many commands that normal Extended Color BASIC will not recognize. When you LIST or LLIST the program, you will see an '!' instead of the command. Don't worry, however; the program is designed to prevent you from executing any disk commands if Disk BASIC is not present.

### The Hi-Res Character Set

*Archie* uses a machine language generated, high resolution character set that may be used as a stand-alone ML program. To accomplish this, delete lines 0 to 35 and lines 80 to 245 of Listing 1. Type CLEAR 200,31878 and run the program. When the OK prompt returns, save by entering (C)SAVEM "CHARACTR",31879,32767,31879. Or if you want to run the routine from BASIC, then add these lines:


```
35 CLEAR200,31878
80 EXEC31879
85 PMODE4,1: SCREEN1,1
```

This Hi-Res character set also allows for screen scroll and screen clears with the CLEAR key or CLS command. In fact, you may CLS to one of nine colors

with standard BASIC commands. Pressing SHIFT-@ simultaneously toggles between red and blue letters. You may use this with any BASIC program except those that use pokes to video memory (1024-1535), those that use the same memory as the program and, in some cases, those that use graphics memory. It is written in position-independent code and may be offset loaded. Permission is granted to use the routine in your programs as long as proper credit is given.

*Archie* is an extensive, dedicated graphics editor. Virtually all you need to create floor plans is available. However, it is not designed to replace the services of a qualified architect. Before constructing any design, a professional should be consulted to assure structural soundness and compliance with local building codes. Also, like any program of this nature, some practice is required before its operation is mastered. I encourage you to experiment with *Archie* and make it work for you.

(You may direct questions to the author at 614 East Elm Street, Rockmart, GA 30153. Please enclose an SASE for a reply when writing.) □



40	.....	163
53	.....	102
64	.....	33
73	.....	187
125	.....	44
170	.....	213
205	.....	109
END	.....	185

### Listing 1: ARCHIE

```
0 'ARCHIE 1.1, (loader), (C) 198
6,87 BRUCE BELL, THIS PROGRAM IS
MADE AVAILABLE 'AS IS' AND IS N
ON-WARRANTED.
```

```
5 CLS:PRINT"ARCHIE 1.1",,"(C) 19
86,87 BRUCE BELL","64K EXTENDED
COLOR BASIC",,, :CLEAR1000,31409:
PCLEAR8:DIMA(17)
```

```
10 INPUT"WILL YOU USE THE 'HI-SP
EED POKE'";Q$:Q=INSTR(1,Q$,"N"):
POKE492,Q:IFQ>1THEN10
```

```
15 IFPEEK(49152)<>68THENQ$="C"EL
SEINPUT"WILL THE PROGRAM BE LOAD
ED FROM CASSETTE OR DISK";Q$:IFQ
$<"C"ORQ$>"D"THEN15
```

```
20 POKE65495-Q,0:POKE253,PEEK(18
8):POKE254,0:'253 & 254 point to
start of graph mem for hires ch
aracters in ARCHIE.
```

```
25 PMODE4,5:PCLS5:DRAW"BM6,105C0
```

```
U50M+25,+50L25BM0,110U80M+40,+80
L40":POKE178,2:PAINT(2,108),,0
30 DRAW"BM72,60C0U4E50U6R3D6F50D
4H2U2H48L3G48D2G2":FORK=0TO2:CIR
CLE(124,15+K),20,0,.7,0,.5:NEXT
35 CIRCLE(255,90),40,0:CIRCLE(25
5,90),30,0,1,.32,.69:DRAW"BM245,
62D56":POKE178,1:PAINT(250,90),,
0:SCREEN1,1
```

```
40 FORK=31879TO32767:READD$:POKE
K,VAL("&H"+D$):NEXT:'poke hi-res
alpha routine
```

```
45 DATABE,1,68,AF,8D,0,AA,B6,1,6
7,A7,8D,0,A2,BE,1,6B,AF,8D,0,7D,
B6,1,6A,A7,8D,0,75,BE,1
```

```
46 DATAA1,AF,8D,0,3F,B6,1,A0,A7,
8D,0,37,30,8D,0,7E,BF,1,68,30,8D
,0,58,BF,1,6B,30,8D,0,18
```

```
47 DATABF,1,A1,86,7E,B7,1,67,B7,
1,6A,B7,1,A0,86,39,A7,8C,B1,39,0
,0,0,0,34,13,AE,63,8C,A3
```

```
48 DATAA9,26,2,8D,5,35,13,0,0,0,
4D,26,2,86,31,80,3A,2C,FA,8B,A,3
0,8D,0,11,30,86,A6,84,9E
```

```
49 DATABC,30,89,18,0,A7,82,9C,BC
,26,FA,39,0,FF,18,AA,55,99,24,FE
,DB,D,6F,27,3,0,0,0,34,37
```

```
50 DATA81,C,26,2,8D,CB,81,13,26,
2,3,FF,86,5C,A7,8C,AB,8D,10,16,0
,A8,D,6F,27,3,0,0,0,34
```



```

51 DATA37,8D,2,20,6A,1F,2,DC,88,
C4,E0,E7,8C,8E,86,C,3D,DB,89,E0,
8C,86,D3,BC,C3,0,0,9E,88,8C
52 DATA5,0,25,3,C3,C,0,1E,2,81,D
,26,12,8D,18,31,A9,FE,81,1F,20,C
5,1F,26,F4,31,A9,1,7F,20
53 DATA7B,81,8,26,6,A7,8D,FF,59,
86,20,30,8D,0,7A,81,5F,2F,6,A7,8
D,FF,4A,80,20,8D,62,80,20,27
54 DATA5,30,8,4A,26,FB,C6,8,A6,8
0,8D,40,26,FA,8D,4F,6F,8D,FF,2F,
39,6D,8D,FF,2B,26,2B,9E,BC,30
55 DATA89,17,FF,AF,8D,FF,1F,31,A
8,E0,10,AC,8D,FF,17,2D,17,31,89,
E8,B8,EC,A1,ED,A9,FE,7E,10,AC,8D
56 DATAFF,6,23,F3,31,89,FE,81,8D
,8B,6F,8D,FE,FA,35,B7,6D,8D,FE,F
3,27,1,43,D,FF,27,1,47,A7,A4
57 DATA31,A8,20,5A,39,34,7,C6,2,
86,FF,8D,E5,26,FA,35,87,FF,FF,FF
,FF,FF,FF,FF,FF,EF,EF,EF,EF,EF
58 DATAFF,EF,FF,AF,AF,AF,FF,FF,F
F,FF,FF,EB,EB,C9,FF,C9,EB,EB,FF,
EF,C3,BF,C7,FB,87,EF,FF,9B,9B,F7
59 DATAEF,DF,B3,B3,FF,E7,DB,DB,E
7,DA,DD,E2,FF,CF,CF,EF,DF,FF,FF,
FF,FF,E7,DF,BF,BF,BF,DF,E7,FF,9F
60 DATAEF,F7,F7,F7,EF,9F,FF,FF,E
F,C7,83,C7,EF,FF,FF,FF,EF,EF,83,
EF,EF,FF,FF,FF,FF,FF,FF,9F,9F,DF
61 DATABF,FF,FF,FF,83,FF,FF,FF,F
F,FF,FF,FF,FF,FF,CF,CF,FF,FD,FD,
FB,F7,EF,DF,DF,FF,C7,BB,B3,AB,9B
62 DATABB,C7,FF,EF,CF,EF,EF,EF,E
F,83,FF,C7,BB,FB,E7,DF,BF,83,FF,
C7,BB,FB,E7,FB,BB,C7,FF,BB,BB,BB
63 DATA81,FB,FB,FB,FF,83,BF,87,F
B,FB,BB,C7,FF,C7,BF,BF,87,BB,BB,
C7,FF,83,FB,F7,EF,DF,BF,BF,FF,C7
64 DATABB,BB,C7,BB,BB,C7,FF,C7,B
B,BB,C3,FB,FB,C7,FF,FF,FF,CF,CF,
FF,CF,CF,FF,FF,CF,CF,FF,CF,CF,EF
65 DATADF,F7,EF,DF,BF,DF,EF,F7,F
F,FF,FF,83,FF,83,FF,FF,FF,BF,DF,
EF,F7,EF,DF,BF,FF,C7,BB,FB,E7,EF
66 DATAFF,EF,FF,FF,FF,FD,FB,F7,A
F,DF,FF,EF,D7,BB,83,BB,BB,BB,FF,
87,BB,BB,87,BB,BB,87,FF,C7,BB,BF
67 DATABF,BF,BB,C7,FF,87,BB,BB,B
B,BB,BB,87,FF,83,BF,BF,87,BF,BF,
83,FF,83,BF,BF,87,BF,BF,BF,FF,C3
68 DATABF,BF,B3,BB,BB,C3,FF,BB,B
B,BB,83,BB,BB,BB,FF,83,EF,EF,EF,
EF,EF,83,FF,FB,FB,FB,FB,FB,BB,C7
69 DATAFF,BB,B7,AF,9F,AF,B7,BB,F
F,BF,BF,BF,BF,BF,BF,83,FF,BB,93,
AB,BB,BB,BB,BB,FF,BB,9B,AB,B3,BB
70 DATABB,BB,FF,C7,BB,BB,BB,BB,B


```

```

B,C7,FF,87,BB,BB,87,BF,BF,BF,FF,
C7,BB,BB,BB,AB,B7,CB,FF,87,BB,BB
71 DATA87,AF,B7,BB,FF,C7,BB,BF,C
7,FB,BB,C7,FF,83,EF,EF,EF,EF,EF,
EF,FF,BB,BB,BB,BB,BB,BB,C7,FF,BB
72 DATABB,BB,BB,BB,D7,EF,FF,BB,B
B,BB,BB,AB,93,BB,FF,BB,BB,D7,EF,
D7,BB,BB,FF,BB,BB,D7,EF,EF,EF,EF
73 DATAFF,83,FB,F7,EF,DF,BF,83,F
F,EF,EF,EF,EF,83,C7,EF,FF,EF,C7,
83,83,83,1,DF,FF,FF,F7,F3,81,F3
74 DATAF7,FF,FF,EF,C7,83,EF,EF,E
F,EF,FF,FF,EF,CF,81,CF,EF,FF,FF
80 POKE32104,57:POKE32244,57:FOR
K=1TO4:READD:POKED,253:NEXT:'mod
ify hires char routine for ARCHI
E
85 DATA 31999,32007,32082,32177
95 EXEC31879:POKE253,PEEK(253)+2
4:PRINT@202,"A R C H I E";:GET(8
1,72)-(165,79),A,G:FORK=-1TO1:PU
T(81+K,72+ABS(K))-(165+K,79+ABS(
K)),A,AND:NEXT
100 SCREEN1,1:PRINT@258,"ARCHITE
CTURAL FLOOR PLANNER":PRINT@323,
"FOR THE 64K COLOR COMPUTER";:PR
INT@393,"BY BRUCE BELL":PRINT@45
8,"VERSION 1.1":PRINT@492,"\\ \
\\":POKE253,PEEK(253)-24
105 FORK=31462TO31878:READD$:POK
EK,VAL("&H"+D$):NEXT:'poke scree
n dump (modified from RBOW 10.83
, GRAFDUMP by J. PAUL FOUNTAIN)
110 DATA86,FF,A7,8C,FA,6F,8C,F5,
86,80,A7,8C,ED,6F,8C,E8,86,1,A7,
8C,E9,86,FE,97,6F,86,12,AD,9F,A0
115 DATA2,9E,BA,30,88,1F,AF,8C,C
D,30,89,17,E0,AF,8C,C8,10,8E,0,1
,8D,76,AE,8C,BD,17,0,94,17,1
120 DATA1E,17,0,A1,30,88,20,AC,8
C,B0,2F,EF,86,D,AD,9F,A0,2,8D,5A
,AE,8C,A1,9C,BA,2D,66,8D,75,17
125 DATA1,3E,17,0,82,30,88,20,AC
,8C,91,2F,F0,86,D,AD,9F,A0,2,AE,
8C,84,9C,BA,2D,51,34,20,AD,9F
130 DATAA0,0,81,C,35,20,27,45,31
,21,10,8C,0,8,2F,C,10,8E,0,1,6C,
8D,FF,65,6C,8D,FF,63,AE,8D
135 DATAFF,5C,30,1F,AF,8D,FF,56,
AE,8D,FF,54,30,1F,AF,8D,FF,4E,20
,88,86,1C,AD,9F,A0,2,86,2F,AD,9F
140 DATAA0,2,86,80,AD,9F,A0,2,39
,86,81,A7,8D,FF,3C,20,92,86,1E,A
D,9F,A0,2,F,6F,39,1F,20,E7,8D
145 DATAFF,25,EC,84,6A,8D,FF,1F,
27,4,59,49,20,F6,39,88,FF,8A,80,
A4,8D,FF,16,A7,8D,FF,E,6C,8D,FF
150 DATA7,A1,8D,FF,5,26,F,E6,8D,

```





*The excitement continues!*

## The Third Rainbow Book of Adventures

Nineteen fascinating new Adventures from the winners of our third Adventure competition. Discover backstage intrigue at the London Theatre, attempt a daring space rescue, or travel through time to save the universe, and that's only the beginning!

Challenge yourself! Put your wits to the test with Adventures like:

**Evil Crypt** — Encounter bottomless pits, graves that kill, flesh-frying fires. Even the rocks and trees conceal dangers.

**The Professional** — You're hot on the trail of international jewel thieves.

**Cleopatra's Pyramid** — Perilous action along the banks of the treacherous Nile River.

**Johnny Zero** — Fight against evil in the year 2091 as a genetic android. And when you're at the end of your rope, revenge is in reach with:

**Balm** — You *are* the Adventure, determined to exterminate anyone fool enough to travel your cavern.

Experience other traditional and contemporary challenges from these winning authors: Mark and Mike Anderson, Jon Blow, Jason Dolinsky, Matt Hazard, Joab Jackson, Curtis Keisler, Franklin Marrs, Ann Mayeux, Scott McCleary, Chris McKernan, Philip Newton, Fred Provoncha, Carlos Rocha, Michael Shay, Don Sheerin, and Walt Thinnies.

**The Third Rainbow Book of Adventures is only \$11.95!**

Save yourself from typing listings with — **the Third Adventures Tape or Disk Set.**

Get on with your game and eliminate typing hassles. Just load these great programs into your computer and run.

**Tape \$9.95, Two-Disk Set \$14.95**

The tape and disks are adjuncts and complements to the book; the book is necessary for introductory material and loading instructions.

Please send me: The Third Rainbow Book of Adventures \$11.95 \_\_\_\_\_  
The Third Rainbow Adventures Tape \$9.95 \_\_\_\_\_  
The Third Rainbow Adventures Disk Set \$14.95 \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

☐ My check in the amount of \_\_\_\_\_ is enclosed\*

Please charge to my: ☐ VISA ☐ MasterCard ☐ American Express

Acct. No. \_\_\_\_\_ Exp. Date \_\_\_\_\_


Signature \_\_\_\_\_

**Mail to: The Third Rainbow Book of Adventures, The Falsoft Building, P.O. Box 385, Prospect, KY 40059**

To order by phone (credit card orders only), call (800) 847-0309, 8 a.m. to 5 p.m. EST.

For other inquiries, call (502) 228-4492

\*Add \$1.50 shipping and handling per book. Outside the U.S. add \$4. Allow 6 to 8 weeks for delivery. Kentucky residents add 5% sales tax for book and tape. In order to hold down costs, we do not bill. U.S. currency only please.





```


FE,FD,C1,80,27,7,AC,8D,FE,F3,2C,
1,39,E6,8D,FE,EE,5D,27,40,86
155 DATA1C,AD,9F,A0,2,A6,8D,FE,E
1,34,2,AB,E0,AD,9F,A0,2,A6,8D,FE
,D7,AD,9F,A0,2,6F,8D,FE,CD,AC
160 DATA8D,FE,C7,2D,13,A6,8D,FE,
C6,AD,9F,A0,2,AD,9F,A0,2,86,80,A
7,8D,FE,B7,39,A6,8D,FE,B3,A7,8D
165 DATAFE,AE,39,A6,8D,FE,A9,AD,
9F,A0,2,AD,9F,A0,2,20,D0,A7,8D,F
E,9D,A4,8D,FE,9B,E6,8D,FE,97,3D
170 DATA68,8D,FE,92,1F,98,58,34,
4,AB,E0,AB,8D,FE,86,A7,8D,FE,82,
A6,8D,FE,7F,81,8,2F,11,6F,8D,FE
175 DATA77,6C,8D,FE,73,A6,8D,FE,
6E,6F,8D,FE,6A,39,A6,8D,FE,64,20
,C1,44,44,44,8D,BC,44,39
180 FORK=31410TO31449:READD$:POK
EK,VAL("&H"+D$):NEXT:'poke icon
menu mover
185 DATA34,37,8E,80,1,10,9E,BC,3
1,A9,C,A0,C6,15,31,36,A6,A2,1A,5
0,7F,FF,DF,A7,80,7F,FF,DE,1C,AF
190 DATA5A,2C,EF,10,9C,BC,2E,E6,
35,B7
195 PMODE4,1:PCLS5:PMODE3,1:FOR
Y=2TO74STEP24:DRAW"BM8,=Y;":FORI=
1TO8:DRAW"C6R20D20L20U20BR20":NE
XTI,Y:PMODE4,1:CIRCLE(18,12),6,0
:CIRCLE(18,36),6,0:CIRCLE(18,36)
,2,0:CIRCLE(118,60),6,0:DRAW"BM1
4,64C0E8"
200 POKE178,250:LINE(52,18)-(64,
6),PSET,BF:DRAW"BM32,18C0U12R12D
12L12 BR40E12 BR17NG9F3G2NH3G7NH

```

```

3L3NU3 BR20U3E7R5ND3G7NL5D3NE7L5
BR21EU8R3U4R2D4R3D2NL8D6GL8 BR2
2H3U8ERFD3ND2R3ND2R3ND2R2FD4G3 B
M32,42U12R12D12L12BE4U4R4D4L4"
205 DRAW"BR16BD2U8R8D5ND3R2F2NL4
DL2NDL4NDL4NDL2 BR20BD2U12F6NG6U
6F6G6U6 BR16BD6U4R3ND2R3ND4E2L6N
G2U4NUR6NUD2NL6D6 BR11BDEFGHBU3U
2ER4EU2RU2NL2RNR2D2RD10L3U5L3DL2
BR21BD4
210 DRAW"E10H3G3NFG2NFG2NFG3F3 B
R17U11ER12GD11L12BE2U0BU3U0BU3U0
BU3U0BR8D0BD3D0BD3D0BD3D0 BM12,6
6U12R12D2L2D2R2D8L12BE4BR2H2E2F2
G2 BR14BD3NR12U2NR12U6ER10FD8BH5
EFGHBL4EFGH"
215 DRAW"BR17BD6U8NER6NH4NE4R5ND
8ENL11D8GL11BE3U2ER3FD2GL3H BR19
BU6U2ER6FD2G2D3BD2D2L3U2R3BU2L3U
3E1U2LDL2 BR17BD7NF2U7E3R5F4D4G2
L2G2L4BEBU2EFGHBU4U0BE2BLU0BR3U0
BF2U0"
220 DRAW"BR40D5BL3U5BL3D5BG2R10E
U8NL12H2L4NUL4G2D8F BR19BU2U6ER5
UEND2F5G5NUGU2L6ER5"
225 EXEC31410
230 FORK=31426TO31439:READD$:POK
EK,VAL("&H"+D$):NEXT:DATA 1A,50,
7F,FF,DF,A6,80,7F,FF,DE,1C,AF,A7
,A2:'poke icon put
235 FORK=5TO8:PCOPYK TOK-4:NEXT:
SCREEN1,1:PRINT0,"";:POKE65494,
0
245 IFQ$="C"THENCLOAD"ARC"ELSELO
AD"ARC.BAS",R

```



40	.....111	375	.....80
85	.....73	405	.....140
145	.....175	450	.....79
175	.....167	475	.....142
215	.....15	525	.....232
260	.....105	550	.....41
310	.....184	640	.....243
340	.....157	END	.....172

Listing 2: ARC

```

0 'ARCHIE 1.1 (main module), (C)
1986 BRUCE BELL, THIS PROGRAM I
S MADE AVAILABLE 'AS IS' AND IS
NON-WARRANTED.
5 DIMA(2),B(400),N$(22):DEF FND(
S)=INT(WW*S/12-.5):DEF FNJ(H)=(A
BS(H)-1)*SGN(H)
10 D$(0)="ARCHIE ":D$(1)="B. BE
LL ":D$(2)="02/10/87":M$="CIRCLE
SQUAREBOXFILLINE DRAW ERASE PA

```

```

INT TYPE CIRWALSQRWALMOVE COPY
FURN FIX SCALE PRINT DISK
CASSETSCREENHELP PALETEDEFAULTTR
ASH END "
15 SP$=" ^[" :US$=" ###X### ":ME$=
CHR$(34):S=4:SS=3:M=2:PC=1:CP=0:
PP=10:SC=1:WW=4.5:PQ=PEEK(492):G
=PEEK(188)*256:G1=PEEK(253):G2=G
1+24
20 PMODE4,5:PCLS5:PMODE4,1:PCLS5
:DRAW"BM50,50C0U6F6L3M+2,+4LM-2,
-4L2":PAINT(52,48),0,0:GET(50,44
)-(56,54),A,G:PCLS5:SCREEN1,1
25 POKE65495-PQ,0
30 POKE178,PC:LINE(192,0)-(204,7
),PSET,BF:PRINT@26,MID$(M$,1+6*(
M-1),6):PRINT@23,MID$(SP$,SP+1,
1):COLOR5,0
35 POKE255,255:PRINT@9,USING"##.
#+ME$;SS;:POKE255,0:XM=0:YM=8:G
OSUB200:PSET(X,Y,C):IFQ$=""THEN6

```



"INCREDIBLE"  
Software/Hardware patch to  
run CoCo Max II on a CoCo III  
Req 26-3024 Multi-Pak Interface  
\$29.95

# GREAT

# CoCo III Products!

## • SECRETS REVEALED

An introduction to the Color Computer III that compares the differences between the CoCo I/II and the NEW CoCo III. Includes: GIME chip specs, CoCo II to CoCo III converter, CoCo III memory map and a 128K/512K RAM test. "Offers some very good information to programmers." - Rainbow Review Feb '87 \$19.95

## • C III GRAPHICS

Buy 'em both  
for \$29.95

A drawing program for the CoCo III using the new Enhanced graphic features: 320x192 graphics, 16 of any 64 colors, plus the ability to Save and Load 32K screens. "Paint pretty pictures on the CoCo3." - Rainbow Review Dec '86 \$19.95

## • ROLLER CONTROLLER

Meet the challenge of super fast arcade action using the brilliant colors of the CoCo III. Six completely different maddening mazes with progressive skill levels. 128K DISK \$29.95 (see Rainbow Review May '87)

## • COCO III UNRAVELLED - It's here !!!

Provides a COMPLETE COMMENTED DISASSEMBLY of the new code in the CoCo III's ROM!!! \$29.95

## • ELITEWORD 80 - #1 COCO III Word Processor

The third generation CoCo Word Processor is here! All the powerful features, advantages and benefits of EliteWord plus 40/80 column display formats for the CoCo III. Available only from Spectrum Projects! \$79.95 Special word processing package of EliteWord and EliteSpel for \$99.95 (see Rainbow Review March '87 page 134)

## • FKEYS III - Function Keys for the COCO III

A productivity enhancement that gives you the capability to add twenty (20) pre-defined functions to the CoCo III by using the CTL, F1 and F2 keys! \$24.95 "Get more from your keyboard with FKEYS III" (4/87 Rainbow Review)

## • 512K UPGRADE (NOW \$79.95\*) **LOWEST PRICES !!!**

Easy installation with a superior design for a reliable upgrade, processing efficiency and AVAILABLE NOW for the CoCo III! (\*\$79.95 when purchased with our 512K RAM DISK program for \$19.95) A 512K upgrade without RAM chips \$39.95 - The lowest upgrade prices in the Rainbow magazine, period!!!

## • RGB PATCH - No more BLACK & WHITE dots ...

Did you buy an expensive RGB monitor (CM-8) just so that you could see your Hi-Res artifacting CoCo 2 games in BLACK & WHITE ??? RGB PATCH converts most games to display in COLOR on an RGB monitor. 128K DISK \$24.95

## • COCO III FONT BONANZA - ☆☆☆☆ Rating\*

Replace the 'PLAIN' CoCo III characters from a menu of INCREDIBLE fonts or create your own. 128K DISK \$29.95. NEW!!! FONT DISK #1 with over 25 more FONTs! \$19.95/Buy 'em both for \$39.95. \*(4/87 Rainbow Review)

## • RGB MONITOR - Better than TANDY CM-8 !

Our monitor is much more versatile than the Tandy CM-8! Takes a variety of video inputs, including: RGB Analog, Color Composite and RGB TTL. Unlike the CM-8, PMODE 4 artifact colors don't show up BLACK and WHITE (when processed through the Color Composite input) \$329.95. Magnavox 8515 w/CoCo III cable \$339.95

## • PAL SWITCHER - Designed by Marty Goodman!

Have the best of both worlds by being able to switch between CoCo II and CoCo III modes when using a Multi-Pak Interface. Req. OLDER PAL & NEW PAL chip for the 26-3024 Multi-Pak Interface \$29.95/with NEW PAL chip \$39.95

CoCo III Multipak PAL chip \$19.95  
Guide to CoCo III Graphics \$21.95  
Better Graphics on CoCoIII \$24.95

CoCo III Service Manual \$39.95  
Video Digitizer III !! \$149.95  
512K CoCo III Computer \$299.95

All orders plus \$3 S/H (Foreign \$5) - COD add \$2 extra - NYS Residents add Sales Tax  
Most orders shipped from stock. Allow 1-3 weeks for processing backorders.

**SPECTRUM PROJECTS**  
PO BOX 264  
HOWARD BEACH NY 11414  
COCO HOT LINE 718-835-1344



```

5ELSEIFQ$="\"THENC=5:GOTO330ELSE
IFQ$="["THENC=5:GOTO60ELSEIFQ$="
"THENC=5:GOSUB235:GOTO295
40 IFQ$<>"R"ANDQ$<>"P"THEN50ELSE
GOSUB285:FOR T=1TO999:NEXT:IFQ$="
P"THENGET(80,0)-(184,7),B,G:GOSU
B235:GOSUB200:Z=1ELSE50
45 GOSUB230:PUT(X1,Y1)-(X1+104,Y
1+7),B,AND:GOSUB200:IFZ=2THENZ=0
:GOTO35ELSE45
50 IFQ$="^"THENSEP=(SP+1)AND1:X3=
X1:Y3=Y1:GOTO30ELSEIFQ$=CHR$(10)
THENSEP=(SP+2)AND2:GOTO30ELSEIFQ$
="C"THENCN=1:GOSUB230
55 GOTO35
60 GOSUB230:GOTO30
65 GOSUB235:ONM GOTO70,90,90,90,
115,125,135,140,70,90,155,155,18
0,180
70 IFCN=0THENX=X1:Y=Y1 ELSECN=0:
X=X2:Y=Y2
75 X2=X:Y2=Y:YM=8:Z=1:POKE253,G2
:D=FND(S)
80 W=ABS(X-X1):IFW=0GOSUB200:GOT
080ELSEHW=ABS(Y-Y1)/W:CIRCLE(X,Y
),W,0,HW:IFM=9ANDW>=D THENCIRCLE
(X,Y),W-D,0,HW
85 GOSUB265:GOSUB200:IFZ=2THENZ=
0:POKE253,G1:GOTO35ELSEGOSUB230:
GOTO80
90 IFCN=0THENX=X1:Y=Y1 ELSECN=0:
X=X2:Y=Y2
95 X2=X:Y2=Y:YM=8:Z=1:POKE253,G2
:D=FND(S)
100 IFM=4THENLINE(X,Y)-(X1,Y1),P
RESET ELSE IFM=3THENPOKE178,PC:L
INE(X,Y)-(X1,Y1),PSET,BF ELSE LI
NE(X,Y)-(X1,Y1),PSET,B
105 IFM=10ANDD>0THENDX=SGN(X1-X)
*D:DY=SGN(Y1-Y)*D:LINE(X+DX,Y+DY
)-(X1-DX,Y1-DY),PSET,B
110 GOSUB265:GOSUB200:IFZ=2THENZ
=0:POKE253,G1:C=PPOINT(X,Y):GOTO
35ELSEGOSUB230:GOTO100
115 YM=8:Z=1
120 X=X1:Y=Y1:PRESET(X,Y):PRINT@
10,USINGU$;X,Y:GOSUB200:IFZ=2THE
NZ=0:GOTO35ELSE120
125 XM=2:YM=10:Z=1:COLOR0,5
130 GOSUB200:LINE(X1-2,Y1-2)-(X1
+2,Y1+2),PSET,BF:PRINT@10,USINGU
$;X1,Y1:LINE(X1-2,Y1-2)-(X1+2,Y1
+2),PSET,BF:IFZ=2THENZ=0:C=PPO
INT(X,Y):GOTO35ELSE130
135 POKE178,PC:PAINT(X1,Y1),,0:C
=PPOINT(X1,Y1):POKE178,3:GOTO35
140 IFY1>180THEN30ELSEP=X1/8+Y1+
Y1/6*10

```

```

145 PRINT@0,"PRESS <ENTER> AT EN
D OF THE LINE";:PRINT@P,"";:LINE
INPUTS$:IFP>479THEN30ELSEPRINT@0
,"<CLEAR> TO QUIT:<SPACE> TO CON
T.";
150 Q$=INKEY$:IFQ$=" "THEN150ELSE
IFQ$=CHR$(12)THEN30ELSEIFQ$=" "T
HENP=P+32:GOTO145
155 YM=8:Z=1:IFCN THENCN=0:X=X2:
Y=Y2:GOTO175ELSEPOKE253,G2:X=X1:
Y=Y1
160 GOSUB230:GOSUB200:IFZ=1THENP
OKE179,53:LINE(X,Y)-(X1,Y1),PRES
ET,B:X2=INT(400-(ABS(X-X1)+1)*(A
BS(Y-Y1)+1)/40):PRINT@16,X2:IFX2
<0THENPLAY"L25501A":GOTO160ELSE1
60
165 POKE253,G1:IFX2<0THENPRINT@1
4,"AREA TOO LARGE!";:SOUND100,1:
FOR T=1TO500:NEXT:Z=0:GOTO30
170 X2=X:Y2=Y:GET(X,Y)-(X1,Y1),B
,G:LINE(X,Y)-(X1,Y1),PSET,B:DX=X
1-X:DY=Y1-Y:X1=X:Y1=Y:XM=ABS((DX
-ABS(DX))/2):YM=ABS((DY-ABS(DY))
/2)+8:GOSUB200:Z=1
175 GOSUB200:GOSUB230:PUT(X1,Y1)
-(X1+DX,Y1+DY),B,AND:IFZ=1THEN17
5ELSEZ=0:IFM=11THENLINE(X2,Y2)-(
X2+DX,Y2+DY),PSET,BF:PUT(X1,Y1)-
(X1+DX,Y1+DY),B,AND:GOTO35ELSE35
180 Z=1:POKE253,G2:PRINT@31,CHR$
(95-0);:C=0
185 X=X1:Y=Y1:DRAW"BM=X; ,=Y;C0S=
S;A=A;":ONW GOSUB620,625,630,635
,640,645,650,655,660,665,670,680
,685,690,695,700,705,710,715,555
,555,555,555,565,570,575,580
,580,585,590,595,600,605,610,610
,615,615:DRAW"S4A0"
190 PRINT@14,USINGU$;X,Y;:GOSUB2
00:IFZ<2GOSUB230:GOTO185ELSEPLAY
"03L9GE":C=PPOINT(X,Y):GOSUB200:
IFQ$=CHR$(9) THENO=(O+2)AND2:PRIN
T@31,CHR$(95-0);:GOSUB230:GOTO18
0ELSEIFQ$=" " THENZ=0:POKE253,G1:
PLAY"L40CDEFGABO4C":GOTO30
195 IFQ$="[" THENZ=0:POKE253,G1:G
OSUB230:GOTO30ELSEGOSUB230:A=(A+
1)AND3:GOTO180
200 H=JOYSTK(0):V=JOYSTK(1):PRIN
T@0,H;V:IFM=8THENH=INT(H/2):V=IN
T(V/4.3)+1:X1=H*8:Y1=V*12:GOTO21
5ELSEIFSP=2THENX1=INT(H*4.06):Y1
=INT(V*2.91)+8ELSEIFSP=1THENX1=X
3+H-32:Y1=Y3+V-32ELSEH=INT(H/9.2
)-3:H=FNJ(H):V=INT(V/9.2)-3:V=FN
J(V):X1=X1+H:Y1=Y1+V
205 IFX1<XM THENX1=XM:H=0ELSEIFX

```



# A SPECTRUM PROJECTS SHOPPING LIST

## SUPER CHIP -SALE- ...

2764 EPROM .....\$4.95    27128 EPROM .....\$6.95  
6821 Standard PIA ~~\$9.95~~ .....\$6.95  
Basic ROM 1.1 Chip ~~\$19.95~~ .....\$9.95  
6847 VDG Chip ~~\$19.95~~ .....\$12.95  
6809E CPU Chip ~~\$19.95~~ .....\$12.95  
CoCo III Multipak - "NEW" PAL chip (For Gray and White 26-3024 models ONLY) .....\$19.95  
Basic ROM 1.3 (Newest version) .....\$19.95  
68766 EPROM - (Fits all Basic ROMs) .....\$19.95  
Disk ROM 1.1 - (Needed for CoCoIII) .....\$29.95  
Original SAM Chip (6883) .....\$29.95  
Ext Basic 1.1 ROM - NEW LOW PRICE .....\$29.95  
CoCo First Aid Kit - includes two PIA's, 6809E CPU and SAM Chips (BE PREPARED) .....\$49.95  
EPROM Programmer - uses 2716s up to 27512s! Super fast programming! - See April '86 review ..\$149.95

## COCO LIBRARY ...

A History of the CoCo / 1980-1986 .....\$6.95  
CoCo Memory Map Reg. ~~\$16.95~~ Now only .....\$9.95  
New! 200 MORE Pokes,Peeks 'N Execs .....\$9.95  
Basic Programming Tricks Revealed .....\$14.95  
500 Pokes, Peeks 'N Execs .....\$16.95  
A Guide to CoCo III GRAPHICS .....\$19.95  
Basic 09 Tour Guide .....\$19.95  
Better Graphics on CoCo3 w/2 disks .....\$24.95  
New! New! CoCo II Service Manual (Specify CoCo II Catalogue model number) .....\$29.95  
CoCo III Service Manual .....\$39.95  
The Complete Rainbow Guide to OS9 .....\$19.95  
Guide with Two Disk Package of demo pgms ...\$49.95  
Color/Extended/Disk Basic Unraveled - A completely commented disassembly of the CoCo ROMS! ....\$49.95

## MORE GOOD STUFF ...

WICO Adapter- Hookup 2 Atari type joysticks.\$19.95  
CoCo Keybd - Low profile, fits all CoCo IIs & "F"s WAS \$39.95 - NOW \$19.95. D/E CoCo I adapter \$12.95  
WICO Trackball - Regularly \$69.95, Now only.\$24.95  
Universal Video Drvr- All monitors & CoCos ..\$29.95  
(2) Chip 64K Upgrade - 26-3134 A/B CoCo II ..\$29.95  
28 pin Ext Basic - 26-3134 A/B CoCo II .....\$34.95  
Computize "Y" Box - Better than a Y cable ..\$39.95  
KAMELEON Parallel Printer Interface .....\$49.95  
Top FD-501 Drive 1 (#26-3131) - SAVE \$60 ..\$139.95  
CoCo III DISK DRIVE 0 .....\$239.95  
AVATEX 2400 Modem (Great for Delphi) .....\$249.95  
512K COLOR COMPUTER III .....\$299.95

All orders plus \$3.00 S/H (Foreign \$5.00)  
COD add \$2.00 extra  
NYS Residents add Sales Tax

## COCO CABLES AND ...

Printer/Modem 15' Extender Cable .....\$14.95  
Tired of unplugging devices from your RS232 port? Try a RS232 "Y" Cable .....\$19.95  
TANDY CM-8 RGB Analog 6'Video Ext Cable ....\$19.95  
Disk Drive Cable (34pin - 34pin) .....\$19.95  
Cassette 'Y' Cable - Connect a 26-3028 Hi-Res Joystick interface & Tape Recorder to CoCoIII ..\$19.95  
Modem Cable - 6ft (DB25-DB25) .....\$19.95  
Joystick/Mouse 10' Ext Cable .....\$19.95  
Dual Disk Drive Cable (3-34pin) .....\$24.95  
MAGNAVOX 8505/8515 Analog RGB cable .....\$24.95  
Other Analog RGB monitor cable (Specify!) ..\$39.95  
15" Multi-Pak/Rom Pak Extender - Move your Multi-ROM Paks further away .....\$29.95  
40 Pin Dual "Y" Cable - Hook up a Disk with a Voice Pak, Word Pak, CoCo Max, etc. ....\$29.95  
Triple RS232 Switcher - Now easily select any one of three RS232 peripherals .....\$39.95

## OTHER GOOD STUFF ...

5 1/4" Diskettes in any quantity .....49 cents  
C-10 tapes in any quantity .....59 cents  
Rompak w/Blank PC Board 27xx series .....\$9.95  
"D" Rev motherboard w/o socketed chips .....\$16.95  
Video Clear - This cable will reduce TV interference created by CoCo! .....\$19.95  
The Magic Box - Load Mod I/III Basic program tapes into the CoCo .....\$24.95  
Deluxe RS-232 PAK - ~~\$79.95~~ Now only .....\$29.95  
DOS Switcher - Select from any two DOSs (Disk 1.0 1.1, JDOS) in a J&M disk controller .....\$29.95  
256K RAM Chips (Set of 8) .....\$39.95  
HJL-57 Keyboard - CoCo III version! Comes complete with special FREE Function Key Software ....\$59.95  
HDS Controller w/1.1 ROM (SAVE\$20) .....\$79.95  
Super Controller - Up to 4 DOSs by a POKE ..\$99.95  
1200 Baud Modem(Hayes compatible) Auto-dial/answer \$139.95. Req's Modem cable (4pin or DB25) ..\$19.95  
PBH-64 - A combo Parallel Printer interface & 64K Print Buffer! COMPUTE while you PRINT .....\$149.95  
Amdex Drive System with controller .....\$239.95  
GEMINI Printer - 120cps, NLQ mode .....\$249.95  
MAGNAVOX 8505 RGB Analog monitor .....\$249.95

**SPECTRUM PROJECTS**  
**PO BOX 264**  
**HOWARD BEACH NY 11414**

**COCO HOT LINE**  
**718-835-1344**

**SPECIAL 64K RAM CHIPS \$19.95**



```

1>255THENX1=255:H=0
210 IFY1<YM THENY1=YM:V=0 ELSEIF
Y1>191THENY1=191:V=0
215 Q$=INKEY$:PK=PEEK(65280):IFQ
$<>"ORPK=126ORPK=254THENRETURNE
LSEIFZ=1THENZ=2:RETURN
220 PSET(X,Y,C):X=X1:Y=Y1:C=PPOI
NT(X,Y):PSET(X,Y,C+1):PRINT@14,U
SINGU$;X,Y;:GOTO200
225 PRINT@256,STRING$(21,32):EXE
C31410:DRAW"BM5,0C0R166D104L166N
U104BR4DR163U101C5RD102L164":GOS
UB240:GOSUB360:RETURN
230 FORI=5TO8:PCOPYI TOI-4:NEXT:
C=PPOINT(X,Y):RETURN
235 FORI=1TO4:PCOPYI TOI+4:NEXT:
RETURN
240 IFME THENSS=30.48/S:ME$="C"E
LSESS=12/S:ME$=CHR$(34)
245 PRINT@257,USING"###.##"+ME$+"]
";SS;:DX=256:DY=184:PP=264:GOSUB
275:PP=9:RETURN
250 PRINT@0,D$(0);:PRINTTAB(27)"
=";:PRINTUSING"###.##"+ME$;8*SS;:PO
KE178,0:LINE(200,0)-(208,7),PSET
,BF:RETURN
255 DRAW"BM0,9C0R90D112L90":COLO
R5:LINE(1,10)-(89,120),PSET,BF:P
OKE255,255:PRINT@33,D$(0);:POKE2
55,0:RETURN
260 H=JOYSTK(0):V=INT(JOYSTK(1)/
8):K=V*32+64:PRINT@K,"\";:PK=PEE
K(65280):IFPK=255ORPK=127THENPRI
NT@K," ";:GOTO260ELSERETURN
265 IFJ THENPRINT@14,USINGU$;X1,
Y1;:RETURNELSEIFM=4THEN280ELSEDX
=(ABS(X-X1)+1):DY=(ABS(Y-Y1)+1):
IFM<9ORM>10THEN275ELSEDX=DX-S*WW
/12:IFDX<0THENDX=0
270 DY=DY-S*WW/12:IFDY<0THENDY=0
275 DX=DX/S:DY=DY/S:IFME THENXF=
DX*.305:YF=DY*.305:GOTO290ELSEXF
=INT(DX):XI=(DX-XF)*12:YF=INT(DY
):YI=(DY-YF)*12:GOTO290
280 DX=((ABS(X-X1)+1)/S)^2:DY=((
ABS(Y-Y1)+1)/S)^2:DX=SQR(DX+DY):
XF=INT(DX):XI=(DX-XF)*12:PRINT@1
0,USING"###.##";XF,XI;
285 IFM=4THENIFME THENPRINT@10,U
SING"###.##";XF*.305+XI*.0
25:RETURNELSEPRINT@10,USING"
###.##";XF,XI:RETURN
290 IFME THENPRINT@PP,USING"###.
##X###.##";XF,YF;:RETURNELSEPRIN
T@PP,USING"###.##X###.##";XF,XI,
YF,YI;:RETURN
295 GOSUB225
300 GET(XX,YY)-(XX+6,YY+10),B,G:

```

```

PUT(XX,YY)-(XX+6,YY+10),A,AND:Q$
=INKEY$:IFQ$=" "THENP=M-1
305 Q$=INKEY$:IFQ$=" "THENP=M-1
310 PK=PEEK(65280):IFQ$=" "ORPK=
126ORPK=254THENPLAY"L5004C":IFP<
12THENM=P+1:GOTO60ELSEIFP>23THEN
320ELSEPUT(XX-8,YY-15)-(XX+8,YY+
3),B,NOT:ONP-11 GOTO520,530,515,
495,405,410,400,365,355,335,330,
325
315 H=INT(JOYSTK(0)/8):V=INT(JOY
STK(1)/16)*8:P=H+V:IFP=P1 THEN30
5ELSEPUT(XX,YY)-(XX+6,YY+10),B,P
SET:XX=H*20+18:YY=V*3+18:P1=P:GO
TO300
320 PC=CP+P-24:POKE178,PC:LINE(1
92,0)-(204,7),PSET,BF:IFM=3ORM=7
THEN60ELSE315
325 POKE65494,0:SCREEN0,0:CLS8:P
RINT"you can continue by typing"
,"CONT <PRESS ENTER>","", "or you
can cold start by typing POKE113
,0:EXEC40999 <ENTER>","", "BYE-BYE
!":END:POKE65495-PQ,0:SCREEN1,1:
GOSUB230:GOTO295
330 PCLS5:GOTO300
335 POKE255,255:PCLS5:PRINT@0,"D
EFAULT MENU":PRINT:PRINT" FILENA
ME: "D$(0)," DESIGNER: "D$(1),"
DATE: "D$(2)," WALL: ";:IFME THE
NPRINTUSING"###.## CM";WW*2.54ELS
EPRINTWW"IN"
340 PRINT" AUTO SIZE: "MID$("ON
OFF",J*3+1,3)," LPRINT I.D.: "M
ID$("YESNO ",L*3+1,3)," MEASURE:
" MID$("U.S. METRIC",ME*6+1,6),
" RETURN":POKE255,0
345 GOSUB260:IFV<4THENPRINT@K+20
,"";:IFV<3THENINPUTD$(V):D$(V)=L
EFT$(D$(V)+STRING$(8,32),8):GOTO
335ELSEINPUTWW:IFME THENWW=INT(W
W*39.37+.5)/100:GOTO335ELSE335
350 IFV=7THENGOSUB230:GOTO295ELS
EIFV=4THENJ=(J+1)AND1:GOTO335ELS
EIFV=5THENL=(L+1)AND1:GOTO335ELS
EME=(ME+1)AND1:GOTO335
355 CP=INT(JOYSTK(0)/2)*8:GOSUB3
60:PK=PEEK(65280):IFPK=255ORPK=1
27THEN355ELSE295
360 V=CP:FORH=13TO162STEP20:POKE
178,V:LINE(H,79)-(H+10,89),PSET,
BF:V=V+1:NEXT:RETURN
365 PCLS5:PRINT@24,"COMMAND"TAB(
57)"MODE:":PRINT@246," COLORS"TA
B(54)" IN/PIX &"TAB(24)"MAX SI
ZE":GOSUB225:FORK=0TO23:PRINT@32
2+K*8,MID$(M$,K*6+1,6);:NEXT:DRA
W"BM9,116C0R240D74L240NU74BR4DR2

```



# <<<<< COLORFUL UTILITIES >>>>>

## MULTI-PAK CRAK

Save ROMPAKs to your 64K Disk system using the RS Multi-Pak Interface. Eliminate constant plugging in of ROMPAKs now by keeping all your PAK software on disk. Includes POKES for "PROBLEM" ROMPAKs- including the NEW 16K PAKS! (Demon Attack, Dragons Lair, etc) Now CoCo III compatible! (Upgrade \$15 w/proof of purchase) \$29.95

## TELEPATCH III

All the FEATURES of TELEPATCH plus the classically proportioned characters of the WIZARD with TRUE lowercase! Now CoCo III compatible! (Upgrade \$15 w/proof of purchase) \$29.95

## DISK UTILITY 2.1A

A multi-featured tool for USER FRIENDLY disk handling. Utilize a directory window to selectively sort, move, rename and kill file entries. Lightning fast Disk I/O for format, copy and backup. Examine contents of files, the Granule Table, plus the size, load addresses and entry points of all programs. Single command execution of both Basic and ML programs. 32K/64K DISK \$29.95 Now also CoCo III compatible! Upgrade only \$15 w/proof of purchase. (see Oct '84 Rainbow Review)

## SPECTRUM FONT GENERATOR

Write files using any CoCo Word Processor (Telewriter-64, VIP Writer, etc.) and convert them to special Highly Detailed character sets! Some of the sets supported are Italics, Old English, Futuristic and Block. A character set editor is included to create or modify custom sets! Supports most dot-matrix printers! DISK \$29.95 (see Dec '85 Rainbow Review)



## COCO III SOFTWARE BONANZA PACKAGE

Create an instant library of Spectrum Projects TOP CoCo III software!!! Get FONT BONANZA, FONT DISK #1, FKEYS III, C III GRAPHICS, CoCo III UTILITIES and FASTDUPE III (a \$150 plus value) for only \$49.95!!!

CoCo III  
Compatible !!!

## COCO GRAPHIC DESIGNER

Create custom greetings for any occasion: Birthdays, Anniversaries, Holidays, etc. Also BANNERS & SIGNS! Includes "GRABBER" utility - capture Hi-Res CoCo screens for your GRAPHIC LIBRARY! Easy to use & comes with a set of pre-drawn graphics. Includes a screen & font editor. 32K DISK \$29.95. PICTURE DISK #1 \$19.95. Colored PAPER PACKS \$19.95

## 64K DISK UTILITY PACKAGE

Take advantage of an expanded 64K machine. Make an additional 8K of RAM available by relocating the Ext Basic ROM from \$8000 to \$D800. Copy ROMPAKs to disk (even "protected" PAKs) and create a 32K SPOOL buffer for printing. DISK \$24.95

## TAPE/DISK UTILITY

A powerful package that transfers tape to disk and disk to tape automatically. Does an automatic copy of an entire disk of programs to tape. Ideal for Rainbow On Tape to disk. Also copies tape to tape & prints tape & disk directories. TAPE/DISK \$24.95 (see Sept '83 Rainbow Review)

## COCO III UTILITIES

Terrific utility support programs for the new Color Computer III! Includes a CoCo II to CoCo III converter, 32K Hi-Res screen saver, 40/80 column Word Processor, RAM tester, DEMO BALL generator, SMOOTH scrolling demos. 128K DISK \$24.95

## THE OS-9 SOLUTION

NOW, a program that creates a "USER FRIENDLY" environment within OS-9! The OS-9 SOLUTION replaces 19 of the old "USER HOSTILE" commands with single keystroke, menu driven commands. No more complex long pathnames or remembering complicated syntaxes! Set all XMODE parameters at the touch of keys! \$39.95 New LOW price!!! \$24.95 (OS-9 Level II compatible!!!)

## SOFTWARE BONANZA PACKAGE

Create an instant library of Spectrum Projects TOP Colorful Utility software. Select any of the following 12 programs to customize your own SPECTACULAR SOFTWARE BONANZA! CoCo Checker, Multi-Pak Crak, CoCo Screen Dump, Disk Utility 2.1, Spectrum Font Generator, Tape/Disk Utility, Fast Dupe II, 64K Disk Utility, Spectrum DOS, CoCo Calendar, Schematic Drafting Processor, OS-9 Solution, Basic Plus, EZ Base or Blackjack Royale (a \$300 plus value) for only \$99.95!!!



## BUY ANY TWO - COCO POTPOURI - SAVE 10%

CoCo Checker ....\$19.95	Fastdupe III ...\$19.95	Wizard's Castle ..\$27.95	Spectrum DOS ...\$29.95
MIKEY-DIAL .....\$19.95	GRAPHICOM .....\$24.95	Color FORTH .....\$29.95	Spit'N'Image ...\$34.95
CoCo Calendar ...\$19.95	EZ Base .....\$24.95	Adv Generator ....\$29.95	CoCo Util II ...\$39.95

All U.S. orders plus \$3 S/H (Other \$5)

COD add \$2 extra

NYS Residents add Sales Tax

CoCo HOT LINE 718-835-1344

**SPECTRUM PROJECTS**

**PO BOX 264**

**HOWARD BEACH NY 11414**



```

37U71":GOSUB395
370 PCLS5:PRINT@0,"KEYBOARD INPUT:
TAB(24)"DESIGN"TAB(57)"MODE:"
TAB(32)"<SHFT>-<[>= UNDO","<SHFT>-
<CLR>= TRASH","<SPACE>= COMMAND
MODE",,, "CURSOR MODE (DEFAULT=
RELATIVE):[= FULL SCREEN IMMEDIATE",
"^= SINGLE PIX IMMEDIATE",,
375 PRINT"]= TOGGLE L-R DOOR HINGES",
"<SPACE>= SET FIXTURE/FURNITURE",,,
"R= RECALL LAST DIMENSION",
"N","P= PRINT LAST DIMENSION","C=
CONTINUE FUNCTION":GOSUB395
380 PCLS5:PRINT@12,"SPECIAL INSTRUCTIONS*
MOVE & COPY",,"1. ENCLOSE TARGET AREA",
"2. RELEASE BUTTON",,"3. MOVE TO NEW AREA",
"4. PRESS BUTTON AND FINE ADJUST",,,
385 PRINT"* FIX & FURN",,"1. SELECT
DIAGRAM",,"2. RELEASE & PRESS
BUTTON TO ROTATE",,"4. PRESS
] TO SWITCH HINGES",,"5. PRESS
<SPACE> TO SET POSITION"
390 PRINT"* <SPACE>: CHANGE COMMAND
AND TO DESIGN MODE W/O FUNCTION
CHANGE":GOSUB395:GOSUB230:GOTO295
395 T=(T+1)AND1:PRINT@121,"PRESS":
PRINT@152,"BUTTON>":DRAW"BM190",
34C=T;R58D22L58U22":PK=PEEK(65280):
IFPK=127ORPK=255THEN395ELSERETURN
400 SC=(SC+1)AND1:SCREEN1,SC:GOTO295
405 IFPEEK(49152)<>68THENPRINT@257,
"WHERE'S DISK BASIC?":SOUND100,1:
FORT=1TO1500:NEXT:GOTO295ELSEVERIFYON
410 GOSUB255:PRINT@65,"SAVE":PRINT"
LOAD":PRINT" RETURN ^":IFP=16THENPRINT"
DRIVE#"DN
415 GOSUB260:IFV>3THEN415ELSEIFV=2
THEN490ELSEIFV=3THENIFP=16THENDN=(DN+1)
AND3:PRINT@167,DN;:DRIVEDN:GOTO415
ELSE415
420 POKE65494,0
425 IFV=1THEN435ELSEGOSUB230:GOSUB250:
POKEG+8,24/S:FORI=1TO16:POKEG+I+8,
ASC(MID$(D$(1)+D$(2),I,1)):NEXT:IFP=16
THENIFFREE(DN)>2THENSAREMD$(0)+".ARC",G,
G+6143,380:GOTO25ELSEPRINT@22,"DISK
FULL":SOUND100,1:GOSUB225:GOTO410
430 CSAVEMD$(0),G,G+6143,380:GOTO25
435 PCLS5:IFP=17THENPRINT@256,"PREPARE
TAPE AND ENTER FILENAME B

```

```

ELOW. ENTER ^ TO ABORT...":I=22:GOTO460
440 N=0:CLS:POKE255,255:PRINT@0,
TAB(7)"ARCHIE FILE DRAWER"STRING$(6,32):
POKE255,0
445 FORSE=3TO11:DSKIDN,17,SE,AS,B$:
AS=AS+LEFT$(B$,127):FORI=0TO7:K=I*32:
B$=MID$(AS,K+1,8):C$=LEFT$(B$,1):
IFC$=CHR$(255)THENI=8:SE=12ELSEIFC$>
CHR$(0)THENIFMID$(AS,K+9,3)=".ARC"
THENPRINT" B$,N$(N)=B$:N=N+1
450 NEXTI,SE:PRINT@384," *LOAD", "
*ABORT (^)":N=N-1
455 H=INT(JOYSTK(0)/32):V=INT(JOYSTK(1)/
5.3)*2:I=H+V:K=I*16+32:PRINT@K,"\";
PK=PEEK(65280):IFPK=255ORPK=127
THENPRINT@K," ";:GOTO455
460 IFI=23GOTO490ELSEIFI<22ANDI>N
THEN455ELSEIFI<22THENNF$=N$(I)+".ARC":
GOTO475ELSEIFI=22THENPRINT@448,"
FILENAME ";:INPUTNF$:IFNF$="^"
THENPRINT@448,STRING$(32,32):GOTO490
ELSEIFP=17THENNF$=LEFT$(NF$+STRING$(8,32),
8):GOTO475
465 E1=INSTR(1,NF$,"."):E2=INSTR(1,NF$,
"/"):IFE1=0ANDE2=0THENNF$=NF$+".ARC":
GOTO465ELSEIFE2>0THENMID$(NF$,E2,1)=".":
GOTO465ELSENF$=LEFT$(LEFT$(NF$,E1-1)+
STRING$(8,32),8)+MID$(MID$(NF$,E1+1)+",1,3)
470 OPEN"D",#1,NF$,1:LF=LOF(1):CLOSE:
IFLF=0THENKILLNF$:PRINT@448,"UNABLE
TO FIND":GOTO455
475 IFP=16THENLOADMNF$:D$(0)=LEFT$(NF$,
INSTR(2,NF$,".")-1)ELSELOADMNF$:D$(0)=
NF$
480 PK=PEEK(G+8):D$(1)="" :D$(2)="" :
FORI=1TO8:D$(1)=D$(1)+CHR$(PEEK(G+I+8)):
D$(2)=D$(2)+CHR$(PEEK(G+I+16)):NEXT:
IFPK>0THENS=24/PK:IFME THENSS=30.48/S
ELSESS=12/S
485 GOTO25
490 POKE65495-PQ,0:GOSUB230:GOTO295
495 GOSUB255:PRINT@65,"PRINT":PRINT"
GRID":PRINT" RETURN"
500 GOSUB260:IFV>2THEN500ELSEIFV=2
THENGOSUB230:GOTO295ELSEGOSUB230:
GOSUB250:IFV=1THENFORH=0TO255STEP8:
FORV=8TO191STEP8:PSET(H,V,0):NEXTV,H
505 POKE65494,0:IFL=0THENPRINT#-2,D$(0)
CHR$(13)D$(1)CHR$(13)D$(2)CHR$(13)
CHR$(13)

```



```

510 EXEC31462:GOSUB230:GOTO25
515 GOSUB240:S=24/(INT(JOYSTK(0)
/2.8)+2):PK=PEEK(65280):IFPK=255
ORPK=127THEN515ELSE295
520 S1=S:S=4:PCLS5:DRAW"BM0,8C0R
46":PRINT0,"SELECT:":PRINT@32,"
CHAIRS",,"& SOFAS:"TAB(18)"5'
6' 7':PRINT@192,"BEDS: SNGL
FULL QUN KNG CAL":PRINT@320,"TA
BLES: RND RECT OCT COF TV":PRIN
T@448,"BED- CHST DSK DRSR NS",
"ROOM:"
525 FORI=0TO3:FORK=0TO4:X=64+K*3
6:Y=22+48*I+(1ANDI):DRAW"BM=X;=
Y;S4A0":ONK+1+I*5 GOSUB620,625,6
30,635,640,645,650,655,660,665,6
70,680,685,690,695,700,705,710,7
15,720:NEXTK,I:S=S1:GOTO545
530 PCLS5:DRAW"BM0,8C0R46":PRINT
0,"SELECT:":PRINT@64,"DOORS: 2'
0 2'4 2'6 2'8 3'0":O=0:DRAW"
BM60,22S8A0":FORD=8TO12:GOSUB555
:DRAW"BR10":NEXT
535 PRINT@192,"BATH: COMM. SHOW
ERS TUB":PRINT@320,"KIT: STOV
E REF W/D SINKS":FORI=0TO1:
FORK=1TO5:DRAW"BM"+STR$(6+K*44)+
", "+STR$(70+48*I):ONK+I*5GOSUB56
5,570,575,580,560,585,590,595,60
0,605:NEXTK,I
540 PRINT@427,"WALL"TAB(21)"CORN
ER":PRINT@448,"FIRE-"TAB(26),"PL
ACE:":DRAW"BM50,178":GOSUB610:DR
AW"BM138,178":GOSUB615:GOSUB720
545 H=INT(JOYSTK(0)/12.8):V=INT(
JOYSTK(1)/16):PRINT@K+I," ";I=H
*5+8:K=96+V*128:PRINT@K+I,"\";P
K=PEEK(65280):IFPK=255ORPK=127TH
EN545
550 W=(V*5+H+1)+(P-12)*19:D=H+8:
M=P+1:IFH+V=7THEN490ELSE600
555 E=D-2:DRAW"C5R=D;UL=D;DC0":I
FO=0THENDRAW"UE=E;UF2D=E;"ELSEDR
AW"U=E;E2DF=E;D":'door
560 RETURN
565 DRAW"R8U3L2GL2HL2ND3BRBU2U4E
2R2F2D4G2L2H2":RETURN:'toilet
570 DRAW"R13U13L7G6D7BE6EFGH":RE
TURN:'corner shower stalls
575 DRAW"NE13R13U13L2BL4LBL4L2NF
13D13":RETURN:'wall shower
580 DRAW"R20U10L2H2L12G2L2D10BR2
BU4U3E2R12F2D3G2L12H2":RETURN:'b
ath tub
585 DRAW"R10U8L10D8BR2BU3EFGHBR4
EFGHBU3EFGHBL4EFGH":RETURN:'stov
e
590 DRAW"R10U8NL10HL8GD8":RETURN

```

```

:'refrig (30")
595 DRAW"R8U8NL8HL6GD8":RETURN:'
washer, dryer, dishwasher (24")
600 DRAW"R12U8L12D8BRBU3U2ER2FND
2BR2ND2ER2FD2GL2HBL2GL2H":RETURN
:'dbl sink
605 DRAW"R8U8L8D8BE2R4EU3HL4GD3F
BDRBR2R":RETURN:'single sink
610 DRAW"R18U6L2NL2U2H4L6G4D2NR2
L2D6":RETURN:'wall fireplace
615 DRAW"NE3H4E13F4GNG2F2D6G4L6H
2":RETURN:'corner fireplace
620 DRAW"HU8ER8FD8GLNL7U7HL4GD7
BR20":RETURN:wall chair
625 DRAW"LH6UE6RF6DGNG5H5LG3DF5"
:RETURN:'corner chair
630 DRAW"HU8ER18FD8GLNL17U7HL14G
D7":RETURN:'sofa (5')
635 DRAW"HU8ER22FD8GLNL21U7HL18G
D7":RETURN:'sofa (6')
640 DRAW"HU8ER28FD8GLNL27U7HL24G
D7":RETURN:'sofa (7')
645 DRAW"R13U25L13ND25BF2R9D4L9N
U4BG2R13BD3M-13,-1":RETURN:'sgl
bed
650 DRAW"R18U25L18ND25BF2R6ND4BR
2R6D4L6NU4BL2L6NU4BG2R18D3M-18,-
1":RETURN:'full bed
655 DRAW"R20U27L20ND27BF2R7ND4BR
2R7D4L7NU4BL2L7NU4BG2R20D3M-20,-
1":RETURN:'queen bed
660 DRAW"R25U27L25ND27BF2R9ND4BR
3R9D4L9NU4BL3L9NU4BG2R25D3M-25,-
1":RETURN:'king bed
665 DRAW"R24U28L24ND28BF2R9ND4BR
2R9D4L9NU4BL2L9NU4BG2R24D3M-24,-
1":RETURN:'ca king bed
670 R=7*S/4:IF(Y-R)<8THENY=8
675 CIRCLE(X,Y-R),R,0:RETURN:'di
ning table (round)
680 DRAW"R20U12L20D12":RETURN:'d
ining table (rect)
685 DRAW"BU4U6E4R6F4D6G4L6H4":RE
TURN:'dining table (octagon)
690 DRAW"R16U8L16D8":RETURN:'cof
fee table
695 DRAW"R12U7L12D7":RETURN:'tv
700 DRAW"R12U6L12D6":RETURN:'che
st
705 DRAW"R14U6L14D6":RETURN:'des
k
710 DRAW"R20U6L20D6":RETURN:'dre
sser
715 DRAW"R6U6L6D6":RETURN:'night
stand
720 PRINT@474,"CANCEL";:DRAW"BM2
06,166S4R48D10L48U10"
725 RETURN

```





# Ma Bell Gets Personalized

By Robert C. Lake

**H**ave you ever envied those personalized, or "vanity," phone numbers so many businesses use? You've seen them — like the local used-car dealer's ad that says, "If you want a great deal, just dial GOOD CAR." Wouldn't it be neat if you could tell your friends they should dial NICE GUY?

How do you get those unique phone numbers? Well, it's usually by requesting a particular number from the phone company. In fact, many businesses wait *years* for the right number! In some cases the company already had a "good" number and simply recognized its mnemonic value. Mnemonics are sets of letters or words that can be used to stand for other numbers, ideas, etc. Let's face it, it's easier to remember CARPETS than 227-7387.

But how do you know if your phone number has a useful mnemonic? You could look at the dial or keyboard and try to visualize the words your number might produce. You'd have to be a great visualizer, though; there are thousands of possible combinations for each phone number. My program will do the hard work for you. *Vaniphone* will accept a typical seven-digit phone number and print every combination of the phone dial letters associated with that number.

Some of these combinations will be very good at triggering memory associations, some not so good. Obviously, GOOD CAR is a great mnemonic for a used-car dealer, but less obvious mnemonics can also be used to advantage. For example, want to call the editors of our favorite Color Computer magazine? Well, you could look up the number in the front of this magazine each time you need it, but I'll bet you won't forget that you can also get them by calling A BUGGY Crew. (Just kidding, guys!)

*Bob Lake teaches accounting and data processing at Auburn University in Montgomery, Alabama. He is a certified public accountant and holds certificates in data process and as a systems professional.*

When you run the program, you'll find that some phone numbers will have a large number of combinations. For example, if your number is 234-5678, there are 3 X 3 X 3 X 3 X 3 X 3 X 3 combinations (2,187). You couldn't possibly visualize each of these combinations, but *Vaniphone* displays each and every one for you. Some phone numbers produce a smaller number of combinations, because there are no letters associated with certain digits on the phone dial. This program will print a numerical one wherever a 1 is encountered and a Z whenever a zero is encountered, since these have no letter equivalent.

The program will print the mnemonics either to the screen or to a printer. When the mnemonics are printed on the screen, you can stop the scrolling display at any time by pushing the space bar. Restart the display in the same way.

With this program and a little imagination, you'll find that most phone numbers have useful mnemonics. Have fun!

*(Questions about this program may be directed to the author at 3206 Covered Bridge Road, Montgomery, AL 36116, 205-279-8185. Please enclose an SASE for a reply when writing.)* □

## Mnemonics for: 228-4492

AATGGWA	AATGGWB	AATGGWC	AATGGXA
AATGHWB	AATGHC	AATGHXA	AATGHXB
AATGIWC	AATGIXA	AATGIXB	AATGIXC
AATHGXA	AATHGXB	AATHGXC	AATHGYA
AATHHXB	AATHHXC	AATHHYA	AATHHYB
AATHIXC	AATHIYA	AATHIYB	AATHIYC
AATIGYA	AATIGYB	AATIGYC	AATIHWA
AATIHXB	AATIHXC	AATIIWA	AATIIWB
AATIIYC	AAUGGWA	AAUGGWB	AAUGGWC
AAUGHWA	AAUGHXB	AAUGHWC	AAUGHXA
AAUGIWB	AAUGIWC	AAUGIXA	AAUGIXB
AAUHGWC	AAUHGXA	AAUHGXB	AAUHGXC



The listing: VANIPHON

```

1 REM *****
2 REM *
3 REM *          VANIPHON          *
4 REM *
5 REM *          BY          *
6 REM *
7 REM *  ROBERT C. LAKE, CDP  *
8 REM *
9 REM *
10 REM *          (C) 1985          *
11 REM *
12 REM *****
13 CLS:PRINT@202,"PERSONALIZED"
14 PRINT@266,"PHONE NUMBER"
15 PRINT @334,"AID"
16 PRINT@460,"(C) 1985"
17 FOR J=1TO2000:NEXTJ
18 CLS
19 PRINT "THIS PROGRAM IS DESIGN
ED"
20 PRINT "TO SEARCH FOR A PERSON
ALIZED"
21 PRINT "MNEMONIC FOR YOUR PHON
E"
22 PRINT "NUMBER. IT WILL DISPL
AY ALL"
23 PRINT "THE POSSIBLE COMBINATI
ONS"
24 PRINT "OF LETTERS FOR THE PHO
NE "
25 PRINT "NUMBER YOU PROVIDE."
26 PRINT:PRINT"TO HALT DISPLAY,
PUSH"
27 PRINT"THE SPACE BAR. TO REST
ART"
28 PRINT "THE DISPLAY, PUSH IT A
GAIN."
29 PRINT:PRINT"DO YOU WANT THE D
ISPLAY"
30 PRINT"SENT TO THE pRINTER OR"
31 PRINT"TO THE sCREEN";
32 A$=INKEY$:IF A$="S"ORA$="s" T
HEN DEV=0 ELSE IF A$="P" OR A$="
p" THEN DEV=-2 ELSE 32
33 IF LEFT$(A$,1)="P" OR LEFT$(A
$,1)="p" THEN DEV=-2 ELSE DEV=0
34 CLS:PRINT"GIVE THE 7-DIGIT PH
ONE"
35 PRINT "NUMBER YOU WANT TRANSL
ATED."
36 PRINT "DO NOT INCLUDE A DASH,
ONLY"
37 PRINT "THE SEVEN DIGITS.

```

```

38 DIM D$(10,3)
39 M(0)=1
40 M(1)=1
41 FOR J=2 TO 9:M(J)=3:NEXTJ
42 FOR J=0TO9
43 FOR K=1TO3
44 READ D$(J,K)
45 NEXT K
46 NEXT J
47 DATA "Z","*","*","1","*","*"
48 DATA "A","B","C","D"
49 DATA "E","F","G","H","I","J"
50 DATA "K","L","M","N","O","P"
51 DATA "R","S","T","U","V","W"
52 DATA "X","Y"
53 INPUT N$
54 N1=0
55 FOR J=1TO7
56 N(J)=VAL(MID$(N$,J,1))
57 IF N(J)=0 OR N(J) =1 THEN N1=
N1+1
58 NEXT J
59 SUM=INT(3^(7-N1))
60 PRINT:PRINT SUM;" COMBINATION
S "
61 PRINT "WILL BE DISPLAYED":PRI
NT
62 PRINT#DEV:PRINT #DEV,"MNEMONI
CS FOR: ";MID$(N$,1,3);"-";MID$(
N$,4,4):PRINT #DEV
63 FOR J1=1TO3
64 FOR J2=1TO3
65 FOR J3=1TO3
66 FOR J4=1TO3
67 FOR J5=1TO3
68 FOR J6=1TO3
69 FOR J7=1TO3
70 IF D$(N(1),J1)="*" OR D$(N(2)
,J2)="*" OR D$(N(3),J3)="*" THEN
76
71 IF D$(N(4),J4)="*" OR D$(N(5)
,J5)="*" OR D$(N(6),J6)="*" THEN
76
72 IF D$(N(7),J7)="*" OR D$(N(8)
,J8)="*" OR D$(N(9),J9)="*" THEN
76
73 PRINT #DEV,D$(N(1),J1);D$(N(2)
,J2);D$(N(3),J3);D$(N(4),J4);D$
(N(5),J5);D$(N(6),J6);D$(N(7),J7
);" ";
74 A$=INKEY$:IFA$=" "THEN 75 ELS
E 76
75 A$=INKEY$:IFA$=" "THEN 76 ELS
E 75
76 NEXTJ7:NEXTJ6:NEXTJ5:NEXTJ4:N
EXTJ3:NEXTJ2:NEXTJ1
77 PRINT #DEV

```



# PIPELINE

**RISE AND FALL** After a decade of supporting different operating systems, Frank Hogg Laboratory, Inc., has decided to stay exclusively with OS-9, both the 6809 and 68000 versions. FHL has discontinued their support of Flex, both Standard 6809 and CoCo. Because of this, they no longer sell CCFlex.

FHL will be supporting the CoCo 3 and all of its pertinent products. Many in the CoCo Community are already aware of the hardware and software products FHL will be marketing for OS-9 Level II on the CoCo 3. The reason FHL has made the decision to support only OS-9 is that, with full CoCo 3 support, as well as their continuing line of QT computers and products, they found it necessary to concentrate on one area. They believe OS-9 is an operating system that suits their needs as well as the needs of their customers.

**NO FOOLING** We have recently come across a copy of an official New York state document, Form X201 (Certificate of Conducting Business under an Assumed Name for Individual). This form, which was filed by one Robert Harry Rosen, certifies the transaction of business for this individual under the name of Spectrum Projects and is dated April 1, 1982. We have no idea what implications arise from that specific date except that Spectrum Projects just recently celebrated its fifth business anniversary. Bob Rosen says, "While I am pleased and proud that we have passed this milestone, we're looking ahead to the next five years and our 10th anniversary!"

Happy anniversary, Bob!

**COLORFUL IDEA** If you are looking for color ribbons for your Radio Shack DMP-130 printer, we have found a source. Marty's Rubber Stamp Shop is now carrying printer ribbons for the DMP-130 in red, green, blue, brown

and purple, as well as traditional black. The price for the color ribbons is \$13, and the black ribbons sell for \$9. Marty's does offer quantity discounts — a great idea for CoCo clubs. In addition, clubs may want to contact Marty's to get a price on bulk refills. *Contact Marty's Rubber Stamp Shop, 47 South Second Street, Saint Clair, PA 17970, (717) 429-1052.*

**QUICK CABLES** Ohm/Electronics, Inc., has announced the availability of a variety of customizing 9- and 25-pin Scooter RS-232 Interface Cable Kits. The cable kits are intended for field service technicians, engineers, installers and hobbyists. A provided insertion/extraction tool allows the user to quickly change the pin arrangement to meet the needs of any computer or computer accessory interface. Each kit also contains a 5- or 10-foot, nine-conductor, foil-shielded RS-232 cable with ends crimped with gold contacts, two hoods with strain reliefs, two connector blocks, jumper cables and all other mounting hardware including a screwdriver. A deluxe option includes the above, plus an RS-232 Mini-Tester, which uses LEDs to show lead activity and polarity. The tester has one male and one female 25-pin connector with all 25 pins connected straight through the tester. The kits are available in several different configurations ranging in price from \$24.95 to \$31.50. *Contact Ohm/Electronics, Inc., 746 Vermont Street, Palatine, IL 60067.*

**VCR HELPER** Sunrise Software proudly announces its latest software for the Color Computer, *VCR File*. This new program was written by John Fiske, author of *Superdisk Utility*, and operates on all three models of the Color Computer. It requires 32K of memory and one disk drive. Use of a printer is optional.

*VCR File* is shipped with a complete

operator's manual. It is not copy-protected, but it is run-protected. The program can store over 750 entries of movie or camcorder programs. It sorts to the screen or printer. It also calculates the amount of tape available on the cassettes entered in the file.

*VCR File* is also easily adaptable to other collections of information, such as LP recordings, audio cassettes and other tape products, computer disks and tapes, and other similar applications. The price for *VCR File* is \$19.95, plus \$2 S/H. Florida residents need to add \$1 for sales tax. *Contact Sunrise Software, 8901 NW 26 Street, Sunrise, FL 33322, (800) 628-2828.*

**DRIBBLERS BEWARE** Software Exchange has introduced *Professional Basketball Handicapping System*, a program designed for the ardent basketball enthusiast. With the system, anyone can quickly handicap the weekly NBA basketball games using information found in the daily newspaper sports section. This disk-based program stores the basketball data entered for the teams and later uses it for handicapping. Data can be displayed onscreen or printed. The price for the system is \$49.95 plus \$2 S/H. *To get the Professional Basketball Handicapping System for your CoCo, call (800) 527-9467. VISA and MasterCard accepted.*

**FREE TAXES?** A program that was previously not available for public distribution is now being offered to CoCo owners for free. *CoCo Federal Tax* requires a 64K Color Computer with one disk drive. This tax preparer's tool is comprised of 39 programs, which cover Form 1040, Schedules A, B, C, D, E, G, SE and W, and Forms 2441, 4562 and 6251. *Send an SASE and three disks along with your request to Puritas Springs Software, 17140 Lorain Avenue, Cleveland, OH 44111.*



# Real-Life Uses for the Seven-Value CIRCLE Statement

By Joseph Kolar  
Rainbow Contributing Editor

**B**efore we embark upon our odyssey through the promised graphics tutorials, we shall pause and reflect on the ubiquitous CIRCLE statement.

CIRCLE was never previously considered in its range of possibilities. There is no time like the present to correct this oversight. You may prefer to thumb through your manual to get an overview of CIRCLE before we demonstrate some real-life uses of the seven-value CIRCLE statement.

Starting with a blank Hi-Res screen, our object is to create a simple "happy face," replete with ears and hair. Using concatenation and gobs of GOSUBs, we shall animate the eyes, causing them to scan from side to side.

Thanks to a typing error, pressing E instead of 3, we shall animate the mouth. Instead of correcting an error, we use it to get a desired effect.

From LISTING1 key in lines 100, 110 and 300. After each new program line is added, run it to check out your work to follow along with this growing program. You will see how it was developed, item by item. Note that the location of the CIRCLE is 130,98 (the first two values in the statement). Originally, it was 128,96, the center of the screen. It was adjusted two units to the right and two units down. The facial features

were created slightly off-center and, to compensate and re-center the happy face, it was easier to move the circle rather than do massive relocating of all the facial components.

This face was created dynamically from nothing and, being both wise and lazy, I took the easy way out. You, too, are expected to move components around the screen with a minimum of effort. Creating should be fun — not drudgery.

The circle was arbitrarily made 50 units in diameter (third value), and Color 1 in the two-color set was used (fourth value). Color 1 displays a feature and Color 0 blanks it out.

Whenever a design element, such as an eye socket, is needed two or more times, it is better to label the element with a string variable and call it as many times as required in the program using concatenation.

Key in Line 120 to get the eye socket. Key in Line 125 but temporarily omit the ending, :GOTO200.

You may use the following alternate Line 125 and get substantially the same result: 125 DRAW"BM110,90"+A\$+"BR30"+A\$. In this case, we located the left eye socket. Since it was drawn to finish at the starting point (see Line 120), adding BR30 no draw units to the right locates the other socket. One way is as good as the other.

In order to add a left ear, we have to design its shape. The simplest one is a jug ear, or the left half of a circle. CoCo's CIRCLE statement does this with a minimum of effort. Key in Line

111. The left ear was sized at a diameter of 10 (third value) and displayed in Color 1 (fourth value). To create only the left half of the circle, we decided the shape of the ear. The height/width ratio of a circle is 1. If we want to make the circle more elongated, we use 1.1 as the next value (fifth value) of the CIRCLE statement. If we decide to flatten it, we can use .8 or .9.

To make a half-circle representing the left ear, we must know that the starting point CoCo recognizes is 0 at 3 o'clock, and goes in a clockwise direction. Thus, our starting point is at the bottom, or 6 o'clock. This is one fourth the distance around the circumference or .25. This decimal value is the sixth value required in our CIRCLE statement.

We want our ear to end at 12 o'clock. This is three-fourths of the way around the boundary of the circle, or .75. This is the last value in our completed CIRCLE statement in Line 111. It is merely a matter of changing the H,V locations to jockey the left ear, thus tacking it onto the side of the face.

One ideal method of attack is to create the desired element in an unused part of the screen — say at location 20,20. After your design is completed, it is no problem to maneuver it to the desired location by changing the H,V values. This system avoids the confusion of trying to create some element amid distractions offered by working on, over or near completed elements.

The right ear is the mirror image of the left ear — the other half of the circle. It begins at high noon and ends at 6

*Florida-based Joseph Kolar is a veteran writer and programmer who specializes in introducing beginners to the powers of the Color Computer.*



o'clock. Merely reverse the last two values you used to create the left ear in *Line 111*.

Key in Line 112. For the heck of it, change the fifth value from .9 to 1.1 and compare ears! Pick your own poison and adjust lines 111 and 112 accordingly.

We could use a token wild hair on top of the happy face dome to signify a luxuriant growth of hair. Key in Line 113. It is no problem to locate it horizontally. Just pick up the center point of the big circle.

a smaller hair on each side of the token hair, using a multiple-line statement. Key in Line 114. Note: The hairs are not as zig-zaggy or as long. This may be a questionable addition to our happy face, but that vast bald expanse cried out for hair.

The nose is next. A U-shaped nose suffices for our purpose. Key in Line 115.

If you prefer, you may link the nose to the eye sockets by altering Line 115. After BL insert NU4 and change the 9 at the end to 13.

Of course, you could have made the eye sockets and nose in one continuous line, but who can anticipate what we shall dream up? If you did, you wouldn't have to use concatenation and it would be a whole new ball game. If you care to fool around, work it out!

To create a curvy mouth, key in Line 116. This program line may look strange to you. But take it on good faith. It will be thoroughly explained a few tutorials down the pike.

At this stage, we have a bushy, jug-eared, happy face. I plan to use crossed lines to make a pair of eyes. Since we expect to move the pair of eyes as a unit, we must have one pair displayed using C1 and one pair blanked out using C0, using string variables, B\$ and C\$, respectively.

Key in lines 121 and 122. To display the eyes, we shall have to locate them and use concatenation to turn them on. Key in Line 130, temporarily omitting GOSUB105:. Then to blank them out, key in Line 131, temporarily omitting GOSUB105: and :RETURN.

The picture whizzed by so swiftly the eyeballs didn't show up. They were instantly erased. A time pause is called for. We shall use the pause repeatedly. Therefore, we need a GOSUB routine that we can place almost anywhere, out of harm's way, in the program. Key in Line 105.

Now, when you run it, CoCo is driven up the wall and bleats out RG ERROR IN

105. We quieten CoCo's nerves by keying in Line 104, which signals CoCo to bypass the offensive line.

To put the pause into effect, insert GOSUB105: at the beginning of Line 131. If we use only eyeballs, we do not get as great an illusion of eye movement. Thus, we will use an alternate set of X-shaped eyeballs. This set of X-shaped eyeballs will be designated D\$ and will be blanked out using E\$. Key in lines 123 and 124.

To display the Xeyes, key in Line 140,

to insert :GOSUB150 in front of :GOTO125.

To get the eye to return to the center, merely edit Line 200 to insert :GOSUB140:GOSUB130 in front of GOTO125.

To make the eyes move to the left of center, key in lines 160 and 170, temporarily omitting :GOSUB500 in both lines 160 and 170. Edit Line 200 to insert :GOSUB160:GOSUB170:GOSUB160:GOSUB130 in front of :GOTO125.

---

***"This urges CoCo, after displaying the eye socket, to shoot down to Line 200, the operating line, to select the desired GOSUBs."***

---

temporarily omitting GOSUB105:. You will see that a pause is badly needed. Edit Line 140 and insert GOSUB105: at the beginning.

To blank out the X eyes, key in Line 141, temporarily omitting both GOSUB105: and :RETURN. After checking it out, the point being made, insert GOSUB105: at the beginning of Line 141.

It is obvious that if we want the eyes to continuously recycle, we could end with 150 GOTO 125. To make the eyes move around in an haphazard position, we should put the pair into GOSUB routines. So, to create GOSUB routines, add :RETURN to both lines 131 and 141.

We get our usual R/G Error messages awakening us to create an operating line. Key in 200 GOSUB130:GOSUB140:GOTO125.

Insert GOSUB105: in front of Line 130. Add :GOTO200 at the end of Line 125. This urges CoCo, after displaying the eye socket, to shoot down to Line 200, the operating line, to select the desired GOSUBs.

To move the eyes over one more unit, using a multiple-line statement, key in Line 150, which is the GOSUB routine to accomplish the mission. Edit Line 200

Our next objective is to make the mouth appear and disappear. We placed the routine at the end of the program because it was experimental. We wanted to see what would come up and if we should use it.

Key in Line 500. To place it inside the working program, insert GOSUB500: in front of RETURN in both lines 160 and 170. Now we can give it the acid test.

The reason we got this misbegotten mouth, as alluded to at the beginning of this tutorial, is when I was copying Line 116 into the mouth routine at Line 500, I pressed E instead of 3 in half of the routine. When it didn't work properly, I noticed both FE and F3. I corrected the wrong one. Instead of changing FE to F3, I compounded the mistake by changing F3 to FE.

Here is where two wrongs make a right. Inadvertently, the mouth opened and shut. It added to the animation, so it was incorporated into the program.

Notice how we have GOSUBs nested in GOSUB routines. It is no different than nested GOTO routines.

Type CSAVE"LISTING1". Here is a variation that uses only the + eyes: Rekey 200 GOSUB130:GOSUB150:GOSUB170:GOTO125.



Try this variation: Rekey 200  
GOSUB140:GOSUB160:GOTO125. To  
make the eyes move randomly, rekey  
200 X=RND(5):ON X GOTO 201,202,203,  
204,205.

Add:

```
201 GOSUB130:GOTO200
202 GOSUB140:GOTO200
203 GOSUB150:GOTO200
204 GOSUB160:GOTO200
205 GOSUB170:GOTO200
```

A nicer variation is to edit the previous version and delete :GOTO200 from lines 201 to 204. Can you spot the differing results? Save any variation you might want as a jumping off point for further experimentation.

Now that you have this down pat, why not make the eyeballs appear to rotate by changing the + to X and spin the eyeballs? Rip this tutorial apart and try to come up with something original.

To make the wild hair spin, alter the previous variation as shown in LISTING2, which is the same except for adding lines 106 and 600 and altering lines 201, 202 and 203. Type CSAVE"LISTING2".

You must be groggy from watching the spinning hair. Type CLOAD "LISTING1". What do you say we elongate the head? Add ,1.1, to Line 110. The head will be longer. The only adjustment necessary is relocating the three hairs on his dome, lines 113 and 114. Do it!

Let us flatten the head by changing 1.1 to .9 in Line 110. Again, adjusting lines 113 and 114 solves the problem. Either elongated or flattened, the happy face looks more natural. CSAVE at your discretion.

To give the appearance of spinning (if not flashing) eyes, type CLOAD "LISTING1". In Line 105, change 150 to 20.

In lines 140 and 141, change 115 to 114 and 145 to 144.

Delete Line 150. Rekey 200  
GOSUB130:GOSUB140:GOSUB105:  
GOTO125. What have we learned? If you are an expert, nothing much. But, if you are a newcomer to CoColand, you've learned to play with the CIRCLE statement. You've learned to animate eyes, spin hairs and open and shut a mouth.

You could wiggle the ears and nose.

The name of the game is experiment. See what happens when you do the unexpected. It is exciting to be confronted by a new, unanticipated result. This is the fun part that makes newcomers glad they bought their CoCo.

This happy face can be embellished further with eyebrows. They could be raised or lowered. The eyeballs could be circles, V's or upside-down V's. An Adam's apple could be added and made to bob up and down.

Heck! The face could be alternated from elongated to flattened. You will have to do a lot of relocating, but that is all part of being creative.

If you create some proud masterpiece and want to share it with me, feel free to send me a listing. In the meantime, I am going to keep playing around with the happy face. Next month, you will see some other modifications. Aren't you glad to be a citizen of CoColand? ☐

## Two-Liner Contest Winner . . .

Here's one to print labels for your disks. It runs on the DMP-105 from Radio Shack.

### The listing:

```
10 LINEINPUT"dsk.no";D$:LINEINPUT
T"dsk.name";N$:LINEINPUT"rev.sid
e";R$:D=INT((18-LEN(D$))/2):N=IN
T((18-LEN(N$))/2):R=INT((27-LEN(
R$))/2):PRINT#-2,CHR$(27);CHR$(2
0);CHR$(27);CHR$(31);"RSDOS"STR
ING$(36,32)"TRS80/COCO";CHR$(27);
CHR$(32);CHR$(27);
20 PRINT#-2,CHR$(23);CHR$(27);CH
R$(14);CHR$(27);CHR$(28);CHR$(13
);STRING$(D,32)D$;CHR$(13);CHR$(
13);CHR$(13);STRING$(N,32)N$;CHR
$(27);CHR$(15);CHR$(27);CHR$(23)
;CHR$(27);CHR$(31);CHR$(13);CHR$(
13);CHR$(13);STRING$(R,32)"Rev.
Side> "R$;CHR$(13):GOTO10
```

David Johnson  
Leicester, NC

(For this winning two-liner contest entry, the author has been sent copies of both *The Second Rainbow Book of Simulations* and its companion *The Second Rainbow Simulations Tape*.)

## SPECTROGRAM

MAGAZINE FOR COLOR COMPUTER USERS.

Spectrogram Magazine provides useful and interesting support material for the Color Computer with a wide range of programs and articles by some of the best writers and programmers available.

**BASIC Help** by Bill Bernico: A monthly question-and-answer column for the BASIC programmer. Using program examples, Bill gives detailed answers to questions sent by our readers.

**Pascal Programming** by Delmar Searls: With useful program examples, Delmar gives an in-depth study of Pascal and how to use it effectively.

**Downtime** by Rush Caley: Thought-provoking, emotional, and at times very humorous, Downtime is informative and entertaining, providing little-known facts and new and different ideas.

**CoCo Club Corner** by Ted Paul: News and information about your organization's BBS, newsletter, and club activities in this column.

**Strictly Business:** A special section for use of the Color Computer in a business-like setting. Problem-solving techniques, programs such as Trend Analysis and Ad Effect, interviews and profiles.

The permanent columns and series compliment an array of articles covering Assembly, C, OS-9, graphics animation with an emphasis on understanding, utilities, games, and home management—and all programs are available on "Finger Savers" disk or tape.

PLEASE SEND ME 12 ISSUES OF SPECTROGRAM MAGAZINE FOR \$21 (40% off the cover price).

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City, State & Zip: \_\_\_\_\_

( ) Check ( ) Visa ( ) M/C # \_\_\_\_\_ Exp. \_\_\_\_\_

Signature \_\_\_\_\_

Mail to: SPECTROGRAM MAGAZINE  
P. O. Box 138 (815) 968-9600  
Rockford, IL 61105

Foreign subscriptions: (U.S. currency only)  
Canada and Mexico \$28 All others \$36

Single issue price: \$2.95

Finger Savers \$70 per year ( ) Disk ( ) Tape





# Listing 1:

```

Ø '<LISTING1>
100 PMODE4,1:PCLS:SCREEN1,Ø
104 GOTO110
105 FORZ=1TO150:NEXT:RETURN
110 CIRCLE(130,98),50,1
111 CIRCLE(80,96),10,1,.9,.25,.7
5
112 CIRCLE(180,96),10,1,.9,.75,.
25
113 DRAW"BM130,48H3E3H3E3H3E3H3"
114 DRAW"BM105,56U2H4U4H4":DRAW"
BM155,56U2E4U4E4"
115 DRAW"BM127,95BLD9F3R5E3U9"
116 DRAW"C1BM112,118F3M+15,7R5M+
15,-7E3"
120 A$="C1BL2E5R7F5G5L7H5"
121 B$="C1R3NU2ND2R3"
122 C$="C0R3NU2ND2R3"
123 D$="C1BU2F4BU4G4"
124 E$="C0BU2F4BU4G4"
125 DRAW"BM110,90"+A$:DRAW"BM140
,90"+A$:GOTO200
130 GOSUB105:DRAW"BM114,90"+B$:D
RAW"BM144,90"+B$
131 GOSUB105:DRAW"BM114,90"+C$:D
RAW"BM144,90"+C$:RETURN
140 GOSUB105:DRAW"BM115,90"+D$:D
RAW"BM145,90"+D$
141 GOSUB105:DRAW"BM115,90"+E$:D
RAW"BM145,90"+E$:RETURN
150 GOSUB105:DRAW"BM116,90"+B$:D
RAW"BM146,90"+B$:GOSUB105:DRAW"B
M116,90"+C$:DRAW"BM146,90"+C$:RE
TURN
160 GOSUB105:DRAW"BM113,90"+D$:D
RAW"BM143,90"+D$:GOSUB105:DRAW"B
M113,90"+E$:DRAW"BM143,90"+E$:GO
SUB500:RETURN
170 GOSUB105:DRAW"BM112,90"+B$:D
RAW"BM142,90"+B$:GOSUB105:DRAW"B
M112,90"+C$:DRAW"BM142,90"+C$:GO
SUB500:RETURN
200 GOSUB130:GOSUB140:GOSUB150:G
OSUB140:GOSUB130:GOSUB160:GOSUB1
70:GOSUB160:GOSUB130:GOTO125
300 GOTO300
500 DRAW"C0BM112,118FEM+15,7R5M+
15,-7E3":GOSUB105:DRAW"C1BM112,1
18FEM+15,7R5M+15,-7E3":RETURN

```

# Listing 2:

```

Ø '<LISTING2>
100 PMODE4,1:PCLS:SCREEN1,Ø
104 GOTO110
105 FORZ=1TO150:NEXT:RETURN

```

```

106 FOR Z=1 TO 50:NEXT:RETURN
110 CIRCLE(130,98),50,1
111 CIRCLE(80,96),10,1,.9,.25,.7
5
112 CIRCLE(180,96),10,1,.9,.75,.
25
113 DRAW"C1BM130,48H3E3H3E3H3E3H
3"
114 DRAW"BM105,56U2H4U4H4":DRAW"
BM155,56U2E4U4E4"
115 DRAW"BM127,95BLD9F3R5E3U9"
116 DRAW"C1BM112,118F3M+15,7R5M+
15,-7E3"
120 A$="C1BL2E5R7F5G5L7H5"
121 B$="C1R3NU2ND2R3"
122 C$="C0R3NU2ND2R3"
123 D$="C1BU2F4BU4G4"
124 E$="C0BU2F4BU4G4"
125 DRAW"BM110,90"+A$:DRAW"BM140
,90"+A$:GOTO200
130 GOSUB105:DRAW"BM114,90"+B$:D
RAW"BM144,90"+B$
131 GOSUB105:DRAW"BM114,90"+C$:D
RAW"BM144,90"+C$:RETURN
140 GOSUB105:DRAW"BM115,90"+D$:D
RAW"BM145,90"+D$
141 GOSUB105:DRAW"BM115,90"+E$:D
RAW"BM145,90"+E$:RETURN
150 GOSUB105:DRAW"BM116,90"+B$:D
RAW"BM146,90"+B$:GOSUB105:DRAW"B
M116,90"+C$:DRAW"BM146,90"+C$:GO
SUB600:RETURN
160 GOSUB105:DRAW"BM113,90"+D$:D
RAW"BM143,90"+D$:GOSUB105:DRAW"B
M113,90"+E$:DRAW"BM143,90"+E$:GO
SUB500:RETURN
170 GOSUB105:DRAW"BM112,90"+B$:D
RAW"BM142,90"+B$:GOSUB105:DRAW"B
M112,90"+C$:DRAW"BM142,90"+C$:GO
SUB500:RETURN
200 X=RND(5):ON X GOTO201,202,20
3,204,205
201 GOSUB130:GOSUB600
202 GOSUB140:GOSUB600
203 GOSUB150:GOSUB600
204 GOSUB160:
205 GOSUB170:GOTO200
300 GOTO300
500 DRAW"C0BM112,118FEM+15,7R5M+
15,-7E3":GOSUB105:DRAW"C1BM112,1
18FEM+15,7R5M+15,-7E3":RETURN
600 FOR Y=1 TO 3:DRAW"C0BM130,48H
3E3H3E3H3E3H3":GOSUB106:DRAW"C1B
M130,48E3H3E3H3E3H3E3":DRAW"C0BM
130,48E3H3E3H3E3H3E3":DRAW"C1BM1
30,48H3E3H3E3H3E3H3":NEXT:RETURN

```



# XTEAM & OS-9



# BOTH WINNERS

CoCo-3  
SUPPORTED

## XTERM

OS-9 Communications program.

- Menu oriented
- Upload/download. Ascii or XMODEM protocol
- Execute OS-9 commands from within XTERM
- Definable macro keys
- Works with standard serial port, RS232 PAK, or PBJ 2SP Pack, Includes all drivers.
- Works with standard screen. XSCREEN, or WORDPAK 80 column board.

**\$49.95** with source **\$89.95**

## XMENU

Creates a menu driven environment for OS-9.

- Create your own menus
- Works with standard screen, XSCREEN, WORDPAK, O-PAK

**\$29.95** with source **\$59.95**

## XSCREEN

OS-9 hi-res screen

- 51/64/85 chars per line
- Easy menu operation

**\$19.95** with source **\$39.95**

## XDIR & XCAL

- Hierarchical directory
- Full sorting
- Complete pattern matching
- OS-9 calculator
- Decimal, Hex, Binary
- +, -, \*, /, AND, OR, XOR, NOT

**\$24.95** with source **\$49.95**

## XDIS

OS-9 disassembler

**\$34.95** with source **\$54.95**

## XWORD

OS-9 word processing system

- Works with standard text screen, XSCREEN, WORDPAK, or O-PAK
- True character oriented full screen editing
- Full block commands
- Find and Replace commands
- Execute OS-9 commands from within
- Proportional spacing supported
- Full printer control, character size, emphasized, italics, overstrike, underline, super/sub-scripts
- 10 header/footers
- Page numbering in decimal or Roman numerals
- Margins and headers can be set different for even and odd pages

**\$69.95** with source **\$124.95**

## XMERGE

Mail merge capabilities for XWORD

**\$24.95** with source **\$49.95**

## XSPELL

OS-9 spelling checker, with 20000 and 40000 word dictionaries

**\$39.95**

## XTRIO

XWORD/XMERGE/XSPELL

**\$114.95** with XWORD/XMERGE source **\$199.95**

## XED

OS-9 full screen editor

**\$39.95** with source **\$79.95**

# AND FOR RS DOS

## SMALL BUSINESS ACCOUNTING

This sales-based accounting package is designed for the non-accounting oriented businessman. It also contains the flexibility for the accounting oriented user to set up a double entry journal with an almost unlimited chart of accounts. Includes Sales Entry, transaction driven Accounts Receivable and Accounts Payable, Journal Entry, Payroll Disbursement, and Record Maintenance programs. System outputs include Balance Sheet, Income Statement, Customer and Vendor status Reports, Accounts Receivable and Payable Aging Reports, Check Register, Sales Reports, Account Status Lists, and a Journal Posting List.

**\$79.95**

## INVENTORY CONTROL/SALES ANALYSIS

This module is designed to handle inventory control, with user defined product codes, and produce a detailed analysis of the business' sales and the sales force. One may enter/update inventory data, enter sales, run five sales analysis reports, run five inventory reports, set up product codes, enter/update salesman records, and update the SBAP inventory.

**\$59.95**

## PAYROLL

Designed for maintaining personnel and payroll data for up to 200 hourly and salaried employees with 8 deductions each. Calculates payroll and tax amounts, prints checks and maintains year-to-date totals which can be automatically transferred to the SBA package. Computes each pay period's totals for straight time, overtime and bonus pay and determines taxes to be withheld. Additional outputs include mailing list, listing of employees, year-to-date federal and/or state tax listing, and a listing of current misc. deductions. Suited for use in all states except Oklahoma and Delaware.

**\$59.95**

These programs are user friendly and menu driven. Sample transactions are included. Each package features a hi-res screen. Each requires a printer, a minimum of 32k and at least 1 disk drive.

## ACCOUNTS RECEIVABLE

Includes detailed audit trails and history reports for each customer, prepares invoices and monthly statements, mailing labels, aging lists, and an alphabetized customer listing. The user can define net terms for commercial accounts or finance charges for revolving accounts. This package functions as a standalone A/R system or integrates with the Small Business Accounting package.

**\$59.95**

## ACCOUNTS PAYABLE

Designed for the maintenance of vendor and A/P invoice files. The system prints checks, voids checks, cancels checks, deletes cancelled checks, and deletes paid A/P invoices. The user can run a Vendor List, Vendor Status report, Vendor Aged report, and an A/P Check Register. This package can be used either as a standalone A/P system or can be integrated with the Small Business Accounting Package.

**\$59.95**

# MICROTECH CONSULTANTS INC.

1906 Jerrold Avenue  
St. Paul, MN 55112

Dealer Inquiries Invited  
Author Submissions accepted  
OS-9 is a trademark of Microware



## Ordering Information

Add \$3.00 shipping & handling, MN residents add 6% sales tax.  
Visa, Mastercard, COD (add \$2.50), personal checks.

**(612) 633-6161**



## S-P Analysis: Comparing The Curves

By Michael Plog, Ph.D.  
Rainbow Contributing Editor

Normally, I deal with rather broad issues related to computers and education. However, I would like to make a departure from my usual type of article. This month, I want to present a very specific application of a computer to help teachers in classrooms.

Perhaps a little explanation is in order. I teach a part-time course for a local university. One of the duties of any teacher is to assign grades to students. Most teachers use tests to determine those grades, and I am no exception. A teacher's most hated job is grading test papers. This task is unavoidable, however, and the other day I found myself with red pen in hand and a challenge on the desk.

While going through the tests, something did not seem right. Responses from the students just felt wrong. I checked the tests with some simple analyses of students and test items. The result is this article. This month, we will be dealing with a use of the computer to examine characteristics of teacher-made tests. I hope other teachers can use the procedures outlined here to learn a little more about their own tests.

Once I decided to examine the test,

it was time to crank up the Color Computer. Of course, I used a word processing package to prepare and print the test. I also keep student grades and lecture notes in computer form. But for this activity, I needed a spreadsheet. Any spreadsheet will do the job.

A spreadsheet is made up of rows and columns. For our purposes today, think of rows as students and columns as test items. The value in each cell is a 1 if the student answered the item correctly, and a 0 if the item is incorrect.

I used an additional column for student name, and one for total number of items answered correctly. Although not necessary, I used one column for the percentage of total correct responses for each student. Likewise, one row is used for the test item number (sort of the

name of the item), one row for total number of students correctly answering the item, and one row for percent of students with correct answers.

One major reason for using a spreadsheet is to let the computer calculate the totals and percents. I'll discuss a second reason later.

While the idea here is very simple, the words that have to be used are difficult. An example makes this easier to understand. In Table 1, 14 students responded to 10 items on a test. (This is a sample. The actual test involved more students and more items.)

One way of looking at the table is to examine students. Albert Adams, for example, answered every test item correctly. In the column named "Num," we see 10 correct test items, for a percent

Table 1: Test Results

	Item Number										Num	%
	1	2	3	4	5	6	7	8	9	10		
Adams	1	1	1	1	1	1	1	1	1	1	10	100
Baker	1	1	1	1	0	1	1	1	1	1	9	90
Crowner	1	1	1	1	1	1	1	0	1	1	9	90
Davis	1	1	1	0	0	1	1	1	1	1	8	80
Edwards	1	1	1	1	0	1	1	1	1	1	9	90
Franks	1	1	0	0	1	1	0	1	1	1	7	70
Grayson	0	1	0	1	0	1	1	1	1	1	7	70
Holston	1	1	1	0	1	1	0	0	1	1	7	70
Iverson	1	1	1	1	1	1	1	1	1	1	10	100
Johnson	1	1	0	0	0	1	1	1	0	1	6	60
Kelley	1	1	1	1	1	0	1	1	0	1	8	80
Levin	1	0	1	0	1	1	1	0	1	1	7	70
Martin	1	0	0	1	0	0	1	1	1	1	6	60
Normans	1	0	0	0	0	0	1	1	1	1	5	50
Number	13	11	9	8	7	11	12	11	12	14		
Percent	93	79	64	57	50	79	86	79	86	100		

Michael Plog received his doctorate degree from the University of Illinois. He has taught social studies in high school, worked in the central office of a school district and is currently employed at the Illinois State Board of Education.



# Telewriter-64™

## the Color Computer Word Processor

- 3 display formats: 51/64/85 columns × 24 lines
- True lower case characters
- User-friendly full-screen editor
- Right justification
- Easy hyphenation
- Drives any printer
- Embedded format and control codes
- Runs in 16K, 32K, or 64K
- Menu-driven disk and cassette I/O
- No hardware modifications required

### THE ORIGINAL

Simply stated, Telewriter is the most powerful word processor you can buy for the TRS-80 Color Computer. The original Telewriter has received rave reviews in every major Color Computer and TRS-80 magazine, as well as enthusiastic praise from thousands of satisfied owners. And rightly so.

The standard Color Computer display of 32 characters by 16 lines without lower case is simply inadequate for serious word processing. The checkerboard letters and tiny lines give you no feel for how your writing looks or reads. Telewriter gives the Color Computer a 51 column by 24 line screen display with *true lower case characters*. So a Telewriter screen looks like a printed page, with a good chunk of text on screen at one time. In fact, more on screen text than you'd get with Apple II, Atari, TI, Vic or TRS-80 Model III.

On top of that, the sophisticated Telewriter full-screen editor is so simple to use, it makes writing fun. With single-letter mnemonic commands, and menu-driven I/O and formatting, Telewriter surpasses all others for user friendliness and pure power.

Telewriter's chain printing feature means that the size of your text is never limited by the amount of memory you have, and Telewriter's advanced cassette handler gives you a powerful word processor without the major additional cost of a disk.

*...one of the best programs for the Color Computer I have seen...*

— Color Computer News, Jan. 1982

### TELEWRITER-64

But now we've added more power to Telewriter. Not just bells and whistles, but major features that give you total control over your writing. We call this new supercharged version Telewriter-64. For two reasons.

### 64K COMPATIBLE

Telewriter-64 runs fully in any Color Computer — 16K, 32K, or 64K, with or without Extended Basic, with disk or cassette or both. It automatically configures itself to take optimum advantage of all available memory. That means that when you upgrade your memory, the Telewriter-64 text buffer grows accordingly. In a 64K cassette based system, for example, you get about 40K of memory to store text. So you don't need disk or FLEX to put all your 64K to work immediately.

### 64 COLUMNS (AND 85!)

Besides the original 51 column screen, Telewriter-64 now gives you 2 additional high-density displays: 64 × 24 and 85 × 24!! Both high density modes provide all the standard Telewriter editing capabilities, and you can switch instantly to any of the 3 formats with a single control key command. The 51 × 24 display is clear and crisp on the screen. The two high density modes are more crowded and less easily readable, but they are perfect for showing you the exact layout of your printed page, *all on the screen at one time*. Compare this with cumbersome "windows" that show you only fragments at a time and don't even allow editing.

### RIGHT JUSTIFICATION & HYPHENATION

One outstanding advantage of the full-width screen display is that you can now set the screen width to match the width of your printed page, so that "what you see is what you get." This makes exact alignment of columns possible and it makes hyphenation simple.

Since short lines are the reason for the large spaces often found in standard right justified text, and since hyphenation is the most effective way to eliminate short lines, Telewriter-64 can now promise you some of the best looking right justification you can get on the Color Computer.

### FEATURES & SPECIFICATIONS:

**Printing and formatting:** Drives any printer (LPV11/VIII, DMP-100/200, Epson, Okidata, Centronics, NEC, C. Itoh, Smith-Corona, Terminus, etc).

Embedded control codes give full dynamic access to intelligent printer features like: underlining, subscript, superscript, variable font and type size, dot-graphics, etc.

Dynamic (embedded) format controls for: top, bottom, and left margins; line length, lines per page, line spacing, new page, change page numbering, conditional new page, enable/disable justification.

Menu-driven control of these parameters, as well as: pause at page bottom, page numbering, baud rate (so you can run your printer at top speed), and Epson font. "Typewriter" feature sends typed lines directly to your printer, and Direct mode sends control codes right from the keyboard. Special Epson driver simplifies use with MX-80.

Supports single and multi-line headers and automatic centering. Print or save all or any section of the text buffer. Chain print any number of files from cassette or disk.

**File and I/O Features:** ASCII format files — create and edit BASIC, Assembly, Pascal, and C programs, Smart Terminal files (for uploading or downloading), even text files from other word processors. Compatible with spelling checkers (like Spell 'n Fix).

Cassette verify command for sure saves. Cassette auto-retry means you type a load command only once no matter where you are in the tape.

Read in, save, partial save, and append files with disk and/or cassette. For disk: print directory with free space to screen or printer, kill and rename files, set default drive. Easily customized to the number of drives in the system.

**Editing features:** Fast, full-screen editor with wordwrap, block copy, block move, block delete, line delete, global search and replace (or delete), wild card search, fast auto-repeat cursor, fast scrolling, cursor up, down, right, left, begin line, end line, top of text, bottom of text; page forward, page backward, align text, tabs, choice of buff or green background, complete error protection, line counter, word counter, space left, current file name, default drive in effect, set line length on screen.

Insert or delete text anywhere on the screen without changing "modes." This fast "free-form" editor provides maximum ease of use. Everything you do appears immediately on the screen in front of you. Commands require only a single key or a single key plus CLEAR.

*...truly a state of the art word processor... outstanding in every respect.*

— The RAINBOW, Jan. 1982

### PROFESSIONAL WORD PROCESSING

You can no longer afford to be without the power and efficiency word processing brings to everything you write. The TRS-80 Color Computer is the lowest priced micro with the capability for serious word processing. And only Telewriter-64 fully unleashes that capability.

Telewriter-64 costs \$49.95 on cassette, \$59.95 on disk, and comes complete with over 70 pages of well-written documentation. (The step-by-step tutorial will have your writing with Telewriter-64 in a matter of minutes.)

To order, send check or money order to:

**Cognitec**  
704 Nob Street  
Del Mar, CA 92014

Or check your local software store. If you have questions, or would like to order by Visa or Mastercard, call us at (619) 755-1258 (weekdays, 8AM-4PM PST). Dealer inquiries invited. (Add \$2 for shipping. Californians add 6% state tax.)

**Available at  
Radio Shack stores  
via express order  
catalogue #90-0253  
90-0254**

Apple II is a trademark of Apple Computer, Inc.; Atari is a trademark of Atari, Inc.; TRS-80 is a trademark of Tandy Corp; MX-80 is a trademark of Epson America, Inc.





("%" column) of 100 percent. Nora Normans answered only five of the 10 correctly, for a score of 50 percent.

In addition to examining students, we can also consider the test items (called problems) as shown in the table. Item 10, for example, was answered correctly by all 14 students. Item 5 was answered correctly by seven (50 percent) students. Thus, Item 10 is the easiest problem on the test, and Item 5 is the most difficult. This procedure then becomes a simple item analysis of your test.

The other reason for using a spreadsheet is to sort your table. In this procedure, two sorts are needed. First, rank order each item on the test from least difficult to most difficult. Difficulty of item is determined by how many students correctly answered the item. Thus, the most difficult item is that one answered correctly by the fewest number of students. The easiest item is the one answered correctly by the greatest number of students.

The second sort is to rank order your spreadsheet by student raw score. The student correctly answering the most questions is at the top of the list; the student correctly answering the fewest test items is at the bottom of the list. Your newly sorted spreadsheet will now look like Table 2.

From Table 2, you can tell that Adams and Iverson got the highest scores in class. Also, Item 10 is the easiest item on the test, and Item 5 is the most difficult.

Now comes the part that is hard to describe. We are going to convert Table

**Table 2: Test Results After Sorting**

	Item Number										Num	%
	10	1	7	9	2	6	8	3	4	5		
Adams	1	1	1	1	1	1	1	1	1	1	10	100
Iverson	1	1	1	1	1	1	1	1	1	1	10	100
Baker	1	1	1	1	1	1	1	1	1	0	9	90
Crowner	1	1	1	1	1	1	0	1	1	1	9	90
Edwards	1	1	1	1	1	1	1	1	1	0	9	90
Davis	1	1	1	1	1	1	1	1	0	0	8	80
Kelley	1	1	1	1	1	0	1	1	1	0	8	80
Franks	1	1	0	1	1	1	1	0	0	1	7	70
Grayson	1	0	1	1	1	1	1	0	1	0	7	70
Holston	1	1	1	1	1	1	0	0	0	1	7	70
Levin	1	1	1	1	0	1	0	1	0	1	7	70
Johnson	1	1	1	0	1	1	1	0	0	0	6	60
Martin	1	1	1	1	0	0	1	0	1	0	6	60
Normans	1	1	1	1	0	0	1	0	0	0	5	50
Number	14	13	13	13	11	11	11	8	8	6		
Percent	100	93	93	93	79	79	79	57	57	43		
	Most Easy Item					Most Hard Item						

2 into an "S-P Chart" (shown in Table 3). The 'S' stands for "Student"; the 'P' stands for "Problem," or test item. An S-P Chart is a matrix in which students (rows) are arranged from top to bottom in descending order of total test score. The problems, or test items (columns), are arranged from left to right in ascending order of difficulty. Two lines are drawn on the S-P Chart. The first is the S-curve, shown here as a solid line. It is drawn by placing a vertical line over each student corresponding to the total test score earned by the student.

Both Adams and Iverson got all 10 problems correct, so the S-curve is to

the right of the tenth item. Baker got nine of the 10 items correct, so the S-curve is between the ninth and tenth item.

The second line is the P-curve, shown in Table 3 as a dotted line. What the S-curve is to students, the P-curve is to problems, or test items. A horizontal line is drawn over each problem corresponding to the number of students answering that problem correctly. Thus, Item 10 was answered correctly by 14 students and has a line below the 14th student. Item 1 was answered correctly by 13 students and has a line between the 13th and 14th student.

Directions for drawing the two curves are difficult to say in words, but fairly easy to actually draw on the table. Please examine Table 3 to see the lines.

Think for a moment of the ideal situation. If the students in your class are perfectly rank ordered by ability (which they probably will not be), and your test is a perfect test (which none of mine are), the S-curve and the P-curve will be exactly the same line. The best student in your class will answer all your test questions that the second-best student answers, plus will get some correct that the second-best student will miss.

Likewise, consider your test items. The most difficult test items will be answered only by the best student in class. The second most difficult test items will be answered correctly by the best student and the second-best student in class. And so on, for each item on your test. As the level of difficulty

**Table 3: S-P Chart**

	Item Number												
	10	1	7	9	2	6	8	3	4	5		Num	%
Adams	1	1	1	1	1	1	1	1	1	1	S	10	100
Iverson	1	1	1	1	1	1	1	1	1	1		10	100
Baker	1	1	1	1	1	1	1	1	1	0		9	90
Crowner	1	1	1	1	1	1	0	1	1	1		9	90
Edwards	1	1	1	1	1	1	1	1	1	0		9	90
Davis	1	1	1	1	1	1	1	1	0	0	P	8	80
Kelley	1	1	1	1	1	0	1	1	1	0		8	80
Franks	1	1	0	1	1	1	1	0	0	1		7	70
Grayson	1	0	1	1	1	1	1	0	1	0		7	70
Holston	1	1	1	1	1	1	0	0	0	1		7	70
Levin	1	1	1	1	0	1	0	1	0	1		7	70
Johnson	1	1	1	0	1	1	1	0	0	0		6	60
Martin	1	1	1	1	0	0	1	0	1	0		6	60
Normans	1	1	1	1	0	0	1	0	0	0		5	50
Number	14	13	13	13	11	11	11	8	8	6			
Percent	100	93	93	93	79	79	79	57	57	43			
Most Easy Item											Most Hard Item		



**"By having better classroom tests, teachers can make a firmer decision about student abilities."**

gets easier, more students will answer the item correctly.

If you have constructed the perfect test for the perfect class, there will be no 1s to the right of the S-curve or below the P-curve. Likewise, there will be no 0s to the left of the S-curve or above the P-curve. The value of the S-P Chart is that you can identify areas of concern in your test items and your students.

You can easily tell from Table 3 that I did not construct the perfect test. One area of concern for me would be Item 8. This item was answered correctly by the three worst students in class, but missed by one student who scored 90% on the test. Why did Crowner miss Item 8 while Johnson, Martin, and Normans all got it right? Is there something wrong with Item 8, or something out of kilter with the students?

Another area of concern is Item 5, the most difficult item on the test. Of the six students who correctly answered Item 5, half are above the P-curve (where they should be), but half are below the P-curve (where they should not be).

The key to your S-P analysis is your judgment about the items and the students. Perhaps Crowner was sick the day we dealt with the information in

Item 8. Perhaps Item 8 was written in a way that confused Crowner (normally a good student). Perhaps Item 5 is such a bad test question that all students guessed at it, and only six students were lucky.

A perceptive teacher can use S-P analysis to improve test items, which will improve the way measurement of student knowledge is determined. By having better classroom tests, teachers can make a firmer decision about student abilities. This should lead to better curriculum planning for individual students.

This description is only the first step in S-P analysis. The entire system provides much more information than presented here. S-P analysis can be explained in detail by Dr. Delwyn Harnisch of the Institute for Child Behavior and Development at the University of Illinois in Champaign. Even at its most simple application, however, S-P analysis may be a worthwhile tool for teachers concerned about classroom tests.

That is all for now. If you have comments or questions, contact me at 829 Evergreen, Chatham, IL 62629. ☺

## Formaker

**clean paperwork for business**

"It will give the small or home business professional-looking forms and effortless, errorless totals, accounting for taxes, discounts, shipping and deposits."

The RAINBOW, May 1986

menu driven  
customize for your company  
on screen instructions  
creates: invoice, quote, purchase order,  
mail order, receipt, letter  
printer customization  
and much, much more



**\$49** 32K ECB disc

"You have to look good to the customer . . . This program helps . . . by providing neat, well-prepared forms . . ."

The RAINBOW, May 1986

## SUPER TUTOR

**Makes learning so much FUN . . . that kids think it's a game!**



Letter and number recognition. Ages 2 to 6

**\$24** 32K ECB disc or tape

"If you are looking for a program to teach young children the alphabet, numbers and early vocabulary, SUPER TUTOR may fit the bill."

The RAINBOW, June 1986

Send for more information:

**Challenger Software**

42 4th Street  
Pennsburg, PA 18073  
Call (215) 679-8792 (Evenings)

## NEW 512K UPGRADE FOR COCO 3


Now available the LR Tech 512K upgrade with **all gold contacts** and 120 nanosecond 256K chips. Useable as a RAM disk from basic or as large system memory for OS 9 level 2!!!

INTRODUCTORY PRICE...

**\$59.**

WITHOUT 256K CHIPS

**\$105.**  
WITH 256K CHIPS



See next page for more specials.


YOU CAN USE THIS SYSTEM WITH OUR SUPERBOARD (SEE NEXT MONTH) FOR A THREE USER SYSTEM UNDER OS9. WORKS WITH OUR HARD DRIVE.

M.C. & VISA Accepted

**OWL-WARE**

P.O. Box 116-D  
Mertztown, PA.  
19539

TOLL FREE  
ORDER LINE  
(800)  
245-6228



PA Res. Include 6% Tax  
(215) 682-6855



**NEW**

# OWL-WARE WINCHESTER BASIC

**ANNOUNCING... the Development of a Major Breakthrough in  
HARD DRIVE SYSTEMS for the COLOR COMPUTER!!!**

Several months ago OWL-WARE introduced the Finest OS9 Hard Drive System for the Color Computer. Now we are about to introduce the only RSDOS Interface System worthy of our computer, OWL-WARE Winchester Basic. For the first time you have available a true Winchester System, although there are 10 directories made available to BASIC, the only limit to size of any file is the size of your drive. On a 10 meg drive you could have a 8 meg file on directory 5 and a 1 meg file on directory 8 and small files everywhere. You turn the computer on and you can immediately access your drive from BASIC or any language using commands you already know. You do not have to know or use OS9 to use OWL-WARE WINCHESTER BASIC, but if you do, all files saved from RSDOS are available to OS9. All files generated from OS9 can be made available to RSDOS by copying to the WINCHESTER BASIC directories. There are no partitions to wall you into, only one operating system, but nothing forces you to use an operating system you don't like.

*Call for further details and availability on this breakthrough product!!!*

*Price*  
**WITH  
DRIVE  
BELOW**

**\$50.**

**WITHOUT DRIVE \$75.**

OS9 HARD DRIVES FOR CoCo 1, 2, 3

WINCHESTER BASIC CoCo 1, 2 ONLY (CoCo 3 Version Pending)

## OS-9 HARD DRIVE SYSTEMS

**Disk Access is at Least... 8 Times Faster than Floppy Drives.**

**Control up to 2 Drives. EACH with Continuous Massive Memory!!! Complete OS-9 Hard Drive System Includes... Software, Hard Drive, Controller and L.R. Tech Interface.**

**NOTE: OS-9 and RS DOS... "This may prove to be the perfect mating of both systems." RAINBOW (May 86)**

**\$599. \$729.**


10 MEG 20 MEG SYSTEM

**OWL-WARE**

**is pleased to announce an exclusive arrangement to Distribute the L.R. TECH**

**Hard Drive Interface and Software.**

**DEALERS INQUIRES INVITED**



Now works  
with OS-9  
Level 2!!!

**Interface &  
Software Only \$119.**

Please note that an interface  
is not a controller.  
A Xebec SASI controller  
is \$139. additional,  
if you need one.

INSTALL IN ANY SLOT OF  
MULTI-PAK OR USE Y CABLE.


**NEW!!! CoCo 3 Version of  
Master Artist Now Available!**

**CREATE BEAUTIFUL PICTURES WITH**



**vers 2.0**  
Convenient, on-screen menu  
\* Accepts input from X-PAD,  
\* TOUCH-PAD, MOUSE or JOYSTICK  
\* Prints with custom paintbrushes  
\* Easy free-hand sketching  
\* Paints in any size  
\* 10 colors at a time  
\* Patterned and ready for use in  
\* Lettering in any size  
\* Screen dump to color ink-jet  
\* or other fancy printers

**\$29.95**



**VIEW 3-DIMENSIONAL OBJECTS FROM ANY  
ANGLE WITH**



Convenient, on-screen menu  
\* Supports input from X-PAD,  
\* TOUCH-PAD, MOUSE or JOYSTICK  
\* Prints screen dump to fancy  
\* printer  
\* Calculates dimensions for you  
\* from just a rough sketch  
\* Plots or calculates lines and  
\* arcs  
\* On-screen sketching mode

**\$29.95**



OWL-WARE'S TOLL FREE ORDER LINE (800) 245-6228

TECHNICAL ADVICE  
(215) 682-6855

All Prices Include  
Case and Power  
Supply

# DISK DRIVES

SHHH... Ask about the WISPER DRIVE!!!

**DRIVE 0 \$179. to \$239.** Single  
Call for SPECIAL PRICES on Drive 0, 1, 2, 3 Combos.  
**DRIVE 1 \$109. to \$145.** Double Quad  
PLUS SHIPPING

All drives are new and fully assembled. We ship

**FULLY TESTED and CERTIFIED  
DRIVES at NO ADDED CHARGE!**

CHINON and Other Brands known  
as the highest quality made.

STATE-OF-THE-ART  
TECHNOLOGY

**NOW FOR CoCo 1, 2, 3!!!**

We have RSDOS, JDOS,  
OWL DOS, ADOS available on  
ROM. Call about Double Sided  
or Special Needs.

**TOLL FREE  
ORDER LINE  
(800) 245-6228**

Call for  
LATEST  
PRICES!!!

## HALF HEIGHT DRIVE UPGRADE KIT FOR NEW RS SYSTEM

Why only double capacity  
when you can triple in the same  
case. KIT INCLUDES: double sided  
drive to fit in your case, includes  
hardware and chip to run double  
sided Takes only 5 minutes

**1 YR. WARRANTY \$119.  
ONLY...**

### OWL-WARE

has a liberal warranty policy. During  
the warranty period all defective  
items will be repaired or replaced  
at our option and at no cost to  
the buyer, except for shipping costs.

Call our technical advice line  
for return authorization numbers.  
Return of non-defective items or  
unauthorized returns are subject  
to a service charge. Price does  
not include shipping, but does  
include a discount for cash.

**OWL TIP:** Our hard drives memory  
upgrade and super board are ideal for  
this new Level 2 OS-9.

**OWL-WARE Software Bundle**  
Disk Tutorial 3 Utilities 2 Games

### DISK TUTOR Version 1.1

LEARN EVERYTHING ABOUT DISK BASIC  
FROM THIS MACHINE LANGUAGE  
PROGRAM. THE TUTOR TAKES YOU STEP  
BY STEP THROUGH THE LESSONS AND  
CORRECTS YOUR MISTAKES. A MULTI-  
LESSON TUTORIAL THAT WILL GIVE YOU  
QUICK, PAINLESS KNOWLEDGE OF DISK  
BASIC (THIS PROFESSIONALLY WRITTEN  
TUTOR IS EASILY WORTH THE BUNDLE'S  
TOTAL PRICE).

### OWL DOS

AN OPERATING SYSTEM THAT GIVES  
25% FASTER DISK ACCESS AND ALLOWS  
USE OF DOUBLE SIDED DRIVES.  
CORRECTS FLOATING POINT NUMBER  
ERROR.

### COPY-IT

QUICKLY COPIES SELECTED PROGRAMS  
FROM DISK. USE WILD CARD OPTION  
SEARCH TO SELECT GROUPS OF  
PROGRAMS FOR COPY (NOT FOR PRO-  
TECTED PROGRAMS)

### VERIFY

VERIFIES READING EACH SECTOR. BAD  
SECTORS ARE LISTED ON THE SCREEN.

### 2 GAMES

2 GAMES FROM OUR STOCK.  
BOTH HAVE SOLD FOR OVER \$17. EACH.

**IF SOLD SEPARATELY OVER  
\$125.00 WORTH OF SOFTWARE!!!**

only \$27.95


(or even better)

\$6.95 with

**DISK DRIVE PURCHASE!!!**

See  
Special  
Bundled  
Software  
with  
Disk Drive  
Purchase!

**WARRANTIES**  
90 day - 1 YEAR



M.C. & VISA Accepted

**OWL-WARE**

P.O. Box 116-D  
Mertztown, PA.  
19539

PA Res include 6% Tax  
PA (215) 682-6855





# A Pocketful Of Programs

**T**he new Color Computer owner buys his/her versatile machine for its graphics and music capabilities, organization of their home and office, educational purposes — both in the home and school and to acquire programming knowledge — and some, simply for pure fun and entertainment.

As far as the CoCo is concerned, the more you learn, the more you realize how little you actually know. That is why every session at the keyboard is an adventure in learning.

THE RAINBOW is a teaching environment and we realize that the majority of our readers will always be beginners. In our continuing effort to always keep the new user in mind and in addition to the many beginner feature articles and programs published in every issue, "Novices Niche" will contain shorter BASIC program listings that will entertain and help the new user gain expertise in all aspects of the Color Computer: graphics, music, games, utilities, education, programming, etc.

Contributions to "Novices Niche" are welcome from everyone. We like to run a variety of short programs that can be typed in at one sitting and will be useful, educational and fun. Keep in mind, although the short programs are limited in scope, many novice programmers find it enjoyable and quite educational to improve the software written by others.

Program submissions must be on tape or disk. We're sorry, but we do not have the time to key in program listings. All programs should be supported by some editorial commentary, explaining how the program works. If your submission is accepted for publication, the payment rate will be established and agreed upon prior to publication.

— Jutta Kapfhammer  
Submissions Editor

## CoCo 3

### That's The Way The Ball Bounces

By Ted Kyte

The following program uses the PALETTE command to simulate the rotation of a ball and a fluctuating border. The GET and PUT commands are used to bounce the ball around the screen.

CoCo 3

The listing: BALLDEMO

```

1 ' BOUNCING BALL
2 ' BY TED KYTE
3 ' WES-CAN COLOR BOARD
4 ' 24HR BBS (403)-564-4118
5 '
6 ' NOT BAD FOR 5 LINES OF BASIC
7 '
10 DIMC(6,6):PLAY"T255":POKE6549
7,0:PALETTECMP:HBUFF1,1322:PALET
TE0,1:HCOLOR0,1:HSCREEN2:FORM=1T
05:READX,Y,R,C,H,S,E:HCIRCLE(X,Y
),R,C,H,S,E:NEXT:HCOLOR1,0:FORX=
1TO6:HLINE(0,X)-(40,X),PSET:NEXT
:FORX=52TO44STEP-1:HLINE(0,X)-(4
0,X),PSET:NEXT:HCOLOR0,1

```



```

20 FORX=1TO5:READS,C:PALETTES,C:
NEXT:FORM=1TO5:READX,Y,C,B:HPAIN
T(X,Y),C,B:NEXT:HLINE(0,0)-(55,5
5),PSET,B:HPAINT(2,2):HLINE(0,19
)-(50,19),PSET:HLINE(0,31)-(50,3
1),PSET:FORM=1TO5:READX,Y,C,B:HP
AINT(X,Y),C,B:NEXT:HGET(0,0)-(52
,48),1:HCLS0
30 FORC=2TO6:FORT=2TO6:READC(C,T
):NEXT:NEXT:A=0:B=0:C=320:D=192:
FORX=2TO6:HCOLORX,0:FORY=1TO4:HL
INE(A,B)-(C,D),PSET,B:A=A+1:B=B+
1:C=C-1:D=D-1:NEXT:NEXT:X=18:Y=8
8:A=5:B=5:DATA25,25,20,0,1,0,1,3
3,25,22,0,1,.25,.75,17,25,22,0,1
,.75,.25,37,25,18,0,1.5

```

```

40 FORC=2TO6:FORS=2TO6:PALETTES,
C(C,S):NEXT:HPUT(X,Y)-(X+52,Y+48
),1:X=X+A:Y=Y+B:IFX>246THENX=246
:PLAY"5":A=-5:GOTO40ELSEIFX<20TH
ENX=20:A=5:PLAY"5":GOTO40ELSEIFY
>121THENY=121:PLAY"5":B=-5:GOTO4
0ELSEIFY<22THENY=22:PLAY"5":B=5:
GOTO40ELSENEXT:GOTO40
50 DATA .3,.65,13,25,18,0,1.5,.8
,.3,2,63,3,36,4,16,5,11,6,54,40,
25,2,0,33,25,3,0,25,25,4,0,17,25
,5,0,10,25,6,0,25,25,6,0,17,25,2
,0,10,25,3,0,40,25,4,0,33,25,5,0
,63,36,16,11,54,36,16,11,54,63,1
6,11,54,63,36,11,54,63,36,16,54,
63,36,16,11

```

CoCo 3

## Two-Tone Text

By Edward Jones

Many of us who have had only a 32-column text screen with black characters on a green background are overwhelmed by the 64 background, border and text colors available with the CoCo 3. With this great assortment to choose from, it can be difficult to know which background colors to use with which border or text colors.

The following program operates in the 40-character width text screen and allows you to see what the 64 background colors really look like with any of the other 64 border colors and a variety of text colors. This can be handy when you want to select color combinations for a BASIC program or to find a combination to work with in either the 40- or 80-character screen.

The program menu will allow you to toggle through the background colors and to match the border to the background and try different text colors at any point. Many of the combinations are a relief from the old black and green text screen.

When you find a set of colors you like, you can break out of the program, enter NEW and then use them until you alter the colors again or turn off the computer.

The listing: COLORS

```

10 'COCO3 HI-RES TEXT SCREEN BOR
DER AND BACKGROUND COLOR SELECTO
R BY EDWARD JONES
20 WIDTH40:PALETTE0,0:PALETTE8,6

```

```

3:CLS1:X=-1:T=0:B=0
30 X=X+1:IFX=64THENX=0
40 PALETTE0,X
50 CLS:IF B>-1THENPRINT:PRINT" T
HE BORDER COLOR IS PALETTE 0,";B
60 PRINT:PRINT" THE BACKGROUND C
OLOR IS PALLET 0,";X:PRINT:PRINT
STRING$(40,61);:FORL=1TO2:PRINT:
NEXTL
70 PRINT"PRESS <G> TO GO TO NEXT
BACKGROUND COLOR"
80 PRINT"PRESS (M) TO MATCH THE
BORDER COLOR TO":PRINT:PRINT"
TO THE BACKGRKOUND COLOR"
90 PRINT:PRINT"PRESS <T> TO TOGG
LE LETTERING BETWEEN":PRINT:PRIN
T" WHITE, BLACK, RED, G
REEN, BLUE"
100 PRINT"PRESS <Q> TO KILL THIS
PROGRAM AND KEEP":PRINT:PRINT"
THE CURRENT BACKGROUND,
BORDER":PRINT" AND TEX
T COLORS"
110 A$=INKEY$:IFA$=""THEN110
120 IFA$="M"THENB=X:CLS1:GOTO40
130 IFA$="G"THEN30
140 IFA$="T"THENGOSUB170
150 IF A$="Q"THEN CLS:NEW
160 GOTO110
170 IF T=0THENPALETTE8,0:T=36:RE
TURN
180 IF T=36THENPALETTE8,36:T=8:R
ETURN
185 IF T=8THENPALETTE8,8:T=20:RE
TURN
190 IF T=20THENPALETTE8,20:T=63:
RETURN
200 IF T=63THENPALETTE8,63:T=0:R
ETURN

```



16K  
ECB

## Four Shades Of Gray

By Pierre Salvail

*Color Dump* prints graphics screens in PMODE 3 or PMODE 1. Each color on the screen is represented by a different color shading.

To perform a screen dump, first make sure the image to be dumped is in memory. Then, simply load and run *Color Dump*. The computer asks you to select the PMODE and prompts you to choose the Gemini or SG-10 printer mode. After answering, the graphics screen will be displayed.

When you are sure the screen is what you want to dump, press any key. The computer will then display the gray scales available that can be printed on paper, and the word GREEN. Enter the number of the gray scale that will represent, on paper, the green color on the screen. Do the same for the yellow, blue and red colors. More than one screen color can have the same gray scale.


Make sure the printer is online, press any key and the graphics screen will be dumped to the printer in about 20 minutes.

The listing: COLRDUMP

```

10 *****
20 '* SCREEN DUMP FOR GEMINI *
30 '* AND SG-10 PRINTERS IN *
40 '* PMODE 3 AND PMODE 1 *
50 '* BY *
60 '* PIERRE SALVAIL *
70 '* 95 CHARLOTTE, SOREL *
80 '* QUEBEC, CANADA, J3P 1G7 *
90 *****
100 CLS:PRINT:INPUT" PMODE";PM:I
FPM<>1 AND PM<>3 THEN RUN ELSE P
MODE PM,1
110 CLS:PRINT:PRINT" gEMINI 10X"
+CHR$(13)+" sG 10":GOSUB310:IFA$
="G"THEN G$=CHR$(27)+"K"+CHR$(176
)+CHR$(1):SP=48:GOTO140
120 IF A$="S"THEN G$=CHR$(27)+"g"
+CHR$(5)+CHR$(224)+CHR$(1):SP=96

```



Screen Dump Using *Color Dump*

```

:GOTO140
130 GOTO110
140 F(1)=2:F(3)=1
150 C1(1)=0:C2(1)=0
160 C1(2)=8:C2(2)=2
170 C1(3)=10:C2(3)=5
180 C1(4)=13:C2(4)=7
190 C1(5)=15:C2(5)=15
200 SCREEN1,0:GOSUB310
210 CLS:FORC=1TO5:READC$:PRINT@1
40+32*C,STR$(C);"- ";C$:NEXT
220 FORC=1TO4:READC$:PRINT@129,C
$;"=":GOSUB310:R(C)=VAL(A$):NEXT
230 PRINT@392,"PRESS ANY KEY":GO
SUB310:SCREEN1,0
240 PRINT#-2,CHR$(27);"A";CHR$(8
)
250 FORX=0TO255STEP4
260 PRINT#-2,G$;
270 FORS=1TO SP:PRINT#-2,CHR$(0)
;:NEXT
280 FORY=191TO0STEP-F(PM)
290 FORP=1TO F(PM):PRINT#-2,CHR$
(C1(R(PPOINT(X,Y)))*16 OR C1(R(P
POINT(X+2,Y))));CHR$(C2(R(PPOINT
(X,Y)))*16 OR C2(R(PPOINT(X+2,Y)
)));:NEXTP,Y:PRINT#-2:NEXTX
300 CLS:END
310 A$=INKEY$:IFA$=""THEN310ELSE
RETURN
320 DATA WHITE,LIGHT GRAY,GRAY,D
ARK GRAY,BLACK
330 DATA GREEN,YELLOW,BLUE,RED

```



4K

# Library Labeler

**By Alan L. Andrews**

*Cassette Box Labeler* prints labels to fit in the clear end of cassette boxes. This allows you to see which tape is in the box without having to remove it from the shelf or holder.

The program is set up to be used with a Star SG-10 printer, but different printer codes can be substituted. Line 10 is the baud poke, lines 12 and 13 set the left and right margins, and Line 14 sets the printer for emphasized print.

The program first asks for the information you want printed. The input can be no longer than 38 spaces. To change the pause, edit the T=1 in Line 17. Lines 22 through 25 reset the printer.

The printed lines are guides for cutting and should be as long as the cassette box is wide.

**The listing:** CASBXLBL

```
0 'CASBXLBL/UTL  
1 '<<<<<<<<<<<<+>>>>>>>>>>>>>>>  
2 '<<< CASSETTE BOX LABELS >>>  
3 '<<< PRINTING UTILITY >>>  
4 '<<< DEVELOPED & PROGRAMED >>>  
5 '<<< BY >>>  
6 '<<< ALAN L. ANDREWS >>>  
7 '<<< (THE LONE COYOTE) >>>  
8 '<<<<<<<<<<<<+>>>>>>>>>>>>>>>  
10 POKE 150,1  
11 ESC$=CHR$(27)  
12 PRINT#-2,ESC$"M"CHR$(0);
```

```

13 PRINT#-2,ESC$"Q"CHR$(39);
14 PRINT#-2,ESC$"E";
15 FOR X=1 TO 38:PRINT#-2,CHR$(95);:NEXT
16 CLS(8):SOUND 50,2:INPUT"WHAT
DO YOU WANT TO PRINT ON THE CAS
ETTE BOX LABEL";A$
17 IF LEN(A$)>38 THEN PRINT@128,
"YOU ONLY HAVE 38 SPACES.";:SOUN
D 1,3:FOR T=1 TO 3000:NEXT T:GOT
O 16
18 PRINT#-2:PRINT#-2:PRINT#-2,A$
19 CLS(2):INPUT"DO YOU WANT TO P
RINT ANOTHER (Y/N)";B$
20 IF B$="Y" OR B$="y" THEN GOTO
15
21 CLS:FOR X=1 TO 38:PRINT#-2,CH
R$(95);:NEXT
22 PRINT#-2,CHR$(13)
23 PRINT#-2,ESC$"M"CHR$(0)
24 PRINT#-2,ESC$"Q"CHR$(80)
25 PRINT#-2,ESC$"F"
26 END

```

Word Processor Program

THE RAINBOW

Games

## One Liners

## Sample Printout

4K

# Sized To Fit

**By Forrest K. White**

*Listing Formatter* will set up a Gemini 10X or compatible printer to print listings in a 32-, 40-, or 80-column mode and will skip over perforations on longer listings.

With your printer on and online, load and run the program. Then load the program that you want a printed listing of, select the format and type `LLIST`.

### The listing: FORMATTR

```

1Ø CLS
2Ø REM WIDTH 32 REM DELETE FIRST
  REM FOR COCO 3
3Ø REM PRTSETUP BY
  FORREST K. WHITE
  BOX 535
  RIVERVIEW AL.
    36872
4Ø INPUT"DO YOU WANT (1)32 COL M
ODE (2)4Ø COL M
ODE (3)8Ø COL M
ODE";X

```



```

50 IF X=1 THEN Y=32
60 IF X=2 THEN Y=40
70 IF X=3 THEN Y=80
80 PRINT"THIS WILL SET THE GEMIN
I 10X PRINTER TO PRINT IN A";
Y;"COLUMN MODE"
90 PRINT
100 PRINT"RUN THIS PROGRAM WITH
THE PRINTER TURNED ON THEN
WITHOUT TURNING OFF THE PRINTE
R LOAD ANDLIST THE PROGRAM THAT
YOU WANT TO SEE IN";Y"COLUMN MO
DE"
110 PRINT"TYPE ANY KEY TO CONTIN
UE"
120 IF INKEY$=""THEN 120
130 CLS
140 PRINT#-2,CHR$(27)CHR$(78)CHR
$(6)' SET AND ENABLE SKIP-OVER P
ERF- ORATION FEATURE

```

```

150 PRINT#-2,CHR$(27)CHR$(82)CHR
$(6)'CHANGE THE LOCATION OF HEAD
ER (FIRST LINE OF FORM)
160 IF X=3 THEN 220
170 PRINT#-2,CHR$(27)CHR$(77)CHR
$(6)'SET THE LEFT HAND PRINT M
ARGIN
180 IFX=2 THEN 210
190 PRINT#-2,CHR$(27)CHR$(81)CHR
$(37)'SET THE RIGHT HAND PRINT M
ARGIN
200 GOTO 220
210 PRINT#-2,CHR$(27)CHR$(81)CHR
$(45)'SET AND ENABLE THE RIGHT
HAND MARGIN FOR 40 COL PRINT
220 PRINT"YOU ARE NOW READY TO L
OAD OR CLOAD ANY BASIC PROGRA
M THAT YOU WANT PRINTED IN";Y
;"COLUMN FORMAT"

```

16K  
Disk

## Double Duty

By Joe Perevosnik

*Disk Dir* uses only one granule and prints hard copies of disk directories on the Star SG-10 printer.

Simply turn on the printer, load and run the program, and answer the "Name" prompt. The directory of Drive 0 will be printed in double-strike, super-script letters. When the directory of Drive 0 is printed, the prompt appears again and, upon input, prints the directory of Drive 1.

Two printed directories are small enough to fit side by side on the front of a disk jacket and can be cut and taped to the front of the jacket.

Perhaps this program will help keep some order in your disk collection.

The listing: DISK DIR

```

10 PRINT#-2,CHR$(27)"A"CHR$(7):P
RINT#-2,CHR$(27)"G":PRINT#-2,CHR
$(27)"E":PRINT#-2,CHR$(27)"S"CHR
$(0)
20 PRINT#-2:INPUT"DISK NAME";X$:
PRINT#-2,X$:PRINT#-2,"-----
-----":POKE111,254:DIR:PRIN
T#-2:PRINT#-2,"FREE SPACE"FREE(0
)"GRANULES":PRINT#-2,"-----
-----":PRINT#-2:PRINT#-2

```

```

30 PRINT#-2:INPUT"DISK NAME";X$:
PRINT#-2,X$:PRINT#-2,"-----
-----":POKE111,254:DIR(1):PR
INT#-2:PRINT#-2,"FREE SPACE"FREE
(1)"GRANULES":PRINT#-2,"-----
-----":GOTO20

```

RAINBOW ON TAPE 6/83

MENU	BAS	0	B	1
TRIVIA	BAS	0	B	1
TESTDEMO	BAS	0	B	1
BARGRAPH	BAS	0	B	3
LABELER	BAS	0	B	3
ROACH	BAS	0	B	4
FLTSIM32	BAS	0	B	4
FLTSIM16	BAS	2	B	1
RAINTEXT	BIN	1	B	1
COPYDIR	BAS	1	B	1
BIN-COS	BAS	1	B	1
3D GRAPH	BAS	1	B	1
MONSMENU	BAS	1	B	1
CRYPTSAM	BAS	1	B	1
CRYPTO	BAS	1	B	1
MR ED	BAS	1	B	1
RIXRATE	BAS	1	B	1
FORMATR	BAS	1	B	1
SIGNS	BAS	1	B	1
SPOOLER	BAS	1	B	1
PIXDUMP	BAS	1	B	1
2CRAPSA	BAS	1	B	1
3CRAPB	BAS	1	B	1
PIPELINE	BAS	1	B	1
RAINBUG2	BAS	1	B	1
DISK-DIR	BAS	1	B	1
FREE SPA	BAS	1	B	1

RAINBOW ON TAPE 6/84

MENU	BAS	0	B	1
PIANO	BAS	0	B	1
TONE ROW	BAS	0	B	3
LAYOUT	BAS	0	B	3
CLOVER	BAS	0	B	3
JOPLIN	BIN	2	B	2
WIDOW	BIN	2	B	2
ELECTION	BAS	2	B	2
MUSI1812	BAS	0	B	2
LOCOCOCO	BAS	0	B	1
MUSIC+	BAS	0	B	1
CTRYROAD	BAS	0	B	2
DOODLER	BIN	0	B	6
BASEBALL	BAS	2	B	2
SCRNQUIZ	BAS	0	B	1
QUIZMAKR	BAS	0	B	10
NUMBERS	BAS	0	B	2
VOTRAX	BAS	0	B	2
CLASSICS	BAS	0	B	1
BANDY1	BAS	0	B	1
CONNECT4	BAS	0	B	3
GUITAR	BAS	0	B	3
TYPESET	BAS	0	B	1
CHORDS	BAS	0	B	3
MUSIC	BAS	0	B	1
WALPAPER	BAS	0	B	3
DISK-DIR	BAS	0	B	2
FREE SPACE	BAS	0	B	1
4 GRANULES	BAS	0	B	1

Sample Printout



# Printing With Style

By Blake C. Hughes

*Print Font* prints 10 different styles on a Tandy DMP-105 printer. Select a style and you are ready to print with your favorite program or word processor.

If you would like a hard copy of each style, simply add the following line after running the program:

```
330 PRINT "WHAT STYLE ARE YOU SAM
PLING?":LINEINPUT I$:PRINT#-2,I$:
GOTO 10
```

It is not necessary to clear the printer buffer when changing styles. The buffer is automatically cleared of any existing printer codes each time a new style is selected.

The listing: PRNTFONT

```
10 ' DMP-105
20 ' BY BLAKE C. HUGHES
30 ' 5210 GLANCY DR.
40 ' CARMICHAEL, CA 95608
50 '
60 PRINT#-2,CHR$(14);CHR$(27);CH
R$(15);CHR$(27);CHR$(32);CHR$(27
);CHR$(19);:UN=1:GOTO 80
70 CLS:PRINT:PRINT" CHOOSE A ST
YLE TO UNDERLINE":GOTO 90
80 CLS:PRINT:PRINT" SELECT A
STYLE OF PRINT"
90 PRINT@96," 1. STANDARD NORMAL
DENSITY 2. STANDARD ELITE
DENSITY 3. STANDARD CONDEN
SED DENSITY 4. BOLD NORMAL DEN
SITY 5. BOLD ELITE DENS
ITY 6. BOLD CONDENSED
```

DENSITY"

```
100 PRINT" 7. ELONGATION NORMAL
DENSITY 8. ELONGATION ELITE D
ENSITY 9. ELONGATION CONDENS
E DENSITY"
110 IF UN=1 THEN PRINT"10. UNDER
LINE"
120 INPUT C$
130 IF C$="1" THEN 230
140 IF C$="2" THEN 240
150 IF C$="3" THEN 250
160 IF C$="4" THEN 260
170 IF C$="5" THEN 270
180 IF C$="6" THEN 280
190 IF C$="7" THEN 290
200 IF C$="8" THEN 300
210 IF C$="9" THEN 310
220 IF C$="10" THEN 320 ELSE 80
230 GOSUB 330
240 PRINT#-2,CHR$(27);CHR$(23);:
GOSUB 330
250 PRINT#-2,CHR$(27);CHR$(20);:
GOSUB 330
260 PRINT#-2,CHR$(27);CHR$(31);:
GOSUB 330
270 PRINT#-2,CHR$(27);CHR$(31);C
HR$(27);CHR$(23);:GOSUB 330
280 PRINT#-2,CHR$(27);CHR$(31);C
HR$(27);CHR$(20);:GOSUB 330
290 PRINT#-2,CHR$(27);CHR$(14);:
GOSUB 330
300 PRINT#-2,CHR$(27);CHR$(14);C
HR$(27);CHR$(23);:GOSUB 330
310 PRINT#-2,CHR$(27);CHR$(14);C
HR$(27);CHR$(20);:GOSUB 330
320 PRINT#-2,CHR$(15);:UN=0:GOTO
70
330 CLS:PRINT" YOUR PRINTER IS
NOW READY!!":END
```

Standard Normal Density  
Standard Elite Density  
Standard Condensed Density

BOLD Normal Density  
BOLD Elite Density  
BOLD Condensed Density

Elongation Normal Density  
Elongation Elite Density  
Elongation Condensed Density

Underlined Standard Normal Density

Sample Printout of Print Font



# The Price is Right and Upgrade Looks Easy

By Richard E. Esposito  
Rainbow Contributing Editor  
with Richard W. Libra

**Q** Can I use a TEAC FD-54A SSDD 40-track, half-height disk drive as Drive 1 on my FD 501? These are available for about \$50, and the upgrade looks easy enough to do myself.

Michael J. Keyes  
(MIKEYES)  
Wichita, KS

**R** Any half-height drive that is IBM PC-compatible will do the job, although, due to the orientation of the edge connector, with some drives you may need a new cable.

## Remote Terminals


**Q** I own a CoCo 1 and a CoCo 2 and would like to know how to use one of them as a remote terminal in my home. I know that running a terminal program on both computers will make them "talk" to each other, but I would like to run multiple tasks so that my wife and I can work on different projects at the same time. I also own OS-9 Version 1.0. What modifications do I need to make on my hardware, and what additional software, if any, do I need?

Erasmio A. Martinez  
Watertown, NY

**R** You can obtain a 4-pin DIN to 4-pin DIN cable from Radio Shack catalog number 26-3020, \$4.95. At one

Richard Esposito is a senior project engineer with Northrop Corp. He holds bachelor's, master's and doctorate degrees from Polytechnic Institute of Brooklyn. He has been writing about microcomputers since 1980.

Richard Libra is a simulator test operator for Singer Link Simulation Systems Division.



of the DINs, the wires need to be switched between pins 2 and 4, creating a null-modem cable. If you run OS-9's tsmom on one CoCo, you can sign on as a terminal from the other (using terminal software) as a remote user. It would work much better if the OS-9 host CoCo is a CoCo 3 running Level II.

## Needs More Speed

**Q** I have a 64K CoCo 2 with a disk drive and DMP-110 printer. I'm using CoCo Graphics Designer. Is there any way to speed up this program?

Frank Daniel  
(KIRBYE)  
Smyrna, GA

**R** Before running the program, type POKE 65495,0 and set your printer baud rate to half the normal baud value. This makes your CoCo run

at double speed when in ROM. To return to normal speed, type POKE 65494,0.

## Booting DOS From Drive 1

**Q** How can DOS programs be run from Drive 1? I have tried RUN DOS:1 and Drive 1 starts the boot routine, but Drive 0 kicks in to complete the operation. I have also tried using Drive 1 as the system default, but it does not help.

Rick Pochervina  
(RAPOC)  
Wickliffe, OH

**R** As long as the drive number is not hard-coded into the software, you can type DRIVE 1 making Drive 1 the default drive. Then typing RUN "DOS" will access the drive you want.

## Artifact Colors on CoCo 3

**Q** I would like to know if there is any software for the CoCo 3 that will display the PMODE4 artifact colors on a Tandy CM-8 monitor. These colors are not important in most games but, in a game like Q\*Bert, you need to know the colors of the squares.

Jason B. Ruddock  
(JAYR)  
Montville, NJ

**R** Sorry Jason, artifact colors cannot be displayed on the CM-8. For this reason, many CoCo 3 users have opted for Magnavox's 8CM515 monitor that has both RGB and composite video inputs. When viewing a display with artifact colors on the



# PAY ONLY FOR WHAT YOU WANT

( OVER 100 UTILITIES TO CHOOSE FROM )

40k Basic for Cassette Programs\*  
40K for Disk Programs\*  
Alphabetize your disk directory  
Appointment Calendar  
ASCII File Scrambler  
ASCII file utility  
Automatic Disk Backup\*  
Automatic Cassette Saver  
Automatic Disk Saver  
Automatic Directory Backup\*  
Banner Maker  
Basic Program Autostart for cassette  
Base converter  
Basic Program Line Copy Utility  
Basic Search  
Bowling Score Keeper  
Calendar Maker (DMP Printers)  
Cassette Label Maker (DMP Printers)  
Clock for Programming  
Computerized Checkbook  
CoCo Base (different CoCo Products)  
CoCo Calculator  
Design your own Commands  
Disk Cataloger  
Basic Program Encryptor  
Disk Label Maker  
DMP Character Set Editor  
DMP Superscripts  
Enhanced Basic \*  
Enhanced KILL  
Enhanced TRON/TROFF  
Error Locator  
Fast Sort for Basic Strings  
Function Keys  
Gemini/Epson Graphics Dump  
Gradebook for teachers  
Graphics Compression  
Graphics Lettering (2 sizes)  
Graphics Shifter  
Graphics Screen Zoom  
Home Bill Manager  
IO Data Monitor  
Inverse Highlighting

Keystroke Saver  
Large DMP Graphics Dump  
Last Command Repeater  
Line Cross Reference  
LIST/DIR Pause  
Mailing List (Disk Only)  
ML/Basic Merge  
Memory Monitor  
Message Animator  
Metric Conversions  
ML to DATA Convertor  
Multiple Choice Test Maker  
Numeric Keypad  
ON BREAK GOTO command  
ON RESET GOTO command  
Phone Directory (Disk Only!)  
Printer-to-Screen  
Printer Tutorial  
Program Packer (Basic Pro's)  
Purchase Order Maker  
RAM Disk for Cassette\*  
RAM Disk 2 (Cas & Disk)\*  
RAM Test \*  
Replace Phrases (Basic)  
Restore lost cas Basic pro's  
ROM Switcher \*  
Sign Maker  
Single Stepper  
Slow Motion  
Speedup Tutorial  
Super INPUT/LINEINPUT  
Super Command Keys  
Super Editor  
Super Paint (65000 styles)\*  
Super Repeat Key  
TAB/SHIFT-LOCK keys  
Tape Encryption  
Tape Index System  
Text Screen Dump  
Title Screen Creator  
UNKILL KILLED Disk pro's  
Variable Cross Reference  
VCR Tape Organizer

All programs available on disk only. More than one program will be sent on the same disk. Documentation included. Please add \$1.00 S&H. NYS residents add sales tax. All programs compatible with CoCo 1,2,3. Programs marked with \* are compatible with CoCo 1 & 2 only.

EACH PROGRAM - \$9.00    2 PROGRAMS - \$16.00    3 PROGRAMS - \$21.00  
4-PROGRAMS - \$24.00    5 OR MORE - \$5.00 EACH



**MICROCOM SOFTWARE**  
P.O. Box 214  
Fairport, N.Y. 14450  
Phone (716) 223-1477

To order: All orders \$50 & above shipped by 2nd day Air UPS with no extra charge. Last minute shoppers can benefit VISA, MC, Am Ex, Check, MO. Please add \$1.00 shipping and handling (USA & CANADA, other countries \$5.00) COD add \$2.50 extra. NYS residents please add Sales Tax. Immediate shipment. Dealer inquiries invited.



**Call Toll Free (For Orders) 1-800-654-5244** 9 AM - 9 PM EST 7 days a week

Except NY. For information, technical information, NY orders & after-hours 1-716-223-1477



Magnavox, you simply select the composite input. With the CM-8, the code can be patched to use PMODE3 instead of PMODE4, which will return the colors, but with some loss of detail.

**Editor's note:** A new product just released from Spectrum Projects, *RGB Patch*, will allow many programs that show up in black and white on a CM-8 to be displayed in color. However, it will not work for ROM packs, programs that run under OS-9 or BASIC programs. It will run with many machine language programs, including some with copy protection schemes.

### Terminal Communications

I own a CoCo, a TRS-80 Modem III and Color Connection III terminal software. My son owns a Commodore. I'm not sure what he's using for a modem or terminal software. Is it possible for us to communicate via our terminals even though we don't have the same type of equipment?

Joseph R. Lavalley  
(BAKERMAN)  
Carrollton, TX

You need to obtain smart terminal software for both machines and a null-modem cable (see answer to Erasmo Martinez) to interconnect the two machines.

### CoCo Util Upgrade

I have recently purchased a CoCo 3. I'm experiencing difficulty with Spectrum Projects' CoCo Disk Utility Version 2.1A. It seems to lock up when the opening menu is displayed. Can you suggest a fix? Also, I'm interested in using OS-9 Level II on my CoCo 3. What are the best drives for such a system that remain operational even with RS-DOS and my old CoCo 1-3 software?

Alan J. Weston  
(HEADLY)  
Carterville, IL

Spectrum Projects markets an upgrade for your version of *CoCo Util*; see their ad for details. For maximum versatility and reliability, get two half-height, 40-track, double-sided drives.

### A Joker Poker Fix

Joker Poker, March 1987, does not work on my CoCo 3. The cards are displayed on the screen, then this message appears: `erno 26 erlin 13` did you enter, `'F$="SCORES":GOTO 2125;` to establish scores? I've tried calling the author and have received no answer. Help!

Leonard J. Petty  
(WESTINGHOUSE)  
Danville, CA

The author intended for you to type `F$="SCORES":GOTO 2125` before running the game for the first time, as lines 2125-2130 will then create a file named SCORES that is necessary for proper operation of the program. Note, there must be space available on an unprotected disk in Drive 0 to establish the SCORES file.

### CoCo to Leading Edge Connection

In addition to my first computer, a 16K CoCo upgraded to 64K, I now have an IBM clone, a Leading Edge 640K. In an effort to put some of my old CoCo tape files onto an LE disk, my son tried to make a direct connection from the CoCo's serial port to the serial port of the LE. He carefully established the pin configurations of an RS-232 connector for the LE and the 4-pin CoCo printer output port, and then he connected the two computers. Since direct connections did not work, he finally tapped into the data contacts of my Botek CCP-1 serial interface. He plugged the interface into the CoCo and a printer (the printer remained off), and connected two wires to the LE RS-232 from two signal contacts on the Botek. I was able to put a file from a CoCo tape cartridge into the CoCo, then PRINT from the CoCo to the LE, and finally save the program on LE disk. My question is this: What conditions have to be present on the carrier detect pin in order to continue sending data to the printer board? Whatever those conditions are, Botek obviously meets them, while a direct connection does not. Also, why, when the transfer of data was made, was there such a proliferation of carriage returns? Every two or three words had a carriage return after them. I had expected a loss of text form because of the differences in text-structuring signals, but I cannot understand the addition of the CRs. Lastly,

why did the transfer work on my Telewriter 64 files and for a taped ASCII file, but not for CoCo Scripts files?

David O. Winfrey  
Smithsburg, MD

To make a null modem to connect the two computers, refer to figures 1 and 2 below:

Short pins 4 (RTS) and 5 (CTS) on the DB-25.

Short pins 6 (DSR) and 20 (DTR) on the DB-25.

Join Pin 1 (TXR) of DIN with Pin 3 (RXR) of DB-25.

Join Pin 2 (GND) of DIN with Pin 7 (GND) of DB-25.

Join Pin 3 (RXR) of DIN with Pin 2 (TXR) of DB-25.

Join Pin 4 (CD) of DIN with Pin 8 (CD) of DB-25.




Figure 1: DB-25 Plug for IBM-PC Clone (cable side away from you)




Figure 2: 4-Pin DIN on CoCo (cable side away from you)

To transfer files using this cable, use a smart modem program similarly configured on both machines. The IBM-PC and clones terminate each line of an ASCII file with CR LF while the CoCo terminates each line with CR only. So, if you list a file copied from a PC, it will come out double-spaced unless you filter out the LFs.

A regular save from *Scripts* uses its own special disk format. If you want to generate a normal (thus transferable) file, use the Print to Disk option in *Scripts*.

### Spectaculator Help

Regarding Spectaculator in your November column, can I change the print width in the ROM packs/tape version? If so, when do I enter the patch if the ROM packs must be loaded with the CoCo off? Can I make it print at 9600 baud?

Bill Condie  
Freehold, NJ



**R** To print at 9600 baud, put a piece of tape over the cartridge detect land (#8) of the ROM packs. With this line disabled, you can POKE 150,1 for 9600 baud and then EXEC \$HC000 to run the program. To change the print width, you need to change the value in \$D0AF to 1 plus your desired print width. Unfortunately, this address is normally in ROM, so you will need to make either a new ROM with the corrected value or run it from RAM. If running from RAM, *Spectaculator* is one of those "problem" ROM packs that needs to be fixed to run in RAM.

### Nothing but Garbage

**I** Every once in a while, I'll load something from tape, and it'll be nothing but garbage; I wait 15 minutes and it loads fine. The time of day, location or length of time that my CoCo has been on doesn't seem to make any difference. There must be something that I can do to counteract this. Do you have any ideas?

Norman Gruff  
Dallas, TX

**R** You did not say, but if you have an 'F' board (PC board serial number ending in 285 or NC) CoCo 1 with overheating problems, secure a copy of RS Technical Bulletin CC:20. It gives instructions on installing a logic board (AX-7089), an SN74LS12, and an SN74LS393 to solve the problem. If the problem is only with specific tapes, try loading the tape with the recorder upside down. This puts the tape in a slightly different orientation with respect to the head and might help an otherwise unloadable tape to be read.

### RS-232 Downloads

**I** I have a 64K CoCo 1 with a Multi-Pak interface, single-sided disk drive, a 1.1 Radio Shack controller, and a Deluxe RS-232 Program Pak with a model 1B modem. How can I transfer a program from the RS-232 Program Pak to the disk drive without CLOADing to tape? Even following instructions in the Multi-Pak manual doesn't seem to work.

Charles Di Martino  
Conshohocken, PA

The RS-232 pack, in itself, is incapable of reliably downloading programs from information networks and BBSs. To download using the RS-232 pack requires that you use a third-party terminal program with XON/XOFF protocol such as *Auto-term* from PXE Computing, *DataPak II* from Cer-Comp, *Color Connection* from Computerware, or one of the public domain terminal programs such as *MikeyTerm* or *Greg-E-Term*.

### Peeking at the Printer

**I** The ON BRK on my CoCo 3 is very helpful, but how can I tell from BASIC if the printer is ready before using it? The BREAK command will not break a PRINT#-2 that is waiting for the printer. I want to connect my CoCo 3 to a printer that has an RS-232 input. Does the CoCo 3 use the DTR or the XON/XOFF protocol?

Mike Chambreau  
Los Altos, CA

**R** To check if the printer is online, try ANDing the value at the decimal address 65314 with 1. If the result is 0, then the printer is online. If the

Hint . . .

### A Minor Adjustment

I/O Errors encountered when using a tape system on your CoCo are quite frustrating. There are so many places for these errors to occur. Similarly, there are a thousand techniques for solving them. I found one that works 99 percent of the time. Use a small Phillips head jeweler's screwdriver to adjust the head azimuth of the playback head.

First, disconnect the recorder from the CoCo, set the volume to a comfortable level and play the tape. On the CTR-80 and CTR-81, you will find a small hole near the Radio Shack name on the front panel. There is a small screw in this hole. For the CCR-82, the screw is just to the left of the playback head in the tape compartment.

Now, turn the screw slowly from side to side while listening to the tape. Adjust the screw until you hear the clearest, crispest sound possible. This is the point at which your tape has the best chance of loading. Keep in mind, you will probably have to re-adjust the screw for other tapes. However, it isn't that much of a hassle in comparison with the I/O Errors.

Michael Nellis  
Royal Oak, MI

## RAINBOWFEST SPECIAL

*Why pay extra for software?*

### THE FIRST COMPLETE COCO 3 512K UPGRADE

#1014 JRAMR ØK MEMORY **49<sup>95</sup>**  
Assembled and Tested

Includes User Friendly, Highly Customizable  
Double Ram Disk, Customizable Print Spooler,  
Memory Test Program and Ramdisk Utilities

### All Other Products & Software

**10% OFF**

Offer good thru May 30, 1987. (Add \$4.00 shipping & handling; add \$3.00 C.O.D.)

PHONE TODAY

RAY  
(301) 788-0861

JESSE  
(301) 987-9067

J&R Electronics / PO Box 2572 / Columbia, Md. 21045




result is 1, the printer is not online. A typical routine might look like this:


```
10 IF PEEK(65314)AND1 = 0
THEN 30
20 PRINT "TURN PRINTER ON!!"
:GOTO10
30 program continues here
```

The Color Computer uses the DTR signal from the printer's RS-232 port to tell the computer when the print buffer is full. No character processing is done as is the case in a system using XON/XOFF.


### A VIP Solution

 It was almost two years ago that I purchased VIP Speller from Sofilaw. I had hoped to use it with my Scriptsit program but, needless to say, it never worked properly. For extremely short documents, it worked correctly. However, longer documents would simply disappear toward the end of the document. I have called Sofilaw [now VIP Technologies] and was told it should work, but the fact remains that it doesn't. I think I know why, however. All saves in Scriptsit are in binary, and VIP Speller is looking for the ASCII files. Is there any way of converting these binary files to ASCII code files?

Richard Zawatzke  
Racine, WI


 The Scriptsit program does save text files in a strange combination of binary and ASCII. VIP packages also use a strange format for their ASCII saves. These differences are causing problems. I have found that a text file saved to disk from Scriptsit can be read into VIP Writer with no problems. If that file is then resaved, it will work correctly with VIP Speller.

### Carriage Adjustments


 I have a problem with my Radio Shack Line Printer VIII (Catalog No. 26-1168) that only shows up in the data processing mode. If I attempt to LIST a program, any time the printer encounters a line with more than 80 characters, the carriage stops at the extreme right and the alert LED light comes on. If I press the reset button, the carriage returns to the left and begins printing, but some data is lost. If I try the self test at power up, a similar thing happens after printing only one line of characters. When attempting to print a report on a Pro-Color file, this also occurs. The printer works fine for word

processing with VIP Writer or when in the graphics mode for printing pictures from CoCo Max. Can you tell me what might be wrong and how I can fix it?


Mark Fields  
Troy, OH

 It sounds as if the carriage is improperly set on your LP-VIII. This could be due to age, but most likely it is because you have recently moved the carriage. The print head may be trying to print the 80 characters that the printer logic is telling it to. However, the print head is starting too far to the right. When it gets out to the end of the line, it runs out of room and gets stuck against the stop on the print head guide. This will cause the alert light to come on. Make sure the print head is as far to the left as possible before printing. This should happen automatically when the printer is turned on; however, age can alter this.


### Lack of Underlines

 I have an unusual problem with my word processing program, VIP Writer. When I send my output to my printer, a Smith-Corona L-1000 daisy wheel, I cannot get any words underlined. I've tried all of the program's underlining procedures and changing the printer's ASCII formats, but still cannot get the underlining function of my printer to operate. Do you have any suggestions?


Randall Berkland  
San Francisco, CA

 Most printers have a specific control code or control sequence to designate underlining printing. This is usually in the form of ESCAPE##. Some cases may not require the escape character. You should first consult your printer manual for the proper code to tell the L-1000 to underline, then set up a special printer driver as explained in the VIP Writer manual. The default driver in the Writer program is for a DMP-200. The manual explains how to alter this driver.

### Model 100 — CoCo Tape Transfers

 I have some cassettes for a TRS-80 Model 100 portable computer and have tried to load them into my CoCo by poking values into locations 143, 144 and 145, but to no avail. Can you offer any guidance?


Harold Luck  
Jacksonville, AR

 In reference to the two figures in answer to David Winfrey's question, you can build a null-modem cable as below:


DB-25		DIN
Pin		Pin
2	<----->	3
3	<----->	1
7	<----->	2
20	<----->	4

Then with a smart terminal program in the Model 100, you can transfer ASCII-saved BASIC programs and text files between the two machines.

### No Negative Voltages Here

 What are the voltages found on pins 1, 2, 3 and 4 on the socket numbered CN-2 on a Radio Shack disk drive? I thought that the disk drive needed +5, +12 and -12 volts. Is this true?


Michael Smith  
Colorado Springs, CO

 The connector that you refer to on your Radio Shack disk drive is connected to the power supply as follows:


Pin 1 = +12 volts  
Pin 2 = +12 volt ground  
Pin 3 = +5 volt ground  
Pin 4 = +5 volts

The disk drive does not require -12 volts for operation, just +5 and +12 volts.

### CoCo 3 Service Manual

 Where can I get a technical service manual for my CoCo 3?

David Rogers  
Columbia, MD

 Order part #MS 260-3334, \$15.60, through your local Radio Shack dealer from Radio Shack national parts.

For a quicker response, your questions may also be submitted through RAINBOW's CoCo SIG on Delphi. From the CoCo SIG> prompt, pick Rainbow Magazine Services, then, at the RAINBOW> prompt, type ASK for "Ask the Experts" to arrive at the EXPERTS> prompt, where you can select the "Doctor ASCII" online form which has complete instructions.





# A Simple Font Creator for the Hi-Res Screen

By David R. Jenkins

**F**ont Creator is a program written for the Color Computer 3. Since the CoCo 3 operates in the all-RAM mode, it is possible to change things you do not like. Font Creator makes new fonts, or type styles, for the HPRINT command, which places text on the high resolution text screens. My program was inspired by an alternate type font created by Andre Boivin.


The font you create is saved to a disk file that can be loaded like any binary file with the LOADM command. It is even possible to mix fonts by loading a font, printing to the Hi-Res screen, loading another font and printing more.

The Hi-Res font resides in addresses 61605 through 62364. Each character consists of eight bytes. Each byte controls eight pixels on one line. A high bit sets a pixel and a low bit clears a pixel. Font Creator manipulates these bits, saves them to memory and saves them to disk for later use.

The program contains remarks that define the operation of each section. The program was designed using the RGB monitor which creates colors on

a Hi-Res screen that are different from a composite monitor or TV. If you don't like the colors, change the palettes in Line 100. PALETTE 0 is the background, 1 the foreground, 2 the definition block color and 15 the command block color.

Using the program is easy. To define a character, simply type the character on the keyboard. The current definition of that character is retrieved from memory and displayed. Use the arrow keys to move the flashing box to the



Dave Jenkins is an engineer at WNIN FM/TV in Evansville, Indiana, and has been using his Color Computers for six years.

*This photograph shows the Font Creator's "edit" screen. Available commands are indicated in the upper left corner.*



pixel you want to change. Press the space bar to either set a cleared pixel or clear a set pixel. If you make a mistake, simply press the space bar again. When you are done editing that character, press ENTER.

Other commands are implemented. Press the space bar to access them from the main page of the program. These commands let you save or load a font from disk, give you instructions, return to the main page, display the current font, or end the program.

Even if you end the program, your new font stays in memory. The first time you run the program, press the space bar for the other commands, then save the current set as DEFAULT. Later if you want to return to the original font, simply LOADM"DEFAULT.FNT". (Note: Do not use extensions when loading or saving within this program. The extension of .FNT is automatically added to your filename.)

To use your new font in another program, simply LOADM it, but do not EXEC it! The font is not a machine language program, but an overlay to part of the basic memory of the computer. It is ready to go with a simple LOADM command.

The program is straightforward. A

menu box is drawn on the upper-left corner of the graphics screen, and an editing block on the upper-right portion of the screen. The main menu is handled in lines 130 to 270. At the main menu, you may select a key to edit, press the space bar for more commands, or press the F2 key for special characters not available from the keyboard.

The editing menu is in lines 310 to 400. After this menu is printed, the program retrieves the character from memory and places it on the editing block. Lines 430 to 540 do the bit manipulation to set the proper squares on the editing block. If a bit is set, the square is painted on the screen. The arrows move the flashing square, which is the active editing point, around the editing block. A "wrap-around" is also active so if you move off one side of the block, you re-enter at the opposite side. The space bar toggles the square from its previous state, i.e., turns it on if it was off, and vice versa. Pressing ENTER stores the character in RAM in the usual location.

Lines 900 to 960 print the menu for other commands. They are self-explanatory. Display Font will display the current font, which is done in lines 1310 to 1350.


Special characters are not available directly from the keyboard. These special characters are contained in a separate menu, available by pressing F2 at the main menu.

The BREAK key is used to exit any function. It is trapped at all times and usually returns you to the previous menu. For instance, if you change your mind while editing a character, you may press BREAK to abort that edit. Nothing will be stored in memory and you are returned to the main menu. As you can see, the BREAK-key trap can be changed at any time in the program.

The high-speed poke is also used throughout the program with the exception of disk I/O.

The program can be modified for tape operation by changing LOADM to CLOADM in Line 1010 and SAVEM to CSAVEM in Line 1020. Also, in each of those lines, an extension is added to the filename. Delete this portion of each line: F\$F\$. "FNT".

(Questions about this program may be directed to Mr. Jenkins at 1418 East Illinois Street, Evansville, IN 47711. Please enclose an SASE for a reply.) □



The listing: FONT GEN

```

10 'INITIALIZE PROGRAM
20 POKE 65497,0
30 ON BRK GOTO 1300
40 HBUFF 1,5900
50 'INITIALIZE TEST STRINGS
60 FOR J=33 TO 64:T1$=T1$+CHR$(J)
70 NEXT J
70 FOR J=65 TO 96:T2$=T2$+CHR$(J)
80 NEXT J
80 FOR J=97 TO 127:T3$=T3$+CHR$(J)
90 NEXT J
90 HSCREEN 2
100 PALETTE 1,0:PALETTE 0,54:PALETTE 2,36:PALETTE 15,38
110 HCOLOR 15,0:HLINE(0,0)-(130,

```

```

88),PSET,BF:HCOLOR 1,0:HGET(0,0)
-(130,88),1
120 'MAIN PROGRAM HERE
130 FOR X=150 TO 310 STEP 20
140 HLINE(X,6)-(X,166),PSET
150 NEXT X
160 FOR Y=6 TO 166 STEP 20
170 HLINE(150,Y)-(310,Y),PSET
180 NEXT Y
190 HPRINT (2,0),"FONT CREATOR"
200 HPRINT (0,1),"By Dave Jenkin
s"
210 HPRINT (0,3),"Press characte
r"
220 HPRINT (3,4),"to define OR"
230 HPRINT (0,5),"Press SPACE BA
R"
240 HPRINT (3,6),"for commands"
250 HPRINT (0,7),"Press <F2>"
260 HPRINT (3,8),"for special"
270 HPRINT (3,9),"characters"
280 D$=INKEY$:IF D$="" THEN 280
290 IF D$=CHR$(4) THEN 1380 'F2
KEY?
300 IF D$="" THEN 890 ELSE IF A
SC(D$)<32 THEN 280
310 GOSUB 1280 'CLEAR COMMAND BO

```



# Computer Island Educational Software

## ARROW GAMES

32K Ext. - \$21.95 tape/\$26.95 disk

Six menu driven games for young children (ages 3-6) to teach directions. All games involve using the arrow keys ONLY. Games include: LADYBUG, BUTTERFLY, ARROW MATCH, KALEIDOSCOPE, RABBIT, and DOODLE. Colorful graphics.

## FIRST GAMES

32K Ext. - \$24.95 tape/\$29.95 disk

First Games contains 6 menu driven programs to delight and teach your early learners (ages 3-6). These games enrich the learning of colors, numbers, lower case letters, shapes, memory, visual discrimination and counting.



## CLOZE STORIES

32K Ext. - \$19.95 Tape/\$24.95 Disk

These programs give students practice using the popular CLOZE reading technique. Each program contains grade appropriate short stories with key missing words to be deduced by the student. Available for grades 3, 4, 5, 6, OR 7. Please specify.

## DRAWING CONCLUSIONS

32K Ext. - tape \$19.95/disk \$24.95

These programs contain short stories. Each story has two accompanying questions that ask the student to draw conclusions from the text. Available for grades 3-4 OR 5-6. Please specify.

## LOCATING STORY DETAILS

32K Ext. - disk only - \$24.95

These programs contain short stories. Each has an accompanying picture. Questions about story details refer to either the text or pictures. The disk generated graphics are an integral part of these attractive programs. Available for grades 2-3 OR 4-5. Please specify.




## FOREIGN LANGUAGE GAMES

32K Ext. - \$19.95 tape/\$24.95 disk  
(500 words)

### French or Spanish Baseball

Score base hits or home runs for correct answers. You're out if wrong. Correct answers supplied. Fun way to learn and practice vocabulary. PLEASE SPECIFY LANGUAGE.



## PUNCTUATION PRACTICE

32K Ext. - tape \$19.95/disk \$24.95

On screen practice in proper usage of the familiar punctuation marks. Grades 3-7.



## MATH TUTOR SERIES

16K Ext.

These tutorials take the child through each step of the example. All programs include HELP tables, cursor and graphic aids. All allow user to create the example, or let the computer choose. Multi-level. Great teaching programs.

### LONG DIVISION TUTOR

\$14.95 tape/\$19.95 disk

### MULTIPLICATION TUTOR

\$14.95 tape/\$19.95 disk

### FACTORS TUTOR

\$19.95 tape/\$24.95 disk

### FRACTIONS TUTOR (addition)

\$19.95 tape/\$24.95 disk

### FRACTIONS TUTOR (subtraction)

\$19.95 tape/\$24.95 disk

### FRACTIONS TUTOR (mult.)

\$19.95 tape/\$24.95 disk

## COMPUTER LITERACY

32K Ext. - \$19.95 tape/\$29.95 disk

A computer literacy quiz exclusively for the Color Computer. Tests and scores from over 60 questions on a Hi-res upper and lower case screen. Reviews computer literacy and beginning programming knowledge. Ages 10 and up.



(718) 948-2748



Dept. R 227 Hampton Green, Staten Island, N.Y. 10312

Send for catalog with complete descriptions.



Please add \$1.00 per order for postage. N.Y. residents, please add proper tax. FREE set of BINARY DICE, including full directions, with orders of 2 or more items.

Dealer Inquiries Invited.

TRS-80 Color Computer

All Payments in U.S. Funds.



```

X
320 HPRINT (0,1),"Press ARROWS"
330 HPRINT (1,2),"to select bloc
k"
340 HPRINT (0,3),"Press SPACE BA
R"
350 HPRINT (1,4),"to set/reset"
360 HPRINT (0,5),"Press ENTER"
370 HPRINT (1,6),"to put in RAM"
380 HPRINT (0,7),"Press BREAK"
390 HPRINT (1,8),"to abort"
400 ON BRK GOTO 1560
410 CH=ASC(D$):CH=CH-33:OF=61605
+CH*8
420 HPRINT (17,22),"Defining":H
PRINT(27,22),D$:HPRINT(30,22),"A
SCII=":HPRINT(36,22),ASC(D$)
430 FOR Y=0 TO 7 '8 ROWS PER CHA
RACTER
440 LN(Y)=PEEK(OF+Y) 'GET CHARAC
TER
450 'DETERMINE WHICH GRID BLOCKS
TO SET
460 IF LN(Y) AND 128 THEN HPAINT
(155,Y*20+10),2,1
470 IF LN(Y) AND 64 THEN HPAINT(
175,Y*20+10),2,1
480 IF LN(Y) AND 32 THEN HPAINT(
195,Y*20+10),2,1
490 IF LN(Y) AND 16 THEN HPAINT(
215,Y*20+10),2,1
500 IF LN(Y) AND 8 THEN HPAINT(2
35,Y*20+10),2,1
510 IF LN(Y) AND 4 THEN HPAINT(2
55,Y*20+10),2,1
520 IF LN(Y) AND 2 THEN HPAINT(2
75,Y*20+10),2,1
530 IF LN(Y) AND 1 THEN HPAINT(2
95,Y*20+10),2,1
540 NEXT Y
550 CX=0 'INITIALIZE CURSOR TO 0
,0
560 CY=0
570 HLINE(CX*20+150,CY*20+6)-(CX
*20+170,CY*20+26),PSET,B
580 E$=INKEY$
590 IF E$=CHR$(94) THEN 690 'UP
ARROW
600 IF E$=CHR$(10) THEN 710 'DOW
N ARROW
610 IF E$=CHR$(8) THEN 730 'LEFT
ARROW
620 IF E$=CHR$(9) THEN 750 'RIGH
T ARROW
630 IF E$="" THEN 790 'SPACE BA
R
640 IF E$=CHR$(13) THEN 840 'ENT
ER
650 HLINE(CX*20+150,CY*20+6)-(CX
*20+170,CY*20+26),PRESET,B
660 FOR DLAY=1 TO 100:NEXT DLAY
670 GOTO 570
680 'MOVE CURSOR, WRAP IF NECESS
ARY
690 CY=CY-1:IF CY<0 THEN CY=7
700 GOTO 570
710 CY=CY+1:IF CY>7 THEN CY=0
720 GOTO 570
730 CX=CX-1:IF CX<0 THEN CX=7
740 GOTO 570
750 CX=CX+1:IF CX>7 THEN CX=0
760 GOTO 570
770 'CHECK IF BLOCK IS SET OR CL
EAR AND
780 'FLIP IT
790 BX=2^(7-CX)
800 IF LN(CY) AND BX THEN HPAINT
(155+CX*20,11+CY*20),0,1 ELSE HP
AINT(155+CX*20,11+CY*20),2,1
810 IF LN(CY) AND BX THEN LN(CY)
=LN(CY) AND (255-BX):GOTO 570
820 LN(CY)=LN(CY) OR BX:GOTO 570
830 'STORE CURRENT CHARACTER IN
RAM
840 FOR Y=0 TO 7
850 POKE 61605+CH*8+Y,LN(Y)
860 NEXT Y
870 HCLS:GOSUB 1280:GOTO 130
880 'OTHER COMMANDS
890 GOSUB 1280
900 HPRINT (1,0),"OTHER COMMANDS
"
910 HPRINT (1,1),"<S>ave Font"
920 HPRINT (1,2),"<L>oad Font"
930 HPRINT (1,3),"<I>nstructions
"
940 HPRINT (1,4),"<B>ack to Main
"
950 HPRINT (1,5),"<D>isplay font
"
960 HPRINT (1,6),"<E>nd Program"
970 D$=INKEY$:IF D$="" THEN 970
980 IF D$="D" OR D$="d" THEN 131
0
990 IF D$="B" OR D$="b" THEN GOS
UB 1280:GOTO 190
1000 IF D$="E" OR D$="e" THEN PO
KE 65496,0:RGB:CLS:END
1010 IF D$="L" OR D$="l" THEN PO
KE 65496,0:WIDTH 40:PRINT"LOAD F
ONT":INPUT"FILENAME (NO EXTENSIO
N)":F$:F$=F$+".FNT":LOADM F$:POK
E 65497,0:HSCREEN2:GOSUB 1280:GO
TO 130
1020 IF D$="S" OR D$="s" THEN PO
KE 65496,0:WIDTH 40:PRINT"SAVE F

```



```

ONT":INPUT"FILENAME (NO EXTENSIO
N)";F$:F$=F$+ ".FNT":SAVEM F$,616
05,62364,0:POKE 65497,0:HSCREEN2
:GOSUB1280:GOTO 130
1030 IF D$="I" OR D$="i" THEN 10
40 ELSE 970
1040 WIDTH 40
1050 PRINT"FONT CREATOR"
1060 PRINT
1070 PRINT" This program will
create and save a"
1080 PRINT"new font for the HPRI
NT command to use"
1090 PRINT"on the COCO 3 HI-RES
screens. It is"
1100 PRINT"very easy to use. At
the main screen"
1110 PRINT"enter the character y
ou wish to define,"
1120 PRINT"or press <SPACE> for
other commands."
1130 PRINT"To define, simply use
the arrow keys to"
1140 PRINT"move to the desired b
lock on the grid."
1150 PRINT"Press <SPACE> to eith
er set or clear"
1160 PRINT"the block that is fla
shing. When you"
1170 PRINT"have defined the char
acter completely,"
1180 PRINT"press <ENTER> to cont
inue. After you"
1190 PRINT"have defined the enti
re font, use the"
1200 PRINT"<S>ave command to sav
e it to disk."
1210 PRINT"Then, when you want t
o use the new font"
1220 PRINT"simply do a LOADM to
load it in. DO NOT"
1230 PRINT"EXECUTE!"
1240 PRINT
1250 PRINT "Press a key to begin
."
1260 D$=INKEY$:IF D$="" THEN 126
0 ELSE HSCREEN2:GOSUB 1280:GOTO
130
1270 'CLEAR COMMAND BLOCK
1280 HPUT(0,0)-(130,88),1,PSET
1290 RETURN
1300 POKE 65496,0:RGB:WIDTH 40:C
LS:END
1310 HCLS
1320 HPRINT (0,10),T1$
1330 HPRINT (0,12),T2$
1340 HPRINT (0,14),T3$
1350 HPRINT (0,19),"Press any ke
y when ready to continue."

```

```

1360 D$=INKEY$:IF D$="" THEN 136
0
1370 HCLS:GOSUB 1280:GOTO 130
1380 GOSUB 1280
1390 HPRINT (0,0),"Press letter"
1400 HPRINT (2,1),"for character
"
1410 HPRINT (0,4),"A B C D E
F"
1420 HPRINT (0,5),CHR$(96)
1430 HPRINT (3,5),CHR$(123)
1440 HPRINT (6,5),CHR$(124)
1450 HPRINT (9,5),CHR$(125)
1460 HPRINT (12,5),CHR$(126)
1470 HPRINT (15,5),CHR$(127)
1480 A$=INKEY$:IF A$<"A" OR A$>"
F" THEN 1480
1490 IF A$="A" THEN D$=CHR$(96)
1500 IF A$="B" THEN D$=CHR$(123)
1510 IF A$="C" THEN D$=CHR$(124)
1520 IF A$="D" THEN D$=CHR$(125)
1530 IF A$="E" THEN D$=CHR$(126)
1540 IF A$="F" THEN D$=CHR$(127)
1550 GOTO 310
1560 ON BRK GOTO 1300
1570 HCLS
1580 GOSUB 1280
1590 GOTO 130

```

# BEST

WE'VE CHOSEN THE BEST OF OVER 600 PROGRAMS (OVER 5 YEARS OF ACCUMULATING FINE SOFTWARE), AND PACKAGED THEM FOR YOU. 10 TO 12 PROGRAMS EACH PACKAGE. COLOR COMPUTER I, II or III. SPECIFY TAPE OR DISK. ONLY \$29<sup>95</sup> EACH PACKAGE!

## #1 Home Mgmt I

Budget  
Checkbook Balancer  
Cost of Living  
Tincalc Spreadsheet  
Electronic Datebook  
Account Manager  
Stock Market  
Word Processor  
Lottery Analyst  
Coco Database  
Coco Terminal  
Bartender

## #4 Adventures

Treasures of Barsom  
Killer Mansion  
College Adventure  
Coco-Territorial  
Escape  
Zector Adventure  
Skid Row  
Quest  
Naughide  
Haunted House

## #7 Utilities I

Cassette Merge  
Coco Monitor  
Tape Analysis  
ML to Data  
High Text Mod.  
High Text  
Program Packer  
Easy Basic  
Key Repeat  
Full Screen Editor  
ROM Copy  
Basic RAM

## #2 Home Mgmt II

Video Cassettes  
Home Product Eval.  
Elec. Gas & Water  
Baseball Manager  
Car Manager  
Ham Radio Log  
Home Inventory  
Personal Directory  
Recipe Machine  
Disk Labeler  
Password Scrambler  
Disk Dir Print

## #5 Business Helper

Workmate  
Word Processor  
Spread Sheet  
Calendar  
Accounts Receivable  
Accounts Payable  
Income Property  
Mail List  
Small Business Helper  
Stock Charting  
Job Log  
Asset Manager

## #8 Utilities II

Disk Dir Protector  
Dir. Pack & Sort  
Disk Zapper  
Roll Out  
Doss Boss  
Disk Backup  
51'24 Editor  
51'24 Screen  
Autocopy  
Fastsort  
I/O Error Ignorer  
Text Screen Print

## #3 Education

Flash Card  
Spanish Lessons  
Typing Tutor  
Creativity Test  
Anth. Football  
Cost of Living  
Math Tutors 1, 2  
Trigonometry Tutor  
Typing Game  
Word Tests  
Talking Alphabet  
Clown Dunk Math

## #6 Games

Trek  
Galactic Conquest  
Warlords  
The Power Sword  
Steps  
Robot Bomber  
Force Field  
Rat Attack  
Caterpillar Cave  
Meteor

## #9 Machine Lang. Tut.

Basic Compiler  
ML Tutorial Pt. 1  
ML Tutorial Pt. 2  
ML Tutorial Pt. 3A, 3B  
ML Tutorial Pt. 4  
ML Tutorial Pt. 5  
ML Tutorial Pt. 6  
ML Tutorial Pt. 7  
ML Tutorial Pt. 8  
MLT Dictionary  
Coco Technical Look  
Coco Technical Look Pts. 1-3



**29<sup>95</sup> EACH SET**  
★ Special This Month ★  
Buy 2 Packages and get 1  
**FREE**



T & D Subscription Software • 2490 Miles Standish Dr. • Holland, MI 49424 • (616) 399-9648





## The DMP-105 Takes a Bow

By Drue King

After experimenting with the DMP-105 printer, I thought it was time for everyone to know just what this little printer can do.

*DMP-105 Dumper*, a 16K Extended BASIC program, prints a dot-for-dot picture with a choice of  $3\frac{1}{8}$  by  $3\frac{4}{8}$  inch or  $6\frac{3}{8}$  by  $7\frac{1}{8}$  inch picture in normal or reversed print (black on white or white on black) at a specified baud rate (600 or 2400).

Lines 10 and 20 set a variable and a table. Lines 30 through 110 ask a series of questions about the type of picture you want. Line 90 asks for the graphics page start address, so your graphic picture can be on any graphics page. The graphics page start addresses are listed in the memory map in the back of your Color BASIC manual.

After setting the correct size, Line 140 goes to the appropriate print routine. So *Dumper* can be converted to another printer, all printer control codes are listed in Table 1.

through 210 for the large dump section and lines 330 through 340 for the small.

Essentially, all the program does is, after printing a row of seven dots, check to see if the eighth bit of the present byte is turned on (if the byte's value is greater than 128) and send the right character CHR\$(192) to print a dot and CHR\$(128) for no dot, depending on whether you have picked a normal or reversed screen dump.

In the DMP-105's graphics mode, any number sent to the printer that is less than 128 is considered a control code. We have to add 128 to our graphics values before they are sent to the printer. This is done in lines 170 and 300.

Most of the large screen dump section is an altered version of Mr. Kromeke's *Large Screen Dump* in "Pictures Perfect with Prowriter" (RAINBOW, May 1985). If you have questions on how the graphics are expanded, that article explains it in detail.

Table 1

### Printer Control Codes

Code	Function
CHR\$(13)	Carriage return
CHR\$(18)	Set graphics mode
CHR\$(27); CHR\$(19)	Set standard font
CHR\$(27); CHR\$(14)	Start elongation mode
CHR\$(27); CHR\$(90); CHR\$(1);	$\frac{1}{72}$ inch line feed
CHR\$(27); CHR\$(16); CHR\$(0); CHR\$(143);	Position head to dot position 143
CHR\$(27); CHR\$(16); CHR\$(0); CHR\$(47);	Position head to dot position 47

The problem with printing a correct screen dump with the DMP-105 is the print head is only seven pins high while a byte is eight bits. We have to print a row of seven dots, then return and print the eighth row. This is done in lines 200

After the printer is finished, the screen should switch back to text and say "Done" in the top-left corner of the screen. You should have a complete, centered picture.

*Drue King is 21 years old and lives in Lanesville, Indiana. He is a graduate of Prosser Vocational School and has worked with the Color Computer for five years.*

If you have any problems or questions, you can contact me at RR #1 Highway 62, Lanesville, IN 47136, phone (812) 952-2467. Please enclose an SASE for a reply. ☐



***Uncompromising performance at an incredible price.***



## The Tandy® Color Computer 3

More colors, superb graphics,  
greater power for only \$219<sup>95</sup>



### Our most powerful Color Computer

Finally, the ideal computer for your family: our most advanced Color Computer ever. The Color Computer 3 is great for small business and home applications. You get the advantages of a high-priced computer—without the high price!

### A rainbow at your fingertips

The Color Computer 3 features 128K memory (expandable to 512K), giving you greater programming power. With the CM-8 High-Resolution Monitor (26-3215), you can create razor-sharp graphics using 64 colors.

The Color Computer 3's Extended BASIC features 21 new commands that allow you to alternate screens, colors, and backgrounds—all at a higher resolution and with a greater variety of colors than any previous Color Computer.

### Compatible and expandable

Best of all, the new Color Computer 3 is compatible with software and accessories designed for the Color Computer 2, including a wide selection of educational, personal-management and game programs. Expand with a modem or printer, or add a disk drive to create a

sophisticated disk system and open the door to a library of advanced disk software.

The Color Computer 3 (26-3334) is your affordable alternative. See it today at Radio Shack.

Send me an RSC-17B Computer Catalog.

Mail To: Radio Shack, Dept. 87-A-719  
300 One Tandy Center, Fort Worth, TX 76102

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Price applies at Radio Shack Computer Centers and participating stores and dealers.  
Monitor and accessories sold separately.

**Radio Shack®**  
**The Technology Store™**  
A DIVISION OF TANDY CORPORATION



The listing: DUMP105

```

2 '          DMP-105 DUMPER
3 '          BY DRUE KING
4 '
10 DIMD(15):CL=1
20 FOR X=0 TO 15:READ A:D(X)=A:N
EXT X
30 CLS:PRINT@9,"PMODE4 DUMP"
40 :PRINT:PRINT" 1) (3 1/8) X (3
4/8)":PRINT" 2) (6 3/8) X (7 1/
8)":PRINT:INPUT"SIZE";SZ
50 IF SZ<>1 AND SZ<>2 THEN 40
60 PRINT:PRINT" 1) NORMAL ":PRIN
T" 2) reverse":PRINT:INPUT" OUTP
UT";OP
70 IF OP<>1 AND OP<>2 THEN 60
80 PRINT@240,"1) 600";:PRINT@272
,"2) 2400";:PRINT@336,"BAUD RATE
";:INPUT PT:IF PT<>1 AND PT<>2 T
HEN 80 ELSE IFPT=1THEN POKE150,8
8 ELSE POKE150,18
90 PRINT:INPUT"GRAPHICS PAGE STA
RT ADD.":AD
100 AD=AD+31:KE=AD-1
110 PRINT:PRINT" ALIGN PAPER TO
TOP OF RIBBON":PRINT" A
ND HIT ENTER";
120 AS=INKEY$:IFA$=""THEN120
130 PRINT#-2,CHR$(18);:SCREEN1,1
140 IF SZ=1 THEN PRINT#-2,CHR$(2
7);CHR$(19):GOTO270 ELSE PRINT#
-2,CHR$(27);CHR$(14):GOTO150
150 FOR SP=1 TO 20:PRINT#-2,CHR$
(13);:NEXT
160 GOSUB350:FOR AD=KE+1 TO KE+6
113 STEP32:P=PEEK(AD):J=D((P AND
15)):IF OP=1 THEN J=255-J
170 IF J<128 THEN J=J+128
180 PRINT#-2,CHR$(J);:NEXT
190 GOSUB350
200 PRINT#-2,CHR$(27);CHR$(90);C
HR$(1);:FOR GN=KE+1 TO KE+6113 S
TEP32:P=PEEK(GN):P=D((P AND 15))
:IF P>63 AND OP=1 THEN PRINT#-2,
CHR$(128);:NEXT:GOTO220ELSEIF OP
=1 THENPRINT#-2,CHR$(192);:NEXT:
GOTO220
210 IF P>63 THENPRINT#-2,CHR$(19
2);:NEXT ELSE PRINT#-2,CHR$(128)
;:NEXT
220 PRINT#-2,CHR$(13);:GOSUB350:
FOR BA=KE+1 TO KE+6113 STEP 32:P
=(PEEK(BA) AND 240)/16:J=D(P):IF
OP=1 THEN J=255-J
230 IF J<128 THEN J=J+128

```

```

240 PRINT#-2,CHR$(J);:NEXT
250 GOSUB350:GOSUB330:PRINT#-2,C
HR$(13);
260 KE=KE-1:CL=CL+1:IF CL=33 THE
N SCREEN0,1:CLS:PRINT@0,"DONE":S
TOP ELSE GOTO160
270 FORSP=1TO37:PRINT#-2,CHR$(13
);:NEXT
280 PRINT#-2,CHR$(27);CHR$(16);C
HR$(0);CHR$(143);
290 FOR AD=KE+1 TO KE+6113 STEP3
2:J=PEEK(AD):IF OP=1 THEN J=255-
J
300 IF J<128 THEN J=J+128
310 PRINT#-2,CHR$(J);:NEXT
320 PRINT#-2,CHR$(27);CHR$(16);C
HR$(0);CHR$(143);:GOSUB 330:PRIN
T#-2,CHR$(13);:KE=KE-1:CL=CL+1:I
F CL=33 THEN SCREEN0,1:CLS:PRINT
@0,"DONE":STOP ELSE GOTO 280
330 PRINT#-2,CHR$(27);CHR$(90);C
HR$(1);:FOR GN=KE+1 TO KE+6113 S
TEP32:P=PEEK(GN):IF P>=128 AND O
P=1 THEN PRINT#-2,CHR$(128);:NEX
T:RETURN ELSE IF OP=1 THEN PRIN
T#-2,CHR$(192);:NEXT:RETURN
340 IF P>=128 THEN PRINT#-2,CHR$
(192);:NEXT:RETURN ELSE PRINT#-2
,CHR$(128);:NEXT:RETURN
350 PRINT#-2,CHR$(27);CHR$(16);C
HR$(0);CHR$(47);:RETURN
360 DATA 0,3,12,15,48,51,60,63,1
92,195,204,207,240,243,252,255

```

Two-Liner Contest Winner . . .

If you change the PRINTs to PRINT#-2, you can use this routine to print scrambled words. Just enter the word you want to scramble.

The listing:

```

10 IF Q=0 THEN CLS:INPUT "ENTER
JUMBLE";A$:L=LEN(A$):FOR X=1 TO
L:B$(X)=MID$(A$,X,1):NEXT X:FOR
Z=1 TO L ELSE FOR Z=1 TO L
20 Q=1:R=RND(L):IF T(R)=1 THEN 2
0 ELSE T(R)=1:PRINT B$(R);:NEXT
Z:FOR Y=1 TO L:T(Y)=0:NEXT Y:PRI
NT " ";:GOTO 10



```

Matt Hazard  
Columbia Station, OH

(For this winning two-liner contest entry, the author has been sent copies of both *The Second Rainbow Book of Simulations* and its companion *The Second Rainbow Simulations Tape*.)



# Radio Shack has the...



## ...best of everything!

Unleash the true potential of your Color Computer with accessories from Radio Shack.

Add a pair of joysticks (A, 26-3008, Pair/\$19.95) for fast 360° movement or our Deluxe Joystick (B, 26-3012, \$29.95) that adjusts to your touch, allowing "fine tuning". For maximum control of games and graphics, simply "roll" the Color Mouse (C, 26-3025, \$49.95) across a tabletop to accurately position the cursor.

Maximize your Color Computer's power with the Multi-Pak Interface (D, 26-3124, \$99.95). You can change programs instantly using the selector switch, or under program control.

And you can connect disk drives or other accessories, too.

Here are two more great-sounding accessories! The Sound/Speech Cartridge (E, 26-3144, \$79.95) adds three-voice sound and text to speech. The Orchestra-90 CC (F, 26-3143, \$79.95), lets you create electronic music and sound effects.

The 300-baud DC Modem Program Pak (G, 26-2228, \$89.95) makes it possible to join the telecommunications wave. Since the modem and software are built in, you can access information services by phone. Need more memory? Hard disk storage is yours with the Hard Disk Interface (H, 26-3145, \$129.95)\*.

Come in to your local Radio Shack today for the accessories that make your Color Computer even more of a high performer!

### Send me an RSC-17B Computer Catalog

Mail To: Radio Shack, Dept. 87-A-718  
300 One Tandy Center, Fort Worth, TX 76102

Name \_\_\_\_\_  
Address \_\_\_\_\_  
City \_\_\_\_\_  
State \_\_\_\_\_  
Zip \_\_\_\_\_  
Phone \_\_\_\_\_

**Radio Shack®**  
**The Technology Store™**  
A DIVISION OF TANDY CORPORATION

\*Requires 64K, Multi-Pak Interface, floppy disk with controller and OS-9 (2.0 or later). Prices apply at participating Radio Shack Computer Centers and participating Radio Shack stores and dealers. Orchestra-90/TM Software Affair. OS-9/TM Microware Corp.





*A program to set up your SG-10*

## The Printer That Came in From the Code

By David R. Jenkins

One of the problems with owning a printer as versatile as the Star SG-10 is keeping track of all the different codes for different type sizes, fonts, spacing, etc. In short order, your owner's manual wears out!

This program will set up the printer for you. The program is completely menu-driven, so it is nearly self-explanatory. It also shows how you can set up a multiple-level, menu-driven program easily.

The main menu allows you to select different groups of functions. When you select a group of functions, you receive another menu of specific functions. You may then see yet another small menu of options.

Important: Set the baud rate first. This program sends codes to your printer, and the baud rate must be correct or the entire program will either work incorrectly, or freeze. If you have a switcher on your printer port, be sure it is in the printer position.

Here is a rundown of the program options. Option 1 sets the baud rate of the computer. The program accepts the baud rate as an actual number (e.g., 600) rather than a meaningless code (such as 88). Enter a speed of 600, 1200, 2400, 4800, or 9600 (no commas). Other entries are rejected. You may have to

slightly adjust the values in lines 230 through 270 for your system.

Option 2 sets the type size. Table 1 shows the widths that are possible. Notice that "expanded" is not a size by itself, but doubles the size of whatever the printer is set for. So, you can have expanded pica, expanded elite, or expanded condensed (which may sound ridiculous but actually looks pretty good). "Never Mind" returns you to the main menu.

**Table 1: Characters per inch for type sizes**

	Normal	Expanded
Pica	10 cpi	5 cpi
Elite	12 cpi	6 cpi
Condensed	17 cpi	8.5 cpi

(cpi = characters per inch)

Option 3 selects the type font, or style. Many of the fonts are on/off, and you are asked if you are turning the font on or off. Underlining is also included in this set of options.

Option 4 allows you to set the top, bottom, left and right margins on the printer. For the top, bottom and left margins, simply enter the value of lines or spaces you want.

The printer handles the right margin differently. You have to take the current line length and subtract the amount of margin, to get the proper value. For instance, with pica type, the line length

is 80. If you want a right margin of 10 spaces, you must give the program a value of 70. Table 2 gives the line lengths for regular size printer paper.

**Table 2: Line lengths for 8.5 inch wide paper**

### Characters per line

Pica	80
Elite	96
Condensed	136

Miscellaneous functions is a catchall for options that do not seem to fit anywhere else. As it turned out, the only function I wanted was the slashed zero option.

Option 6 sets the line spacing. You can set the spacing to practically any value in increments down to  $\frac{1}{216}$ th of an inch. The normal setting is  $\frac{1}{6}$  inch.

Option 7 reinitializes the printer. Then the printer is set up exactly as when you power up. Note the "top of form" is set where the paper is located. If it isn't at the top, the top of form will be set incorrectly. Do a form feed from the printer control keys before a reinitialization.

I did not include many of the options available because they are too specialized (graphics setups, for example). However, if you use these functions frequently, you can add them to the program.

*Dave Jenkins is an engineer at WNIN FM/TV in Evansville, Indiana, and has been using his Color computers for six years.*



This program demonstrates how simply you can make even a complicated program easy to use. You can layer menus on top of menus to cover every option. The CoCo 3 gives you an

easy way to get to the main menu with the BREAK key trap. You set the BREAK key trap (ON BRK GOTO . . .) to the first line on your main menu. Then, anytime you want to get to the top menu, all you

do is press the BREAK key.

(Questions about this program may be addressed to the author at 1418 E. Illinois St., Evansville, IN 47711. Please enclose an SASE for a reply.) □

200 .....	66	960 .....	249
400 .....	220	1150 .....	77
620 .....	45	1310 .....	141
770 .....	217	1480 .....	54
		END .....	96

The listing: SG10SET

```

10 CLS
20 PRINTTAB(8);"SG-10 PRINTER SE
T-UP"
30 PRINT
40 PRINTTAB(5);"1. SET COMPUTER
BAUD RATE"
50 PRINTTAB(5);"2. SET TYPE SIZE
"
60 PRINTTAB(5);"3. SET TYPE FONT
"
70 PRINTTAB(5);"4. SET MARGINS"
80 PRINTTAB(5);"5. SET MISC FUNC
TIONS"
90 PRINTTAB(5);"6. SET LINE SPAC
ING"
100 PRINTTAB(5);"7. RE-INITIALIZ
E PRINTER"
110 PRINTTAB(5);"8. END PROGRAM"
120 PRINT
130 PRINTTAB(5);"SELECTION-->";
140 I$=INKEY$:IF I$="" THEN 140
150 IF VAL(I$)<1 OR VAL(I$)>8 TH
EN 140
160 PRINT I$
170 ON VAL(I$) GOSUB 200,290,480
,960,1260,1370,1660,1670
180 PRINT#-2,CHR$(7);
190 GOTO 10
200 CLS
210 INPUT"BAUD RATE";BR
220 IF BR<>600 AND BR<>1200 AND
BR<>2400 AND BR<>4800 AND BR<>96
00 THEN PRINT"INVALID BAUD RATE.
TRY AGAIN.":PRINT:GOTO210
230 IF BR=600 THEN POKE 150,88:R
ETURN
240 IF BR=1200 THEN POKE 150,41:
RETURN
250 IF BR=2400 THEN POKE 150,18:
RETURN
260 IF BR=4800 THEN POKE 150,6:R
ETURN
270 POKE 150,1
280 RETURN

```

```

290 CLS:PRINTTAB(9)"SET TYPE SIZ
E"
300 PRINT
310 PRINTTAB(5);"1. PICA"
320 PRINTTAB(5);"2. ELITE"
330 PRINTTAB(5);"3. CONDENSED"
340 PRINTTAB(5);"4. EXPANDED ON"
350 PRINTTAB(5);"5. EXPANDED OFF
"
360 PRINTTAB(5);"6. NEVER MIND"
370 PRINT
380 PRINTTAB(5);"SELECTION-->";
390 I$=INKEY$:IFI$=""THEN390
400 IF VAL(I$)<1 OR VAL(I$)>6 TH
EN 390 ELSE PRINT I$
410 IF VAL(I$)=6 THEN RETURN
420 ON VAL(I$) GOTO 430,440,450,
460,470
430 PRINT#-2,CHR$(27);CHR$(66);C
HR$(1);:RETURN
440 PRINT#-2,CHR$(27);CHR$(66);C
HR$(2);:RETURN
450 PRINT#-2,CHR$(27);CHR$(66);C
HR$(3);:RETURN
460 PRINT#-2,CHR$(27);CHR$(87);C
HR$(1);:RETURN
470 PRINT#-2,CHR$(27);CHR$(87);C
HR$(0);:RETURN
480 CLS:PRINTTAB(9);"SET TYPE FO
NT"
490 PRINT
500 PRINTTAB(5);"1. NORMAL"
510 PRINTTAB(5);"2. ITALIC"
520 PRINTTAB(5);"3. NEAR LETTER
QUALITY"
530 PRINTTAB(5);"4. PROPORTIONAL
"
540 PRINTTAB(5);"5. DOUBLE-STRIK
E"
550 PRINTTAB(5);"6. EMPHASIZED"
560 PRINTTAB(5);"7. UNDERLINING"
570 PRINTTAB(5);"8. NEVER MIND"
580 PRINT
590 PRINTTAB(5);"SELECTION-->";
600 I$=INKEY$:IF I$=""THEN 600
610 IF VAL(I$)<1 OR VAL(I$)>8 TH
EN 600 ELSE PRINT I$
620 IF VAL(I$)=8 THEN RETURN
630 ON VAL(I$) GOTO 640,650,660,
720,780,840,900
640 PRINT#-2,CHR$(27);CHR$(53);:
RETURN
650 PRINT#-2,CHR$(27);CHR$(52);:

```



```

RETURN
660 CLS:PRINT"NEAR LETTER QUALIT
Y..."
670 PRINT"    ...ON (1)"
680 PRINT"    ...OFF (2)"
690 I$=INKEY$:IFI$=""THEN690 ELS
E IF VAL(I$)<1 OR VAL(I$)>2 THEN
690 ELSE PRINT I$
700 IF VAL(I$)=1 THEN PRINT#-2,C
HR$(27);CHR$(66);CHR$(4);:RETURN
710 PRINT#-2,CHR$(27);CHR$(66);C
HR$(5);:RETURN
720 CLS:PRINT"PROPORTIONAL..."
730 PRINT"    ...ON (1)"
740 PRINT"    ...OFF (2)"
750 I$=INKEY$:IFI$=""THEN750 ELS
E IF VAL(I$)<1 OR VAL(I$)>2 THEN
750 ELSE PRINT I$
760 IF VAL(I$)=1 THEN PRINT#-2,C
HR$(27);CHR$(112);CHR$(1);:RETUR
N
770 PRINT#-2,CHR$(27);CHR$(112);
CHR$(0);:RETURN
780 CLS:PRINT"DOUBLE-STRIKE..."
790 PRINT"    ...ON (1)"
800 PRINT"    ...OFF (2)"
810 I$=INKEY$:IFI$="" THEN 810 E
LSE IF VAL(I$)<1 OR VAL(I$)>2 TH
EN 810 ELSE PRINT I$
820 IF VAL(I$)=1 THEN PRINT#-2,C
HR$(27);CHR$(71);:RETURN
830 PRINT#-2,CHR$(27);CHR$(70);:
RETURN
840 CLS:PRINT"EMPHASIZED..."
850 PRINT"    ...ON (1)"
860 PRINT"    ...OFF (2)"
870 I$=INKEY$:IFI$="" THEN 870 E
LSE IF VAL(I$)<1 OR VAL(I$)>2 TH
EN 870 ELSE PRINT I$
880 IF VAL(I$)=1 THEN PRINT#-2,C
HR$(27);CHR$(69);:RETURN
890 PRINT#-2,CHR$(27);CHR$(70);:
RETURN
900 CLS:PRINT"UNDERLINING..."
910 PRINT"    ...ON (1)"
920 PRINT"    ...OFF (2)"
930 I$=INKEY$:IFI$=""THEN 930 EL
SE IF VAL(I$)<1 OR VAL(I$)>2 THE
N 930 ELSE PRINT I$
940 IF VAL(I$)=1 THEN PRINT#-2,C
HR$(27);CHR$(45);CHR$(1);:RETURN
950 PRINT#-2,CHR$(27);CHR$(45);C
HR$(0);:RETURN
960 CLS:PRINTTAB(12);"MARGINS"
970 PRINT
980 PRINTTAB(5);"1. TOP"
990 PRINTTAB(5);"2. BOTTOM"
1000 PRINTTAB(5);"3. CANCEL TOP
& BOTTOM"

```

```

1010 PRINTTAB(5);"4. LEFT"
1020 PRINTTAB(5);"5. RIGHT"
1030 PRINTTAB(5);"6. NEVER MIND"
1040 PRINT
1050 PRINTTAB(5);"SELECTION-->";
1060 I$=INKEY$:IFI$=""THEN1060 E
LSE IF VAL(I$)<1 OR VAL(I$)>6 TH
EN 1060 ELSE PRINT I$
1070 IF VAL(I$)=6 THEN RETURN
1080 ON VAL(I$) GOTO 1090,1130,1
170,1180,1220
1090 CLS
1100 INPUT"LINES FOR TOP MARGIN"
;TM
1110 IF TM<0 OR TM>255 THEN PRIN
T"INVALID MARGIN SELECTION.":PRI
NT:GOTO1100
1120 PRINT#-2,CHR$(27);CHR$(82);
CHR$(TM);:RETURN
1130 CLS
1140 INPUT"LINES FOR BOTTOM MARG
IN";BM
1150 IF BM<0 OR BM>255 THEN PRIN
T"INVALID MARGIN SELECTION.":PRI
NT:GOTO1140
1160 PRINT#-2,CHR$(27);CHR$(78);
CHR$(BM);:RETURN
1170 PRINT#-2,CHR$(27);CHR$(79);
:RETURN
1180 CLS
1190 INPUT"SPACES FOR LEFT MARGI
N";LM
1200 IF LM<0 OR LM>50 THEN PRINT
"INVALID MARGIN SELECTION.":PRIN
T:GOTO1190
1210 PRINT#-2,CHR$(27);CHR$(77);
CHR$(LM);:RETURN
1220 CLS
1230 INPUT"SPACES FOR RIGHT MARG
IN";RM
1240 IF RM<0 OR RM>132 THEN PRIN
T"INVALID MARGIN SELECTION.":PRI
NT:GOTO1230
1250 PRINT#-2,CHR$(27);CHR$(81);
CHR$(RM);:RETURN
1260 CLS:PRINTTAB(4);"MISCELLANE
OUS FUNCTIONS"
1270 PRINT
1280 PRINTTAB(5);"1. ZERO WITH S
LASH"
1290 PRINTTAB(5);"2. ZERO WITHOU
T SLASH"
1300 PRINTTAB(5);"3. NEVER MIND"
1310 PRINT
1320 PRINTTAB(5);"SELECTION-->";
1330 I$=INKEY$:IF I$="" THEN 133
0 ELSE IF VAL(I$)<1 OR VAL(I$)>3
THEN 1330 ELSE PRINT I$
1340 IF VAL(I$)=3 THEN RETURN


```



```

1350 IF VAL(I$)=1 THEN PRINT#-2,
CHR$(27);CHR$(92);CHR$(1);:RETUR
N
1360 PRINT#-2,CHR$(27);CHR$(92);
CHR$(0);:RETURN
1370 CLS:PRINTTAB(10);"LINE SPAC
ING"
1380 PRINT
1390 PRINTTAB(5);"1. SET TO 1/8
INCH"
1400 PRINTTAB(5);"2. SET TO 7/72
INCH"
1410 PRINTTAB(5);"3. SET TO 1/6
INCH"
1420 PRINTTAB(5);"4. SET TO n/72
INCH"
1430 PRINTTAB(5);"5. SET TO n/14
4 INCH"
1440 PRINTTAB(5);"6. SET TO n/21
6 INCH"
1450 PRINTTAB(5);"7. NEVER MIND"
1460 PRINT
1470 PRINTTAB(5);"SELECTION-->";
1480 I$=INKEY$:IFI$=""THEN1480 E
LSE IF VAL(I$)<1 OR VAL(I$)>8 TH
EN 1480 ELSE PRINT I$
1490 IF VAL(I$)=7 THEN RETURN
1500 ON VAL(I$) GOTO 1510,1520,1
530,1540,1580,1620
1510 PRINT#-2,CHR$(27);CHR$(48);
:RETURN
1520 PRINT#-2,CHR$(27);CHR$(49);
:RETURN
1530 PRINT#-2,CHR$(27);CHR$(50);
:RETURN
1540 CLS
1550 INPUT"HOW MANY 72ths OF AN
INCH";SP
1560 IF SP<0 OR SP>255 THEN PRIN
T"INPUT ERROR":PRINT:GOTO1550
1570 PRINT#-2,CHR$(27);CHR$(65);
CHR$(SP);:RETURN
1580 CLS
1590 INPUT"HOW MANY 144ths OF AN
INCH";SP
1600 IF SP<0 OR SP>255 THEN PRIN
T"INPUT ERROR":PRINT:GOTO 1590
1610 PRINT#-2,CHR$(27);CHR$(51);
CHR$(SP);:RETURN
1620 CLS
1630 INPUT"HOW MANY 216ths OF AN
INCH";SP
1640 IF SP<0 OR SP>255 THEN PRIN
T"INPUT ERROR":PRINT:GOTO1630
1650 PRINT#-2,CHR$(27);CHR$(51);
CHR$(SP);:RETURN
1660 PRINT#-2,CHR$(27);CHR$(64);
:RETURN
1670 CLS:END

```



## Keep track with Baseball Statpak

Finally, **Big League Stats** for your Color Computer! Baseball Statpak will make you a winner with your players. Keep track of up to 180 batters and 60 pitchers on 12 teams. Perfect for Little League, high school, amateur softball.

Baseball Statpak contains three separate programs to track at bats, runs, hits, errors, walks, home runs, RBI's, on-base-percentage, innings pitched, earned runs, strikeouts and lots more. Also keeps track of team standings for league statistics. Store your data on tape or disk.

Lightning-fast machine language sort will order your data by any stat for startling screen displays and beautiful printed reports!

You've seen these stats in the newspapers. Now you can have them for your team! Baseball Statpak requires 16K Extended Basic for tape version, 32K for disk. CoCo 3 compatible. Only \$34.95 on tape or disk.



## The Handicapper

Use your **Color Computer** to improve your performance at the track! Separate handicappers for **Thoroughbreds**, **Harness Horses** and **Greyhounds** let you rank the horses or dogs in each race quickly and easily, even if you've never handicapped before!

All the information you need is readily available in the Thoroughbred Racing Form, harness or dog track program. Data entry is quick and easy. We even provide a diagram showing you where to find the data!

Written by a veteran handicapper, our programs use sound, established techniques and the power of your computer to cut handicapping time from hours to minutes. Ratings are displayed on screen or sent to your printer. Our instructions and wagering guide tell you which races to bet and which to avoid—a real secret of good handicapping.

The handicappers require 16K for tape versions, 32K for disk. They're all CoCo 3 compatible, too! **Thoroughbred**, **Harness** or **Greyhound Handicappers**, \$39.95 each on tape or disk. Any two for \$59.95, all three only \$79.95.



**Federal Hill Software**  
8134 Scotts Level Road  
Baltimore, Md. 21208



Toll free orders 800-628-2828 Ext 850  
Information 301-521-4886





# Learning About Scales Key To Understanding Maps

By Steve Blyn  
Rainbow Contributing Editor

**M**ap skills are taught throughout the elementary and middle school years. They often are begun by using familiar regions such as the child's classroom or living room. The child sees that these rooms are areas obviously too large to replicate on paper. Maps become the way the child can draw these rooms on paper — later on he can draw other places and distances. Once the child grasps the concept of the need for maps, other skills, such as measurement, estimation and scaling, can be taught when deemed appropriate.

This month's program presents an introduction to reading scale drawings on a map. Children often learn to render scale drawings to represent distances from their home to school, to the library or to any other point of interest. If these distances are not known, the teacher often suggests appropriate distances. The pupils usually indicate their scales on the bottom of these drawings.

Next, the pupils learn to construct an ascending table of values based on the various scales. For example, if one inch represents two miles, the table might look like this:

## SCALE 1 INCH = 2 MILES

Inches:	1 in.	2 in.	3 in.	4 in.	5 in.
Miles:	2 mi.	4 mi.	6 mi.	8 mi.	10 mi.

Our program can be approached in a similar manner, using two colored lines. The shorter, blue line represents the scale. A chart such as the one shown here can be drawn for each different scale. It is drawn in Line 80.

The longer, red line represents the line whose length is to be determined by the user. This could be the distance to school or to grandmother's house or any other example you or the children can think of. This line is randomly chosen in Line 70 and drawn in Line 140.

Three values are presented to the student. One of the values is the approximate correct answer. The other two are too far out of line to be possibilities. The values are chosen and printed on lines

180 to 240 in random order. We had to be careful to scramble the order of the three possible answers. For example, we wouldn't want the correct answer to always appear in the middle, or always be the largest or smallest value. The correct answer is always retained by the computer, as variable Y.

Lines 260 to 270 accept the student's answer and convert it to a numeric value. Lines 280 to 290 inform the student whether he was correct or incorrect, and what the real answer should be. The counter is on Line 60. After 10 tries, the score is displayed and the user chooses to end the program or play again.

There are two methods the child may use to determine the correct answer — actual measurement on the screen with a ruler or estimation. Both are acceptable means of arriving at the correct answer, and both should be encouraged. The best of both worlds would be, first estimate and then measure, to check out the answers. We, at Computer Island, hope that your child/students enjoy and learn from this program. □

*Steve Blyn teaches both exceptional and gifted children, holds two master's degrees and has won awards for the design of programs to aid the handicapped. He owns Computer Island and lives in Staten Island, New York.*

### The listing: MAPSCALE

```

10 REM"SCALE DRAWINGS"
20 REM"STEVE BLYN, COMPUTER ISLAND, STATEN ISLAND, NY, 1987"
30 CLS:PRINT@3,"SCALE DRAWINGS"
;
40 N=N+1:PRINT@26,"#=";N;
50 PRINT@90,"C=";CR;
60 IF N=11 THEN PRINT@26,"TOTALS";:PRINT@154,CR*10;"%";:PRINT@48

```



```


2,"PRESS G TO GO ON OR E TO END"
;:GOTO 330
70 B=7+RND(55)
80 FOR T=0 TO 7:SET(T,7,7):NEXT
T
90 X1=RND(5):X2=RND(5)
100 X=X1*X2*10
110 R=RND(3):IF R=1 THEN R$="FEE
T" ELSE IF R=2 THEN R$="MILES" E
LSE R$="IN."
120 PRINT@104,"=";
130 PRINT@108,X;R$;
140 FOR T=0 TO B:SET(T,13,8):NEX
T T
150 PRINT@256,"THE RED LINE IS A
BOUT HOW LONG?"
160 AN=B/8:AN=INT(AN+.5)
170 REM"THE VARIABLE Y IS THE CO
RRECT ANSWER"
180 Y=X*AN
190 U=RND(2):IF U=1 THEN Y1=Y*2
ELSE Y1=Y/4
200 V=RND(2):IF V=1 THEN Y2=Y/2
ELSE Y2=Y*4
210 R=RND(3):PRINT@320," "
220 IF R=1 THEN PRINT@320,Y;:PRI
NT@330,Y1;:PRINT@340,Y2;

```

```

230 IF R=2 THEN PRINT@320,Y1;:PR
INT@330,Y2;:PRINT@340,Y;
240 IF R=3 THEN PRINT@320,Y2;:PR
INT@330,Y;:PRINT@340,Y1;
250 PRINT@326,"OR";:PRINT@336,"O
R";:PRINT@346,R$;
260 PRINT@384,"";:LINE INPUT EN$
270 PRINT@394,"";:EN=VAL(EN$)
280 IF EN=Y THEN PRINT"CORRECT":
CR=CR+1:PLAY"L50CDECGEGEDC"
290 IF EN<>Y THEN PRINT"THE ANSW
ER IS"Y:PLAY"L50CCC"
300 PRINT@453,"PRESS ENTER TO GO
ON";
310 Q$=INKEY$
320 IF Q$=CHR$(13) THEN 30 ELSE
310
330 PLAY"GGGEECCCEGEC"
340 Q$=INKEY$
350 IF Q$="G" THEN RUN ELSE IF Q
$="E" THEN 360 ELSE 340
360 CLS:END

```



CoCo Cat  
Says  
Drugs Are  
**NOT**  
User-Friendly

Get your own CoCo Cat button by writing to Falsoft, Inc., The Falsoft Building, P.O. Box 385, Prospect, KY 40059. Please enclose \$1.50 for shipping and handling.







# PARAMISSION: fast and dangerous!

By Michel Galibois

**Y**ou are the only human who can save the world, but you are forced to jump from a cargo plane. While falling at great speed, you see a missile coming straight at you; the ground seems bigger and bigger. Just in time, you open the parachute and float slowly. You look down and see the big missile hitting a mountain.

When you *think* everything has calmed down, and you are about to land on a big tree, you see another missile

*Michel Galibois is 17 years old and lives in Laval, Quebec. He is studying in Canada and has owned a Color Computer for almost four years.*

coming at you. It takes quick action to avoid both. But you are able to land safely on a platform. Now you can easily save the world!

*Paramission* is a BASIC program but is written a special way, so it runs very fast. It requires 32K, Extended BASIC and a joystick.

This game is original, different from shoot-'em-ups. The objective of this game is to land a parachutist on one of five platforms. You can land on the easiest one, but you receive fewer points.

You have to jump from a big cargo plane; this is accomplished by pressing the firebutton. Press the button again and the parachute will open. Get yourself positioned to land on a platform by using the joystick. Move the joystick up


to descend slowly, and down to land faster.

You must successfully land on all five platforms to change screens, but beware of the missile that is always trying to kill you. Take care not to land on the deadly tree or in the shark-infested waters, and avoid crashing into the building or on the steep hills.

The second screen is completely different; it's even more difficult. The missile reacts faster and is harder to avoid. Watch out, if the missile blows up near you, the explosion could kill you.

In *Paramission* you have three lives. Play levels range from easy to hard, and the graphics are high resolution.

If your computer can't take the speed-up poke (POKE 65495,0) you need to delete it in lines 20, 1130 and 1340. □



120 .....162	870 .....172
220 .....157	1040 .....68
290 .....219	1190 .....246
370 .....58	1340 .....58
480 .....232	1410 .....136
560 .....17	1580 .....85
730 .....42	END .....134

The listing: PARAMISS

```

10 CLS:PRINT@235,"GET READY"
20 POKE65495,0:PMODE4,1:PCLS:E1=
130:B1=13:BB=3:I=3:FF=130:GG=13
30 DIM AA(15),BB(24),CC(39),DD(1
0),EE(2),FF(2),GG(13),HH(10),II(
25),JJ(25),KK(10),LL(25),BS(25),
MM(56),NN(56),OO(77),PP(77),QQ(7
7)
40 CIRCLE(10,10),5:PAINT(10,10),
1:COLOR0:FORA=1TO20STEP 2:LINE(A
,0)-(A,20),PSET:NEXT:COLOR1:GET(
5,5)-(15,15),HH,G
50 FORA=1TO50:B=RND(25):C=RND(25
):PSET(50+B,50+C,1):NEXT:GET(50,
50)-(75,75),II,G:PCLS

```

```

60 DRAW"BM100,100M98,103M100,100
M105,103M101,100U3F3H3G3E3E1U1L2
D1F1D3"
70 DRAW"BM200,100A2M198,97M200,1
00M205,97M201,100U3F3H3G3E4U1L2D
1F1D3A0"
80 GET(198,105)-(205,92),GG,G
90 GET(94,103)-(109,90),AA,G
100 DRAW"BM150,100U6R4D2BD2L2R2D2
L4BR6U6R4D3L4R4D3BR2U6F2E2D6BR2U
6R4L4D3R3L3D3R4BR6U6R4D6L4BR8H2U
4D4F2E2U4BD6BR2R4L4U3R3L3U3R4BD6
BR2U6R4D3L4R1F3":GET(148,10)-(20
4,2),MM,G
110 GET(174,10)-(202,2),NN,G:PUT
(178,10)-(206,2),NN,PSET:GET(150
,10)-(206,2),NN,G
120 DRAW"BM92,91E5R8F5G6E3H3L6G3
F3H6E4C0":PAINT(96,90),1
130 FOR A=92 TO 110 STEP 2:LINE(
A,93)-(A,80),PSET:NEXT
140 COLOR 1:GET(50,50)-(54,60),D
D,G:GET(93,103)-(109,83),BB,G
150 DRAW"BM100,150S6L1R16E5R1U1L
1U3L4D1G3L11M96,147D1F1R1":PAINT
(105,148),1

```



```

160 COLOR0:LINE(103,144)-(103,145),PSET:LINE(105,144)-(105,145),PSET
170 DRAW"BM110,145C0S4R6L4D3L2H1U1BD4U1R4U1L2BR8F1E1U2H1G1D2R1U3
180 FOR A=124 TO 130 STEP 2:PSET(A,143,0):NEXT
190 COLOR1:GET(96,151)-(135,137),CC,G
200 GET(149,99)-(151,101),FF,G
210 DRAW"BM170,100E3G3L1H3F3U1BU2U1R2D1L2R2BD2D2F3H3L1G3E3U1":GET(166,95)-(174,105),KK,G
220 DRAW"BM10,10C5U6R4D3L4BR8BD2U6R4D3L4R4D3U1BR4U6R4D3L4R1F3BR4BD1U6R4D3L4R4D3BR4BD1U6F2E2D6BR4BU1U6D6BR4BU1R4U3L4U3R4BD7BR4R4U3L4U3R4BD7BR4U6D6BR4BU1U6R4D6L4BR8BU1U6D1F4D1U6":GET(10,12)-(98,2),OO,G:PUT(11,12)-(99,2),OO,OR:GET(10,12)-(99,2),OO,G
230 DRAW"BM10,30U6R4D3L4R4BD4BR4U6R4D3L4R4D3U1BR4U6R4D3L4R1F3BU1BR4U6R4D3L4R4D3BR4BD1U6F2E2D6BR4BD1U6D6BR4BU1R4U3L4U3R4BD5BR4R4U3L4U3R4BD7BR4U6D6BR4BD1U6R4D6L4BR8BU1U6D1F4D1U6":GET(10,32)-(98,22),PP,G:PUT(11,32)-(99,22),PP,OR:GET(10,32)-(99,22),PP,G
240 DRAW"BM10,50U6R4D3L4BR8BD4U6R4D3L4R4D3BR4BD1U6R4D3L4R1F3BR4BU1U6R4D3L4R4D3BR4BU1U6F2E2D6BD1BR4U6D6BR4BD1R4U3L4U3R4BD5BR4R4U3L4U3R4BD5BR4U6D6BR4BD1U6R4D6L4BR8BD1U6D1F4D1U6":GET(10,52)-(98,42),QQ,G:PUT(11,52)-(99,42),QQ,OR:GET(10,52)-(99,42),QQ,G
250 '
260 ' SCREENS
270 COLOR1:IF R=0 THEN 370 ELSEPCLS:A=215:WW=0:E1=130:B1=13:BB=3:D1=3:D=0:BB=0:EE=0:LINE(6,0)-(52,187),PSET,B:PAINT(2,2),1:COLO

```

```

R0:LINE(7,0)-(251,0),PSET:COLOR1
280 FORXX=47TO67 STEP2:LINE(XX,150)-(XX,168),PSET:NEXT:FORXX=95TO108STEP2:LINE(XX,126)-(XX,147),PSET:LINE(XX,158)-(XX,167),PSET:NEXT:FORXX=241TO247STEP2:LINE(XX,110)-(XX,145),PSET:NEXT
290 DRAW"BM55,160E2U2E4R2E2F2D1G4D1G3L1G5L2G2L3H2U2E3R2E4R3BR45BU10E3U7H2U5H2L2H2G2D3F2D7F2D3F2BD15D4F2R1E3U4H3L1G3BM240,145U2E1U15E2U5E1U7E1F2D5G1D17G1D5G3H3
300 DRAW"BM4,155F3R2F3D2F2R15E2U2E2R4F2E4U5E2R2U2E3R18E5U2H2U2H2U2H1U3E3U2E2U3E5F2R1E2F5R5F2R5F6R2F2R2F3D5G2D3F2D3F2D2F2D13G3L2G1D10F2R20E3R5E2F3R15E5U5E5R5E2E2R25U20E5R5E5L15D30F3D5F7R10E8U25E2U15E4U10E5U20E2R2E2
310 PAINT(10,180),1
320 FORXX=116TO156STEP2:LINE(183,XX)-(207,XX),PSET:NEXT:FORXX=183TO207STEP6:LINE(XX,116)-(XX,156),PSET:NEXT
330 PAINT(210,130),1
340 LINE(92,117)-(115,105),PSET:LINE(96,119)-(119,105),PSET:CIRCLE(121,98),17,,.50:PAINT(111,108),1:PAINT(121,98),1:COLOR0:FORXX=103TO138 STEP 2:LINE(XX,90)-(XX,106),PSET:NEXT
350 COLOR1:FORXX=210TO234STEP2:LINE(XX,162)-(XX,172),PSET:NEXT
360 GOTO 490
370 PCLS:A=215:WW=0:E1=130:B1=13:BB=3:D1=3:D=0:BB=0:EE=0
380 DRAW"BM58,175C1R40G9L26H2U3H1U2H1":PAINT(61,177),1
390 DRAW"BM131,175R59G10L40H10":PAINT(134,176),1
400 FOR XX=53 TO 200 STEP 2:COLOR0:LINE(XX,170)-(XX,188),PSET:NEXT:COLOR 1

```

\*\*\*

## ASSEMBLY LANGUAGE PROGRAMMING TRS-80 COLOR COMPUTER

This hands-on guide begins with the basics and progresses to the expert level. It's written as a tutorial, taking you each step of the way to assembly language programming. First it lays the foundation by explaining binary and hexadecimal numbers. Then the MC6809E microprocessor is explained - internal architecture, addressing modes, and instruction set. Programming guidelines are described including subroutines, stack use, and interrupt handlers. Finally, all the internal secrets of the SAM, PIA, memory, graphics display, joysticks, serial port, cassette, disk, keyboard, ROM, and sound are revealed. All this is presented in a clear and understandable fashion.

**THE BOOK!**  
"Without a doubt the best" "Exclusively for the CoCo" "Very informative, useful, and complete" "If assembly language leaves you lost - this book solves your problem" "Computer Science" "An excellent reference book" "Become a CoCo expert" "289 pages" "for CoCo 1 & 2"

\$18.00 U.S.

+ \$1.50 shipping.

U.S. check or money

order. RI residents

please add 6% sales tax.

**TEPCO**

30 Water Street  
Portsmouth, RI 02871



```

41Ø LINE(5,Ø)-(252,187),PSET,B:P
AINT(2,2),1:COLORØ:LINE(7,Ø)-(25
1,Ø),PSET:COLOR1:LINE(6,Ø)-(6,1Ø
Ø),PSET
42Ø DRAW"BM4,68R2F4D3F3D3G4R15G4
D3G4D4G4D2G3F5D2R15D1G5D6F4D3F2D
3F2D4G3L4G2D6R2F3E2F5R3F6D4R15D4
F2D4F2R25E7R15E3R2ØD2F8R4ØE1ØF2R
4E1R2E1R3E1U3E3R45U4ØL12U15L12D5
5"
43Ø DRAW"BM8,14ØR3F3D4F2D4F3D2G3
L4H3U5H3U5E6BU1ØBR12H4L3H3L4G3D2
F3R5E4U3BD55BR1ØR8F2R5F3D1G3L7H2
L5H4E3
44Ø PAINT(25Ø,15Ø),1:PAINT(7,1ØØ
),1
45Ø FOR XX=5 TO 22 STEP 2:LINE(X
X,117)-(XX,19Ø),PSET:NEXT
46Ø FOR XX=25 TO 49 STEP 2:LINE(
XX,177)-(XX,19Ø),PSET:NEXT
47Ø FOR XX=117 TO 168 STEP 2:COL
OR Ø:LINE(23Ø,XX)-(251,XX),PSET:
NEXT:COLOR 1:LINE(247,13Ø)-(247,
168),PSET:LINE(241,115)-(241,168
),PSET:LINE(235,115)-(235,168),P
SET
48Ø DRAW"BM122,175M127,15ØR7M132
,175":PAINT(126,17Ø),1:CIRCLE(13
Ø,14Ø),22,,.65:PAINT(13Ø,14Ø),1:
COLOR Ø::FOR WW=1Ø1 TO 16Ø STEP
2:LINE(WW,11Ø)-(WW,154),PSET:NEX
T:WW=Ø
49Ø '
5ØØ WW=WW+1:COLOR1:IF R=Ø THEN ON
WW GOSUB 98Ø,99Ø,1ØØØ,1Ø1Ø,1Ø2Ø
ELSE ON WW GOSUB 1Ø3Ø,1Ø4Ø,1Ø5Ø
,1Ø6Ø,1Ø7Ø
51Ø FOR CD=CE TO CE+15 STEP 2:LI
NE(CD,CF)-(CD,CF+3),PSET:NEXT CD
52Ø IF WW<>5 THEN 5ØØ ELSE GOSUB14
9Ø
53Ø '
54Ø ' PRESENTATION

```

```

55Ø SCREEN1,1:IF M=1 THEN 62Ø ELSEF
ORXX=1TO14:PLAY"V-L255O1D":PUT(9
Ø,5Ø)-(179,6Ø),OO,PSET:PLAY"D":P
UT(9Ø,49)-(179,59),PP,PSET:PLAY"
D":PUT(9Ø,48)-(179,58),QQ,PSET:P
LAY"D":PUT(9Ø,49)-(179,59),PP,PS
ET:NEXT
56Ø PLAY"V15":FORXX=1TO14:PLAY"V
-L255O3AD":NEXT:DRAW"BM1ØØ,7ØU6D
6R4BR2U6R4L4D3R3L3D3R4BR4H2U4D4F
2E2U4BR2R4L4D3R3L3D3R4BR2U6D6R4B
R4H2U2E2BR4D6L2R4L2U6G1E1D3BR4R4
BR2BD3R4U3L3R3U3L4BR6F2D2G2"
57Ø PLAY"V15":A$=INKEY$:IF A$<>"
"THENFORXX=1TO14:PLAY"V-AD":NEXT
58Ø IF A$="1" THENO=.3ELSEIFA$="2
" THENO=.5ELSEIFA$="3" THENO=.8ELS
EGOTO 57Ø
59Ø COLORØ:LINE(9Ø,49)-(179,7Ø),
PSET,BF:M=1
6ØØ GOTO 63Ø
61Ø '
62Ø ' PLANE
63Ø A=A-3:PUT(A,1Ø)-(A+39,24),CC
,PSET
64Ø PLAY"V15O1L255G"
65Ø IF A<7 THEN COLORØ:LINE(A,1Ø
)-(A+39,24),PSET,BF:D=Ø:A=215
66Ø P=PEEK(6528Ø):IF P=126 OR P=
254 THEN E=A+15:B=2Ø:COLOR Ø:LIN
E(A,1Ø)-(A+39,24),PSET,BF:GOTO 7
ØØ
67Ø GOTO 63Ø
68Ø '
69Ø 'MEN
7ØØ A=JOYSTK(Ø):B=B+5:PUT(E,B)-
(E+15,B+13),AA,PSET:IF A<1Ø THEN
D=D-.4 ELSE IF A>53 THEN D=D+.4
71Ø E=E+D:IF D<-3.6 THEN D=-3.6
ELSE IF D>3.6 THEN D=3.6
72Ø IF PPOINT(E+5,B+19)=5 OR PPO
INT(E+1Ø,B+19)=5 THEN12ØØ
73Ø P=PEEK(6528Ø):IF P=126 OR P=

```

## BUDGET FORECASTER

PROJECT HOW MUCH YOU WILL HAVE AND WHEN YOU WILL HAVE IT BASED ON YOUR 'WHAT IF' BUDGET STRATEGIES. INPUT YOUR CONSTANT AND VARIABLE BI-WEEKLY, FIRST OF THE MONTH, END OF THE MONTH, SEMI-MONTHLY, AND BI-WEEKLY EXPENSES, INCOMES, AND INVESTMENTS (INCLUDING RATE OF RETURN). ENTER YOUR STARTING CASH BALANCE AND INVESTMENT BALANCES. SEE YOUR RESULTS IN INCREMENTS OF TWO WEEKS UP TO THE CALENDAR LIMIT OF 12/31/9999!

64K TAPE VERSION .....\$34.95

## GAME SIMULATORS

COMPUTE YOUR CHANCES OF WINNING BASED ON PLAYING AND BETTING STRATEGIES. SIMULATE UP TO 10,000 GAMES! 64K TAPE VERSIONS.

"CRAPS" .....\$22.95  
 "BLACKJACK" .....\$19.95  
 "5 CARD DRAW" .....\$19.95

SEND CHECK OR M.O. + \$1.50 EACH S/H TO:

**PROBITAS**, 2213 VENETION DRIVE  
 STOCKTON, CA 95207

CALIFORNIA RESIDENTS ADD 6% SALES TAX



```

254 THEN 780
740 GOSUB 870
750 GOTO 700
760 '
770 ' PARACHUTE
780 IF D>=0.1 THEN PUT(E-8,B+4)-
(E-4,B+14),DD,PSET ELSE IF D<=-.
1 THEN PUT(E+12,B+4)-(E+16,B+14)
,DD,PSET
790 A=JOYSTK(0):AB=JOYSTK(1):IF
AB<32 THENB=B+1 ELSEB=B+3
800 IF PPOINT(E+7,B+20)=5 OR PPO
INT(E+8,B+20)=5 THEN 1280 ELSE I
F PPOINT(E-5,B+14)=5 OR PPOINT(E
+13,B+14)=5 THEN 1200
810 PUT(E-4,B)-(E+12,B+20),BB,PS
ET:IF A<10 THEN D=D-.4 ELSE IF A
>53 THEN D=D+.4
820 E=E+D:IF D<-3.6 THEN D=-3.6
ELSE IF D>3.6 THEN D=3.6
830 GOSUB 870
840 GOTO 780
850 '
860 ' MISSILE
870 IF E+8<E1 THEN EE=EE-O ELSE
IF E+8>E1 THEN EE=EE+O
880 IF B<B1 THEN BB=BB-O ELSE IF
B>B1 THEN BB=BB+O
890 HH=FF:II=GG:FF=E1:GG=B1:E1=E
1+EE:B1=B1+BB
900 IF BB<-6 THEN BB=-6 ELSE IF
BB>7 THEN BB=7
910 IF EE<-6 THEN EE=-6 ELSE IF
EE>6 THEN EE=6
920 COLOR0:LINE(HH,II)-(FF,GG),P
SET
930 IF PPOINT(E1,B1)=5 OR PPOINT(E
1+2,B1+2)=5 OR PPOINT(E1+2,B1-2)=
5 OR PPOINT(E1-2,B1+2)=5 OR PPOINT
(E1-2,B1-2)=5 THEN GOSUB 1090
940 COLOR1:LINE(FF,GG)-(E1,B1),P
SET
950 RETURN
960 '
970 ' SCREENS
980 CE=13:CF=81:IF G1=1 THEN COL
OR0:RETURN ELSE RETURN
990 CE=19:CF=112:IF G2=1 THEN COLO
R0:RETURN:ELSERETURN
1000 CE=45:CF=169:IF G3=1 THEN COL
OR0:RETURN ELSE RETURN
1010 CE=97:CF=174:IF G4=1 THEN COL
OR0:RETURN ELSE RETURN
1020 CE=211:CF=164:IF G5=1 THEN CO
LOR0:RETURN:ELSERETURN
1030 CE=15:CF=161:IF I1=1 THEN CO
LOR0:RETURN:ELSERETURN

```

```

1040 CE=51:CF=141:IFI2=1 THEN COLO
R0:RETURN:ELSERETURN
1050 CE=121:CF=175:IFI3=1 THEN COL
OR0:RETURN:ELSERETURN
1060 CE=149:CF=173:IFI4=1 THEN COL
OR0:RETURN:ELSERETURN
1070 CE=209:CF=124:IFI5=1 THEN COL
OR0:RETURN:ELSERETURN
1080 '
1090 ' EXPLOSION
1100 IF E1<12 THEN E1=12
1110 IF B1<12 THEN B1=12
1120 GET(E1-12,B1-12)-(E1+13,B1+
13),LL,G:PUT(E1-5,B1-5)-(E1+5,B1
+5),HH,OR:PLAY"O1L255AAA"
1130 PUT(E1-12,B1-12)-(E1+13,B1+
13),II,OR:POKE65494,0:PLAY"V1":F
ORG=1 TO 14:PLAY"V+V+;D":NEXT:POKE
65495,0:PUT(E1-12,B1-12)-(E1+13,
B1+13),LL,PSET
1140 IF E=130 AND B=25 THEN 1410
1150 IF E+13>E1-12 AND E<E1+13 A
ND B+15>B1-12 AND B<B1+13 THEN 1
200
1160 E1=130:B1=13:BB=0:EE=0:FF=1
30:GG=13
1170 RETURN
1180 '
1190 ' DEAD
1200 E=E-D:COLOR0:LINE(E-4,B+3)-
(E+12,B+20),PSET,BF:COLOR1
1210 B=B+2:PUT(E,B)-(E+7,B+13),G
,PSET
1220 IF PPOINT(E+2,B+14)=5 OR PP
OINT(E+5,B+14)=5 THEN PLAY"V15L2
00AAA":LINE(E-4,B+8)-(E-8,B+5),P
SET:LINE-(E-8,B+7),PSET:LINE-(E-
12,B+6),PSET:LINE(E+9,B+8)-(E+13
,B+5),PSET:LINE-(E+13,B+7),PSET:
LINE-(E+17,B+6),PSET:GOTO 1330
1230 GOTO 1210
1240 '
1250 ' LANDING
1260 CE=13:CF=81:GOTO 510
1270 CE=19:CF=112:GOTO 510
1280 Q=INT(E/2):Q=Q*2
1290 IF PPOINT(Q+7,B+20)=5 AND P
POINT(Q+8,B+20)=5 THEN 1330
1300 IF PPOINT(Q+7,B+20)=0 AND P
POINT(Q+8,B+20)=5 THEN 1330 ELSE
GOTO 1380
1310 '
1320 ' INCOMPLETED MISSION
1330 DRAW"BM75,20C1R4L2U6L2R4BR2
D6U5F4D1U6BR2R4L4D6R4BR2U6R4D6L4
BR6U6F2E2D6BR2U6R4D3L4D3BR6U6D6R
4BR2U6R4L4D3R3L3D3R4BR4U6L2R4BR2

```



```

R4L4D3R3L3D3R4BR2U6R2F2D2G2L2BR1
ØU6F2E2D6BR3U6D6BR3R4U3L4U3R4BD6
BR3R4U3L4U3R4BR3D6BR3R4U6L4D6BR7
U6D1F4D1U6"
134Ø POKE65494,Ø:FORXX=1TO5ØØ:NE
XT:PLAY"V15Ø1L6AFAADL2Ø":FORK=1T
Ø14:PLAY"V-G":NEXT:I=I-1:POKE654
95,Ø
135Ø IF I=ØTHENCOLORØ:LINE(75,2Ø
)-(184,12),PSET,BF:GOTO167Ø ELSE
FORXX=1TO3ØØØ:NEXT:SCREENØ,Ø:GO
TO27Ø
136Ø '
137Ø ' ACCOMPLISHED MISSION
138Ø DRAW"BM75,2ØC1U6R4D3L4R4D3B
R2R4L4U6R4BR2R4L4D6R4BR2U6R4D6L4
BR6U6F2E2D6BR2U6R4D3L4BU3BR6D6R4
BR2U6BR2R4L4D3R4D3L4BR6U6D3R4U3D
6BR2R4L4U3R3L3U3R4BR2R2F2D2G2L2U
6D6BR12U6F2E2D6BR2U6BR2R4L4D3R4D
3L4BR6R4U3L4U3R4BR2D6BR2U6R4D6L4
BR6U6D1F4D1U6"
139Ø IFR=ØTHENIF E<28 ANDB<65 TH
EN G1=1:F=1ØØ ELSE IFE<32 THEN G
2=1:F=2ØØELSE IF E<6Ø THEN G3=1:
F=3ØØ ELSE IF E<112 THEN G4=1:F=
4ØØ ELSE G5=1:F=3ØØ
140Ø IFR=1THENIFE<3Ø THENI1=1:F=
3ØØELSEIFE<66THENI2=1:F=3ØØELSEI
FE<136THENF=4ØØ:I3=1ELSEIFE<164T
HENI4=1:F=4ØØELSEI5=1:F=3ØØ
141Ø E=E-D:B=B-2:COLORØ:LINE(E-4
,B+2)-(E+12,B+12),PSET,BF
142Ø FORH2=1TO7:FORH1=1TO5STEP.5
:PUT(E,B+12-H1)-(E+8,B+22-H1),KK
,PSET:NEXTH1:FORH1=5TO1STEP-.5:P
UT(E,B+12-H1)-(E+8,B+22-H1),KK,P
SET:NEXTH1:PLAY"Ø3L2ØØV15AAA":NE
XTH2
143Ø O=O+.Ø3:H3=H3+1:IF R=ØTHENI
F H3=5THENH3=Ø:G1=Ø:G2=Ø:G3=Ø:G4
=Ø:G5=Ø:R=1
144Ø IF R=1THEN IF H3=5THENH3=Ø:
I1=Ø:I2=Ø:I3=Ø:I4=Ø:I5=Ø:R=Ø
145Ø FORXX=1TO8ØØ:NEXT:SCREENØ,Ø
146Ø GOTO27Ø
147Ø '
148Ø ' SCORE
149Ø J=J+F:F=Ø
150Ø A$=STR$(J):DRAW"BM2Ø9,7C5"
151Ø FOR H=1 TO LEN(A$)
152Ø B$(16)="BUU4ER2FD4GL2HBR4BD
"
153Ø B$(17)="BRBU5ED6LR2BR"
154Ø B$(18)="BU5ER2FDG4R4"
155Ø B$(19)="BU5ER2FDGLRFDGL2HBR
4BD"

```

```

156Ø B$(20)="BR3U6G3R4BD3"
157Ø B$(21)="BUFR2EUHL3U3R4BD6"
158Ø B$(22)="BU3R3FDGL2HU3E2RBRB
D6"
159Ø B$(23)="BU6R4G3D3BR3"
160Ø B$(24)="BR4BU2DGL2HUER2L2HU
ER2FDGFB2"
161Ø B$(25)="BUFR2EU4HL2GDFR2BRB
D3"
162Ø DRAW+B$(ASC(MID$(A$,H,1))-3
2)+"BR4":NEXT:H=Ø
163Ø IF I>1 THENFOR XX=1 TO I-1:
H=H+1Ø:PUT(H,Ø)-(H+8,1Ø),KK,PSET
:NEXT:RETURN
164Ø RETURN
165Ø '
166Ø ' GAME OVER
167Ø FORXX=1TO4Ø STEP.5:IF XX/2=
INT(XX/2)OR (XX-.5)/2=INT((XX-.5
)/2)THENPUT(1Ø8,XX*2)-(164,XX*2+
8),MM,PSET ELSE PUT(1Ø8,XX*2)-(1
64,XX*2+8),NN,PSET
168Ø NEXT:PLAY"Ø2L186V15BAGFEDC"
169Ø P=PEEK(6528Ø):IFP=126ØR P=2
54 THEN RUN
170Ø GOTO 169Ø

```

# MEMORY MINDER™

## A unique approach to disc reliability

Memory Minder from J&M Systems is one of the most comprehensive disk drive diagnostic programs available for microcomputers. It quickly and easily runs comprehensive testing of all vital operating parameters to assure data integrity.

## Data Integrity Means Data Confidence

Memory Minder is so easy to run you will be inclined to test your disk drives on a regular basis and correct problems before they ever endanger your data. This program provides long term confidence in your data integrity.

Memory Minder is currently available for the following:

**Version 1.03**  
**TRS-80 Model III/4**  
 48 tpi Single Side  
 48 tpi Double Side  
 96 tpi and 48 tpi Double Side  
**TRS-80 Model-I**  
 48 tpi Single Side Single Density  
**TRS-80 Color Computer and TDP-100**  
 48 tpi Single Side  
 48 tpi Double Side

## Technical Knowledge Not Required

Simply slip in the Memory Minder disk and select one or more of eight sophisticated tests. Easy to understand graphics on your screen display findings in a few moments. Now you can discover potential misalignments and problems before they endanger your valuable data.

Call or write for details and more information

**J&M SYSTEMS, LTD.**

15100-A CENTRAL SOUTHEAST  
 ALBUQUERQUE, NM 87123  
 505/292-4182

We accept MasterCard and Visa



# Help Is Just a SIG Away

By Cray Augsburg  
Rainbow Technical Editor

**T**he major reason for any telecommunications network to exist is to promote the transfer of information between individuals and groups of individuals. If we take this thought one step further, we see that the purpose of SIGs, or Special Interest Groups, is to offer a place for information transfer between those sharing a common interest, be it a pastime, hobby or even a job.

On Delphi, we see many different SIGs. There are SIGs for the users of Atari computers, MS-DOS computers and many more. There are even SIGs for non-computer interests such as science fiction. From this, it follows that a SIG is a gathering place. It is a place to offer information and a place to seek information. It is a place we can turn to when we need help on a given subject. But then, what are we to do if we need help finding help? How many of you have logged into the CoCo SIG with a burning question and found you were unable to properly leave a message with a question for other users?

All CoCo SIG users start at the same point; they have a million questions about how to get around the SIG and very little knowledge about how to ask those questions of other users.

## How to Ask a Question in the SIG

The first time you log onto Delphi, after a brief tour with "Max," the

system tour guide, you will find yourself at Delphi's main menu. You will see the prompt MAIN> on your screen. At this point, type GROUP CO and press ENTER. This command line will take you right past the Delphi GROUPS menu directly into the CoCo SIG. You will know you are in the CoCo SIG because the prompt at the bottom left of your screen will now read CoCo Sig> and you will see a menu of options.

One of the options on the CoCo SIG menu is Forum (messages). Keep in mind, on Delphi you only need to enter the first few characters of any option for

that option to be enabled. Only those characters that make the option unique from any other available selection are necessary. So, if you type FORUM, or just F, and press ENTER, you will be taken to the public message area of the CoCo SIG.

Once you are in the Forum, you are ready to leave your questions. It is advisable that new members first leave a Forum message announcing themselves as such. In this message, you can leave those all important first questions. These questions will be answered by the staff or by other users who have already

## DATABASE REPORT

**B**oth the CoCo SIG and OS-9 Online have celebrated major landmarks within the last few weeks. On the new OS-9 Online service, we logged our 1,000th message and, on the CoCo SIG, we celebrated passing Forum message number 25,000 just a few days before I sat down to write this report.

I am delighted to announce that thanks to a recent revision of Delphi's system software, our members can now see what the "download count" is on files in the database. On both the CoCo SIG and OS-9 Online, typing DIR /FULL when in a topic area in the database will show you how many times a file has been accessed. Download counts should also be visible when you are reading a set of files in a given group.

Please note that sometimes, when groups are revised or updated, download counters may get reset. Also, when looking at the download counts in the OS-9 Online database, you must remember that the OS-9 Online service has

only been in existence for a few months, so the download counts are not likely to be very large yet. In addition, please understand that a large download count does not necessarily guarantee that a file will be desirable, nor does a small download count necessarily indicate a file is *not* desirable. Nevertheless, all of us on staff have long felt that those who do us the kindness of uploading files to the database have a right to be able to see just what sort of activity their files are generating, and that members looking for material to download are also quite interested in that information.

### OS-9 Online Databases:

This past month we have had a number of new files in the OS-9 Online database. In the General database section, **Chuck Hoffman** (CHOFFMAN) has given us a text file on how to set up a double-sided boot disk under OS-9 Level II, using the *Rogue* distribution disk. In the file *Pointer Icons in Level II*, **Rick Adams**

*Cray Augsburg is RAINBOW's technical editor and has an associate's degree in electrical engineering. He and his wife, Ruth Ann, have two children and live in Louisville, Ky. His username on Delphi is RAINBOWMAG.*



learned their way around the CoCo SIG.

To actually leave a message, at the FORUM> prompt, type ADD and press ENTER. At the TO: prompt, you are asked who you want to leave a message for. Type someone's username or, to default to ALL, just press ENTER. The next prompt will ask for the subject of the message. Give a brief (20 characters or so) idea of what the message refers to and press ENTER. Next, Delphi will ask you for the topic of the message. At this point, type GEN (which stands for General Information) and press ENTER.

At this point, Delphi will tell you to enter the text of the message; use CONTROL-Z to exit or CONTROL-C to abort. Go ahead and introduce yourself and ask all the questions you need to. Pace yourself in the question area, though. Many first-time users ask the question, "How do I download programs?" You must understand that a bit more knowledge of the system is necessary before a member can learn how to download or upload.

When entering your message, this general rule should be followed: After you have typed enough characters to nearly fill one line of text on your CoCo's screen, press ENTER and continue your text on the next line. This

helps in formatting the message for other users. You should be able to backspace to correct mistakes but, if you feel you have made too many, press CONTROL-C and you will abort the message process. No message will be sent, and you will find yourself back at the FORUM> prompt ready to try again.

When you have finished your message, sign it with your real name. Press CONTROL-Z and the message will be added to the others in the Forum area. Note the message number and then read that message to see what it looks like.

Now, you can go off and "play around." Experiment and see what features are to be found. Keep in mind, using CONTROL-Z will back you out of nearly anything you get yourself into. Just enter them one at a time and watch for the familiar CoCo Sig> prompt. If you are online during the late evening hours, it is very likely your message will be answered within half an hour. So, you might want to stop back into the Forum area and see if you have gotten a response.

Go to the Forum area, as described above. If someone has replied to your message, you will be told you have waiting messages. Just type READ WAITING and press ENTER. Pretty soon, the answers to your questions will be scroll-

ing by on the screen. If, after reading a reply, you want to respond to the other user, just type REPLY and press ENTER. At the TO: prompt, just press ENTER. Delphi will know who you want to reply to.

The Forum is an excellent place to find an answer for nearly any question you have. Not only is it a good place for first-time members, it's a great resource for anyone who has a problem, or just needs a little helping hand. While more experienced users sometimes make assumptions, if you don't understand something, just ask again. Besides Forum, the CoCo SIG has many ways to help you learn the system.

### Other Sources of Help

As you experiment while "learning the ropes" in the CoCo, or our OS-9 Online SIG, keep in mind that help is only a couple of keystrokes away. Typing HELP or a question mark at nearly any prompt will give you a chance to find out what it is you are doing, and what it is you need to do. In the Conference area, however, you need to precede the word HELP or the ? with a slash. Just type /HELP and press ENTER.

Most of the time, once you have asked for help, you are given a list of topics to receive help with. Pick the

(RICKADAMS) describes the stdptrs file that will appear in the Level II distribution disk. Rick has also put up a file called *FFX2 Commands for L II BASIC09*, which describes the new commands available in the new GFX module.

**Steve Clark** (STEVECLARK) has sent us *Level 2 From Rogue*, additions to L2CODE and L2ROGUE from **Kevin Darling** (KDARLING). This concerns extracting an OS-9 Level II system from the disk with the *Rogue* game.

In the Applications section, **Dennis Weldy** (OS9ER) has generously given us an OS-9 based FORTH, including a FORTH shell, interpreter, source code for same, and a compiled version of the FORTH interpreter.

In the Utilities section, **Donald R. Grafton** (GRAFTON) has given us SORTC, a sort routine allowing up to 10 keys for the sort. **Bill Brady** (WBRADY) has sent us a C program to test the screen speed of your screen driver. He also has given us SYSCALL.ASM, which allows you to access system calls from within BASIC09 programs. **Eric Levinson** (ERICLEVINSON) has sent us a parallel ohm calculator that can calculate resistance in parallel circuits. He has also sent us a sort program that can handle up to 750 strings of 35 characters each. Eric has also given

us a file called WINDOWS, designed to set up windows using *O-Pak*. Kevin Darling has sent us a set of six utilities for Level II that show the current active processes, module directory, memory map, system map and process DAT map, and dump selected areas of memory.

In the Telcom section, Bill Brady has sent us BARETERM.C, a bare-bones terminal program written in C. He's also sent us BIGTERM.C, source code for his *BigT* OS-9 terminal program, which I mentioned last month. He has also given us XM1B.C, an Xmodem file server, useful for allowing someone logged into your OS-9 system to upload and download files via Xmodem protocol. **Greg Law** (GREGL) has posted KERMIT.FIX, Kermit Version 1.7 updates to allow transferring binary files. And **Mark Sunderlin** (MEGABYTE) has sent us OS-9 Kermit Version 1.6, source code to Kermit.

In the Graphics section, Bill Brady has given us *WizDraw*, the source code to the start-up graphics screen displayed in an OS-9 terminal program he is currently working on. This file can show you how to draw pictures under Level II OS-9. Kevin Darling has given us a *Graphicom*-to-OS-9 font converter, which enables you to convert *Graphicom* fonts to fonts usable by OS-9 Level II.

**Jay Truesdale** (JAYTRUESDALE) has sent us our first upload in the 68K-OS-9 section (give that boy a cookie!). This is an intra-system *Email* file, to let you send or receive mail to/from other users on your system. It works a lot like the Unix MAIL command.


### Color Computer SIG Databases:

In the General database section, **Don Hutchison** (DONHUTCHISON) has sent us a humorous piece titled *Restroom Policy*. **Eric Robichaud** (EGROBICHAUD) has sent us a worrisome report on the relative lack of knowledge of graduating 1987 high school seniors.

In the Utilities database, **Paul J. Burke** (PJB) has sent us two astronomy programs (including a planet locator). **Steven Shimatzki** (SHIM) has given us a labeler program. **Richard Ferreira** (SKEEVE) has sent us a filing utility, and **Dennis Hoin** (HACKER1) has uploaded his *Super Disk Utility* package. **Derrick M. Kardos** (DTG) has sent us an archive utility to enable you to compress files (the way the ARC utility under MS-DOS works). **Andrew Ellinor** (CROPPER) has sent us a zipper program for the CoCo 3. **Alan Weston** (HEADLY) has sent us *Solarsim* for the CoCo 3.

In the Graphics section, **Mike Fischer**





# WE'RE BRINGING THE COCO

## RAINBOW'S BROADENING ITS SPECTRUM

THE RAINBOW and the Delphi Information Utility have joined together to allow CoCo owners all over the world to connect with one another!

Delphi is a full-service information utility. It offers everything from up-to-the-minute news stories from The Associated Press to electronic mail services. But, *best of all*, it now has a **special forum for Color Computer owners, and it's operated by the people who bring you THE RAINBOW each month.**

The CoCo Special Interest Group (SIG) features a variety of services, including an open forum where you can send and receive messages from Color Computer owners all over the world. It also has several databases to which you can upload your favorite programs and from which you can download programs written by other CoCo enthusiasts. Some of these databases are BASIC programming, OS-9 and home applications.

When setting up your account with Delphi, if you do not have a credit card or prefer not to use it, Delphi requires that you send \$20 to give your account a positive balance. This will be refunded after your first free hour if you choose to no longer use the system or it will be applied to future connect charges. If you do not maintain a positive balance, you will be charged \$3.50 each month for direct billing.

## PEEK INTO THE RAINBOW

The CoCo SIG's conference feature allows you to meet electronically with other members of the CoCo Community. You can join conferences with notables such as Dale Puckett, Cray Augsburg, Marty Goodman, Don Hutchison, Jim Reed, Lonnie Falk and others — on a regular basis. Conference schedules will appear in THE RAINBOW each month. Be sure to check online announcements for changes and additions.

## THE OTHER SIDE OF THE RAINBOW

**On Delphi, you also are able to buy RAINBOW ON TAPE** — order a whole set, or download an individual program immediately. You can also renew your RAINBOW subscription, make a fast and easy order for software or hardware from a multitude of vendors, or inquire about products on the CoCo SIG.

We also have a number of **programs that you can download** and use, just for the cost of the time you spend transferring them. There'll also be **corrections for RAINBOW articles**, helpful hints and many other useful features.

## FREE LIFETIME MEMBERSHIP

**THE RAINBOW is offering subscribers a free lifetime subscription to Delphi** — a \$24.95 value — and a free hour of connect time — a \$7.20 value at either 300, 1200 or 2400 Baud — so you can sample Delphi and the RAINBOW CoCo SIG. That's right. Your subscription to THE RAINBOW entitles you to this \$32.15 value as a **free bonus!**

**If you're not a RAINBOW subscriber**, just enter your order when you sign on with Delphi and you'll get the same great deal! For our \$31 subscription fee, you'll get the finest Color Computer magazine ever, a free lifetime subscription to Delphi and a free hour of connect time.

## SAVE EVEN MORE

Want to save even more? While you're online you can order, for only \$29.95, a deluxe package which includes the Delphi membership, the *Delphi Handbook and Command Card* (\$21.95) and a total of three hours of connect time (\$21.60).

Delphi provides us all with **Immediate CoCo Community**. Check it out today. After all, you can sample it for free!

Problems? Call Delphi:  
**(800) 544-4005**  
**(617) 491-3393**

# DELPHI

# TYPE: GROUP COCO





# COMMUNITY TOGETHER

## How to reach RAINBOW's Color Computer SIG . . .

There are several ways to connect to Delphi and THE RAINBOW's CoCo SIG. In most cities you will not even have to pay long distance charges; you can use special data communications networks like Telenet, Tymnet and the Canadian Datapac network.

First, set your terminal program to operate at either 300 or 1200 Baud (depending on the modem you have), and also select either 7 bits with even parity or 8 bits with no parity, and one stop bit. (If one combination doesn't work, try another.)

Decide which network you should use. There is no surcharge for Telenet or Tymnet. Canadian residents using Datapac will be charged an additional \$12 (U.S.) per hour.

**On Telenet:** The Uninet network has now merged with Telenet. To get the Telenet number for your area, call (800) 336-0437. After you call your local access number and make connection, press the ENTER key twice. When the "TERMINAL=" prompt appears, press ENTER again. When the "@" prompt appears, type C DELPHI and press ENTER.

**On Tymnet:** Call (800) 336-0149 to get the Tymnet number for your area. After you dial your designated number and connect, you will see either "garbage" or a message saying "please type your terminal identifier." At this point, even if the screen is garbled, simply press 'A'. When "please log in:" appears, type DELPHI and press ENTER.

**From Canada (on Datapac):** Call Delphi Customer Service at (617) 491-3393 to get the Datapac number for your area. After you connect, press the period key (.) and ENTER (use two periods if you're using 1200 Baud). Type SET 2:1, 3:126 and press ENTER. Now type p 1 3106, DELPHI; and press ENTER. Delphi's new rates indicate an additional \$12 hourly surcharge for evening use of Datapac, which means a total of \$18 (U.S.) for connect time.

**From other countries:** Many countries have their own data networks that can connect to either Telenet or Tymnet. Check with the telephone authorities in your country for details on how to sign up for this service. When you have an account set up, you can reach Delphi with a "host code" of 312561703088 through Telenet, or 310600601500 through Tymnet. (You'll have to pay the toll charges for this connection.)

### Type in Your Username

If you're already a subscriber to THE RAINBOW, at the "USERNAME:" prompt, type JOINDELPHI and press

ENTER. At the "PASSWORD:" prompt, type RAINBOW. Then, at the "NUMBER:" prompt, type your individual subscription number from the mailing label of your latest issue of THE RAINBOW. (If there are one or more zeros at the beginning of this number, include them.)

**If you don't already have a subscription,** at the "USERNAME:" prompt, type JOINDELPHI and press ENTER. At the "PASSWORD:" prompt, type SENDRAINBOW and press ENTER. Have your MasterCard, VISA or American Express card ready, because you'll be led through a series of questions that will enable us to put your RAINBOW and Delphi subscriptions into effect. In an effort to hold down non-editorial costs, we do not bill for subscriptions.

If you make a typing error, just press ENTER and start over. Remember that at any point, when you're on Delphi, you can type HELP to get help on how to use the system. To get off the system just type BYE.

If you find that you're unable to log on to Delphi and enter the CoCo SIG after following these instructions, call us during afternoon business hours at (502) 228-4492. We'll be glad to offer assistance.

### Come Visit Us! Type: GROUP COCO

After you sign in, you'll be prompted to set up your own, personal "user name" — Delphi is a friendly service, no numbers to remember — and you'll be asked a number of questions so Delphi can set up your account. You'll also be assigned a temporary password. No time is assessed against your free hour of service while you answer these questions.

Delphi will tell you that your account will be ready after 6 p.m. the same day if you sign up before noon (Eastern time zone.) If not, your account will be ready at 6 p.m. the next day. Once an account is opened, *each RAINBOW subscriber will be credited with an hour of free time!*

When you log back in, use your chosen username and your temporary password to access the system. At that point, you will meet Max, who will help you configure things and will change your temporary password into your own *personal* password. This is the password you will use for subsequent sessions — or until you change it.

After Max bids you goodbye, you'll wind up at the Delphi Main Menu; type in GROUP COCO and **join us on the CoCo SIG!**



Also from Falsoft, The RAINBOW MAKER, . . .



## The magazine for Tandy portable and MS-DOS users

Not only does Tandy produce our favorite CoCo, we think they produce the best and best-priced lap-top portable and MS-DOS computers as well. We've found that when satisfied Color Computer users decide to add portability or move to MS-DOS, many stick with Tandy. For these people we publish PCM, The Personal Computer Magazine for Tandy Computer Users.

Each month in PCM, you'll find information and programs for the Tandy 100, 102, 200 and 600 portable computers. And you'll find even more coverage for their MS-DOS machines, the 1000, 1200, 2000 and 3000, along with the great new 1000 EX, 1000 SX and 3000 HL.

### FREE PROGRAMS!

We learned from THE RAINBOW that readers want programs to type in, so each month we bring you an assortment of them: games, utilities, graphics, and home and business applications.

### BAR CODE LISTINGS AND PROGRAM DISKS!

For portable users, PCM is the only home computer publication in the world that brings you programs in bar code, ready to scan into memory like magic with the sweep of a wand! For those who don't have time to type in listings, we offer a companion disk service with all the programs from the magazine.

### TUTORIALS AND PRODUCT REVIEWS!

As if all this weren't enough, we offer regular tutorials on telecommunications and hardware; assembly language, BASIC and PASCAL programming tips; and in-depth reviews of the new software, peripherals and services as they are released. Add it all up and we think you'll find PCM to be the most informative and fun magazine for this market today!

To order by phone (*credit card orders only*) call 800-847-0309, 8 a.m. to 5 p.m. EST. For other inquiries call 502-228-4492.

☐ **YES! Please send me a one year (12 issues) subscription to PCM for only \$28.\* A savings of 22% off the newsstand price.**

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

In order to hold down costs, we do not bill.

☐ My check in the amount of \_\_\_\_\_ is enclosed.

Charge to my: ☐ VISA ☐ MasterCard ☐ American Express

Acct. # \_\_\_\_\_ Expiration Date \_\_\_\_\_

Signature \_\_\_\_\_



\*Canadian subscribers U.S. \$35. Surface rate elsewhere \$64, airmail \$85. Allow 6 to 8 weeks for first copy. Kentucky residents add 5% sales tax. U.S. currency only, please.

**Mail to: PCM, The Falsoft Building, P.O. Box 385, Prospect, KY 40059**



appropriate selection. Once you have finished, you usually will be asked if you want further help on a related subject or subtopic. When you are satisfied, just press CONTROL-Z.

If you type HELP at the CoCo Sig> prompt, or main SIG menu, you will be greeted by a HINTS> prompt. This section of the SIG contains several text files pertaining to several different aspects of SIG operation. To get a list of the available help files, just type SCAN and press ENTER. You will find references to topics ranging from "Disabling Call Waiting" to "Submitting a File." While you may not be quite ready for

some of the selections, many of the help files are intended for new users. When you come across an entry of interest, enter the number associated with that entry. You will then be able to read the given help file. As before, when you are done, a simple CONTROL-Z is all that is needed to return you to the SIG menu.

### Some General Notes About Help

Many present members of the CoCo SIG are more than willing to lend a helping hand at any time. However, we sometimes make assumptions about how much another person knows. Things second nature to us tend not to

be mentioned in our explanations. If you don't quite follow something, don't be afraid to ask again. The most important thing is that you, too, become familiar with the system.

The users on the SIG have a wide variety of other interests. You should refrain from asking a specific person about a specific problem unless you know that person is knowledgeable in that area. It is best to address most questions to *all* users. That way you can get a variety of viewpoints. □

(MIKE88) has sent us an Old English font. **Ken Schunk** (KENSCHUNK) has sent us several CoCo 3 Hi-Res fonts, including a Saratoga, Palo Alto, IBM, and a Woodhaven font set. **Alan Dekok** (ALAN-DEKOK) has uploaded a tape covers program, and **Roger Smith** (SMUDGER) has sent us DIGIT.BAS for the CoCo 3. Don Hutchison has provided PIC DDS, a picture saver for the CoCo 3, and **Roger Bouchard** (HARBIE) has sent us some stunning Atari 520 ST pictures that were converted to CoCo 3 format.

In the Data Communications section, we have a text file by **Ward Christenson** on the specs for Xmodem, with some addenda by **Mike Ward** (MIKEWARD). For *MikeyTerm* users with a tape-only system, we have gotten a proper copy of TAPCNV.BAS, to aid such folks in downloading ML program files.

In the CoCo 3 News and Information section, **Rich Ries** (RRIES) has sent us SEEK.BAS, a CoCo 3 disk editor program. **Robert E. Pierce** (RPIERCE) has sent us a character editor for the CoCo 3 Hi-Res fonts. **Chad Rogers** (ICMR) has sent us a very professional and thorough 128K / 512K CoCo 3 RAM test program.

In the Product Reviews section, we have from **Harry Seely** (ALTAIR) a review of the the J&R systems 512K upgrade

board. I posted an extensive comparative review of the CM8, Magnavox 8CM515, and Sony KVI311CR RGB monitors for the CoCo 3, including information on prices and where to get these monitors.

In the Games database, **Dr. Michael Keyes** (MIKEYES) has sent us a Green Beret Simulation. **Eric Levinson** (ERIC-LEVINSON) has sent us a *Blockman* game. **Craig Green** (SPUDLY) has provided a Lotto 40 and 48 game. **Kurt Stecco** (HIGHRAILER) has sent us the game *Local Freight*. **Richard P. Trasborg** (TRAS) has sent a blackjack game. And **Steve Macri** (DRACMAN) has sent us a drag racing game called *Dragn3*.

Over this last month, our forums on the CoCo and OS-9 services have been buzzing with anticipation of the long-delayed release of OS-9 Level II. As I write this report, the first release copies are just being sold in the Fort Worth area, with the product available elsewhere within a week or two. By the time you read this, OS-9 Level II will be at your local Radio Shack computer store. With the arrival of this product, I expect to see a great deal of activity in both the forums and databases.

For Disk Extended Color BASIC users, there seems to be a good chance that a new release of *RickyTerm* will soon be

available, which will support the bit-banger port and have a few other improvements.

### Corrections

In the March 1987 "Database Report," I incorrectly stated that HCOPIY was a BASIC Driver for Greg Geary's Hi-Res utility. This is not the case. It is a BASIC driver for an ML program developed by Dennis Weldy. Please excuse this mistake.

Also, I want to point out to our readers that it was Vaughn Cato of Atlanta, Ga., who wrote the superb Bouncing Ball Demo that Mike Fischer uploaded to us. Our special thanks to Vaughn for this outstanding program, which can be found in the Graphics section of the CoCo SIG's database.

How to stay in touch with the most recent developments relating to the CoCo? Just drop by the Delphi CoCo and OS-9 Online Special Interests Groups now and then! I'll see you all there.

— Marty Goodman  
Rainbow's Delphi Database Manager

Hint . . .

## RGB Shortcut

The manual that accompanies your CoCo 3 indicates you should enter PALETTE RGB upon powering up if you have an RGB monitor. To make life a little simpler, just type RGB and press ENTER. The command PALETTE is not required to precede the selection of RGB or CMP.

David Mills  
Huntington, WV

Hint . . .

## X Marks the Spot

Most CoCo enthusiasts know about sending a disk directory to the printer; just enter POKE111,254:DIR. In "RENUM With a Twist" [February 1986, Page 112], Frederic Haberer explains how to use the RENUM command to find GOTO and GOSUB statements that don't go anywhere. To find these unresolved references, enter RENUMx,x,10, where x is any number greater than the highest line number and less than 65535. A list of the errors will then appear on the screen. Now, I combine the two techniques to send the results to my printer. Just enter POKE111,254:RENUMx,x,10.

John Valentine  
Pacoima, CA



# RAINBOW Info

## How To Read Rainbow

Please note that all the BASIC program listings in THE RAINBOW are formatted for a 32-character screen — so they show up just as they do on your CoCo screen. One easy way to check on the accuracy of your typing is to compare what character "goes under" what. If the characters match — and your line endings come out the same — you have a pretty good way of knowing that your typing is accurate.

We also have "key boxes" to show you the *minimum* system a program needs. But, *do* read the text before you start typing.

Finally, the little disk and/or cassette symbols on the table of contents and at the beginning of articles indicate that the program is available through our RAINBOW ON DISK OR RAINBOW ON TAPE service. An order form for these services is on the insert card bound in the magazine.


## What's A CoCo?

CoCo is an affectionate name that was first given to the Tandy Color Computer by its many fans, users and owners.

However, when we use the term CoCo, we refer to both the Tandy Color Computer and the TDP System-100 Computer. (While many TDP-100s are still in service, the TDP Electronics Division of Tandy no longer markets the CoCo look-alike.) It is easier than using both of the "given" names throughout THE RAINBOW.

In most cases, when a specific computer is mentioned, the application is for that specific computer. However, since the TDP System-100 and Tandy Color are, for all purposes, the same computer in a different case, these terms are almost always interchangeable.

## Rainbow Check Plus



The small box accompanying a program listing in THE RAINBOW is a "check sum" system, which is designed to help you type in programs accurately.

*Rainbow Check PLUS* counts the number and values of characters you type in. You can then compare the number you get to those printed in THE RAINBOW. On longer programs, some benchmark lines are given. When you

reach the end of one of those lines with your typing, simply check to see if the numbers match.

To use *Rainbow Check PLUS*, type in the program and save it for later use, then type in the command RUN and press ENTER. Once the program has run, type NEW and press ENTER to remove it from the area where the program you're typing in will go.

Now, while keying in a listing from THE RAINBOW, whenever you press the down arrow key, your CoCo gives the check sum based on the length and content of the program in memory. This is to check against the numbers printed in THE RAINBOW. If your number is different, check the listing carefully to be sure you typed in the correct BASIC program code. For more details on this helpful utility, refer to H. Allen Curtis' article on Page 21 of the February 1984 RAINBOW.

Since *Rainbow Check PLUS* counts spaces and punctuation, be sure to type in the listing exactly the way it's given in the magazine.

```
10 CLS:X=256*PEEK(35)+178
20 CLEAR 25,X-1
30 X=256*PEEK(35)+178
40 FOR Z=X TO X+77
50 READ Y:W=W+Y:PRINT Z,Y;W
60 POKE Z,Y:NEXT
70 IF W=7985 THEN 80 ELSE PRINT
   "DATA ERROR":STOP
80 EXEC X:END
90 DATA 182, 1, 106, 167, 140, 60, 134
100 DATA 126, 183, 1, 106, 190, 1, 107
110 DATA 175, 140, 50, 48, 140, 4, 191
120 DATA 1, 107, 57, 129, 10, 38, 38
130 DATA 52, 22, 79, 158, 25, 230, 129
140 DATA 39, 12, 171, 128, 171, 128
150 DATA 230, 132, 38, 250, 48, 1, 32
160 DATA 240, 183, 2, 222, 48, 140, 14
170 DATA 159, 166, 166, 132, 28, 254
180 DATA 189, 173, 198, 53, 22, 126, 0
190 DATA 0, 135, 255, 134, 40, 55
200 DATA 51, 52, 41, 0
```

## Using Machine Language

Machine language programs are one of the features of THE RAINBOW. There are a number of ways to "get" these programs into memory so you can operate them.

The easiest way is by using an editor/assembler, a program you can purchase from a number of sources.

An editor/assembler allows you to enter mnemonics into the CoCo and then have the editor/assembler assemble them into specific instructions that are understood by the 6809 chip, which controls your computer.

When using an editor/assembler, all you have to do, essentially, is copy the relevant instructions from THE RAINBOW's listing into CoCo.

Another method of getting an assembly language listing into CoCo is called "hand assembly." As the name implies, you do the assembly by hand. This can *sometimes* cause problems when you have to set up an ORIGIN or EQUATE statement. In short, you have to know something about assembly to hand-assemble some programs.

Use the following program if you wish to hand-assemble machine language listings:

```
10 CLEAR 200,&H3F00:I=&H3F80
20 PRINT "ADDRESS: ";HEX$(I);
30 INPUT "BYTE";B$
40 POKE I,VAL("&H"+B$)
50 I=I+1:GOTO 20
```

This program assumes you have a 16K CoCo. If you have 32K, change the &H3F00 in Line 10 to &H7F00 and change the value of I to &H7F80.

## The Rainbow Seal



The *Rainbow Certification Seal* is our way of helping you, the consumer. The purpose of the Seal is to certify to you that any product that carries the Seal has actually been seen by us, that it does, indeed, exist and that we have a sample copy here at THE RAINBOW.

Manufacturers of products — hardware, software and firmware — are encouraged by us to submit their products to THE RAINBOW for certification. We ascertain that their products are, in actuality, what they purport to be and, upon such determination, award a Seal.

The Seal, however, is not a "guarantee of satisfaction." The certification process is different from the review process. You are encouraged to read our reviews to determine whether the product is right for your needs.

There is absolutely no relationship between advertising in THE RAINBOW and the certification process. Certification is open and available to any product pertaining to CoCo. A Seal will be awarded to any commercial product, regardless of whether the firm advertises or not.

We will appreciate knowing of instances of violation of Seal use.



## DataPack II Plus V4.1

### SUPER SMART TERMINAL PROGRAM AUTOPILOT and AUTO-LOG Command Processors X-MODEM DISK FILE TRANSFER SUPPORT VT-100 & VT-52 TERMINAL EMULATION

- \* No lost data using Hi-Res Display, Even at 1200 Baud on the Serial port.
  - \* 0 Hi-Res Displays, 28 to 255 columns by 24 lines & true Upper/Lower case.
  - \* 45K Text Buffer when using the Hi-Res Text Display and Disk.
  - \* ASCII & BINARY disk file transfer support via XMODEM.
  - \* Directly record receive data to a disk file while online.
  - \* VT-100 terminal emulation for VAX, UNIX and other systems.
  - \* VT-100/52 cursor keys & position, insert/delete, PF & Alt. Kbd. keys.
  - \* Programmable Word Length, Parity, Stop Bits and baud rates 300 to 9600.
  - \* Complete Full and Half Duplex operation, with no garbled data.
  - \* Send full 128 character set from Keyboard with control codes.
  - \* Complete Editor, Insert, Delete, Change or Add to Buffer.
  - \* 0 Variable length, Programmable Macro Key buffers.
  - \* Programmable Printer rates from 110 to 9600 Baud.
  - \* Send Files directly from the Buffer, Macro Key Buffers or Disk.
  - \* Display on Screen or Print the contents of the Buffer.
  - \* Freeze Display & Review information On line with no loss of data.
  - \* Built in Command Menu (Help) Display.
  - \* And much, much more.
- Supports: Word-Pak I, II, R.S. and Double Density 80 Column Cards  
Distro Controller w/80 column card & parallel printer  
PBJ Parallel Printer Card and Dual Serial Port (2SP-Pak)  
R. S. Modem-Pak & Deluxe RS-232 Pak, even with Disk.

**Requires 32K & Disk, Only \$59.95**

### HI-RES II Screen Commander

Tired of looking at the 16 line by 32 character display on your CoCo? Wish you could see more lines and characters? Then HI-RES II is the answer. It can give you the big screen display you've always wanted. It will display 24 lines of 32, 42, 51, 64 and even 85 true upper and lower case characters per line without extra hardware.

HI-RES II is the most powerful screen enhancement package available for the Color Computer, yet it is the least expensive. It is completely compatible and transparent to Basic. Once the program is loaded, everything works the same as before, only you have a much better display to work with. It even allows you to have mixed text and Hi-resolution graphics on the same screen or have separate text and graphics screens. It also has an adjustable automatic key repeat feature and allows you to protect up to 23 lines on the screen.

HI-RES II features over 30 special control code functions that allow you to change characters per line, protect display lines, change background color, position cursor, switch normal/reverse video, underline, double size characters, erase line/screen/to end of screen, home cursor, character highlight and much more. It works on all models of the CoCo with 16, 32 or 64K and provides automatic reset control so HI-RES II won't disappear when you press reset.

**Only 24.95 on Tape or \$29.95 on Disk**

### "The Source"

Now you can easily Disassemble Color Computer machine language programs directly from disk and generate beautiful, Assembler Source Code. And "The Source" has all the features and functions you are looking for in a Disassembler.

- \* Automatic Label generation and allows specifying FCB, FCC and FDB areas.
- \* Disassembles programs directly from Disk or ROM.
- \* Output Disassembled listing with labels to the Printer, Screen or both.
- \* Generates Assembler source files directly to disk, or a printed listing.
- \* Generated source files are in standard ASCII format.
- \* Built in Hex/ASCII dump/display to locate FCB, FCC and FDB areas.
- \* Built in Disk Directory and Kill file commands.
- \* Menu display with single key commands for smooth, Easy operation.
- \* Written in fast machine language, one of the easiest to use Disassemblers

**Requires 32K Disk \$34.95**

### TEXTPRO III

#### "The Advanced Word Processing System"

- \* 0 Hi-Res Displays from 28 to 255 columns by 24 lines & Upper/Lower Case
- \* Three Programmable Header lines that can be re-defined at anytime.
- \* Programmable Footer line & Automatic Footnote System.
- \* 10 Programmable Tab stops & 7 Powerful Tab Function Commands.
- \* Completely Automatic Justification, Centering, Flush left and right.
- \* On screen display of underline and Double size characters.
- \* Change indents, margins, line length, etc. parameters anytime in the text.
- \* Create and Edit files larger than memory, up to the size of a full disk.
- \* Easily imbed any number of format and control codes.
- \* Automatic Memory sense 16-64K with up to 48K of memory workspace.
- \* Fully supports the use of 80 column hardware cards.

TEXTPRO III is an advanced word processing system designed for speed, flexibility and extensive document processing. It is not like most of the other word processing programs available for the Color Computer. If you are looking for a simple word processor to write letters or other short documents, then most likely you'll be better off with one of the other simpler word processors. But, if you want a powerful word processor with extensive document formatting features to handle large documents, term papers, manuals, complex formatting problems and letter writing, then TEXTPRO III is what you're looking for. TEXTPRO works in a totally different way than most word processing programs. It uses simple 2 character abbreviations of words or phrases for commands and formatting information that you imbed directly in your text. There are over 50 different formatting commands you can use without ever leaving the text you're working on. There are no time consuming, and often frustrating menu chases, you are in total control at all times. The formatted output can be displayed directly on the screen, showing you exactly what your printed document will look like before a single word is ever printed. This includes margins, headers, footers, page numbers, page breaks, underlining, column formatting and full justification.

**DISK \$59.95 TAPE \$49.95**

## The CBASIC Editor/Compiler V1.1.2

Do you want to write fast machine language programs but you don't want to spend the next few years trying to learn how ???

Well with CBASIC, you could be writing them right now!

CBASIC is the only fully integrated Basic Compiler and program editing system available for the Color Computer. It will allow you to take full advantage of all the capabilities available in your color computer without having to spend years trying to learn assembly language programming. CBASIC allows you to create, edit and convert programs from a language you are already familiar with Extended Disk Color Basic, into fast efficient machine language programs easily and quickly. We added advanced features like a full blown program editor, Hi-Res text Displays and 80 column hardware support for editing, compiling and your compiled programs. Plus we made it exceptionally easy to use, CBASIC is the friendliest and easiest compiler available for the Color Computer.

*"The most complete Editor/Compiler I have seen for the CoCo..."*  
--The RAINBOW, March 1986

CBASIC is a powerful tool for the Beginner as well as the Advanced Basic or Machine Language programmer. You can write programs without having to worry about the Stack, DP Register, memory allocation and so on, because CBASIC will do it for you automatically. Or, CBASIC will let you control every aspect of your program, even generating machine code directly in a program easily.

CBASIC features well over 100 compiled Basic Commands and Functions that fully support Disk Sequential and Direct access files, Tape, Printer and Screen I/O. CBASIC supports ALL the High and Low Resolution Graphics, Sound, Play and String Operations available in Extended Color Basic, including Graphics GET, PUT, PLAY and DRAW, all with 99.9% syntax compatibility. CBASIC also supports the built in Serial I/O port with separate printer & serial I/O baud rates. You can send and receive data with PRINT, INPUT and INKEY commands.

CBASIC has its own completely integrated Basic Program Editor which allows you to load, edit or create programs for the compiler. It is a full featured editor designed specifically for writing and editing Basic programs. It has block move & copy, program renumbering, automatic line numbers, screen editing, printer control and more.

*"The Editor is a very good one and could be the subject for review by itself..."*  
--The RAINBOW, March 1986

*"Comparing ECB's edit mode to CBASIC's text editor is like comparing a World War II jeep to a modern sedan. Both get you to your destination, but what a difference in the ride."*  
--Hot CoCo, February 1986

The documentation for CBASIC is an 8 1/2 \* 11 Spiral Bound book which contains approximately 120 pages of real information.

*"CBASIC's manual is easy to read and written with a minimum of technicalities..."*  
--Hot CoCo February, 1986

The price of CBASIC is \$149.00. It is the most expensive Color Basic Compiler on the market, and well worth the investment.

Compare the performance of CBASIC against any Color Basic compiler. Dollar for dollar, CBASIC gives you more than any other compiler available. Requires 64K & Disk, not JDOS compatible.

*"The price tag it carries seemed a bit steep for an integer compiler on first glance, but when you add 64K, hi-res drivers, and full-screen editing, CBASIC begins to look more like a bargain..."*  
--Hot CoCo February, 1986

*"A Complete Editor/Compiler Well Worth its Price"* --RAINBOW March 1986

### EDT/ASM 64D

#### 64K DISK EDITOR ASSEMBLER

EDT/ASM 64D is a Disk based co-resident Text Editor & Assembler. It has a Hi-Resolution 51, 64 or 85 column by 24 line display, so you see your program listings easily and it supports Column cards. The disk also contains a free standing ML Debug Monitor, to help you debug your assembled programs.

This is the most powerful, easy to use Text Editor available in any Editor/Assembler package for the Color Computer. It even has automatic line number generation for easy entry of program material.

- \* Local and Global string search and/or replace.
- \* Full screen line editing with immediate line update.
- \* Easy to use Single keystroke editing commands.
- \* Load & Save standard ASCII formatted Tape/Disk files.
- \* Move or Copy single & multiple text lines.
- \* Create and Edit disk files larger than memory.
- \* Hi-Res Text Display 28 to 85 columns by 24 lines.
- \* Supports Word-Pak I, II, R.S. and Distro 80 column display cards.

The Assembler portion of EDT/ASM 64D features include:

- \* Supports the full 6800 instruction set.
- \* Supports conditional IF/THEN/ELSE assembly.
- \* Supports Disk Library files (include).
- \* Supports standard Motorola assembler directives
- \* Allows multiple values for FDB & FCB directives.
- \* Generates listings to Hi-Res text screen or printer.
- \* Assembles directly to disk or tape in LOADM format.
- \* Supports up to 0 open disk files during assembly.
- \* Allows assembly from editor buffer, Disk or both.

**Requires 32K Disk \$59.95**

## CoCo-3 versions now available for most programs!!!

**CoCo-3 512K upgrade \$149.95, card without Ram \$49.95  
Two Drive RAM-DISK program for 512K CoCo-3 \$19.95**

To order products by mail, send check or money order for the amount of purchase, plus \$3.00 for shipping & handling to the address below.  
To order by VISA, MASTERCARD or COD call us at (702) 452-0632  
(Monday thru Saturday, 8am to 5pm PST).

### CER-COMP

**5566 Riccochet Avenue  
Las Vegas, Nevada 89110  
702-452-0632**



**"Instant Graphics and Hogs in Space"** (February 1987, Page 106): Due to a production error, part of Line 730 is missing from the listing as it appeared in the magazine. The entire line appears below.

```
730 S=PEEK(&HBC)*256:PCLS2:SAVEM
"CHECK",S,S+1024*3-1,&H0000:PMOD
E4,1:COLOR1,0:SCREEN1,1:PCLS:LOA
DM"CHECK":KILL"CHECK/BIN"
```

There is no problem with the program as it appears on RAINBOW ON TAPE and RAINBOW ON DISK.

**"Let the Laser Battle Begin"** (January 1987, Page 36): When going through the tunnel in *Def Mov*, it is not possible to crash. This can be rectified by changing every occurrence of =1 to =5. This allows the color codes to be read properly.


**"Joker Poker"** (March 1987, Page 99): While no known error exists in the program, several readers have had difficulty understanding one aspect. The first time you run *Poker*,

you will get an error message. This message asks if you entered F\$="SCORES":GOTO2125 to establish a scores file. All you need to do is make sure you have a formatted, non-write-protected disk in Drive 0 and enter the above line. This will create the score file necessary for game execution.

**"The Key to Success"** (March 1987, Page 66): The program *CoCo-Type* by Leonard Hyre contains a line that may be confusing to those who are typing the listing from the magazine. Line 1550 is an extraneous line. It can be removed from the program without affecting program execution.

**"Life of the Party" for \$200, Please** (March 1987, Page 58): The part number designations are not indicated in Figure 1, the parts list. The correct designations are as follows:

J1	—	6-pin DIN plug
SW1-SW10	—	momentary switches, normally open
R1-R9	—	10K ohm, 1/4-watt resistor
R10	—	22K ohm, 1/4-watt resistor
R11	—	220K ohm, 1/4-watt resistor



## PREMIUM PRINTER SYSTEMS PLUG-N-GO FOR THE COCO

### STAR NX-10

Easy-to-use and ready for heavy workloads. System includes the NX-10 printer with BLUE STREAK II serial to parallel interface and our Software Trio (see below). 1 Year limited warranty serviceable nationwide.

SPECS: 120 cps Draft, 30 cps NLQ, Italics, Sub & Superscripts, Emphasized, Doublestrike, Proportional, International, Down Loadable Char., Graphics 480-1920 dots/line, Forward or Reverse n/216" Line Feeds, Friction & Push Tractor, 5K Data Buffer.

These  
are complete  
systems. Nothing  
more to buy!

**\$27995**

+\$10 Shipping and Insurance

### CITIZEN 120D

System includes Citizen 120D printer with serial interface, cable, and our Software Trio (see below). 12 month limited warranty.

SPECS: 120 cps Draft, 25 cps NLQ, Italics, Sub & Superscripts, Emphasized, Doublestrike, Proportional, International, User Defined Characters, Reverse print, Graphics 480-1920 dots/line, Friction and Tractor, 4K Buffer.

Reviewed in  
'87 March  
Rainbow

**\$22995**

+\$10 Shipping and Insurance

### BLUE STREAK II

A serial to parallel interface that can increase your data transmission 4 fold over conventional-compatible interfacing. An additional serial I/O port permits port sharing with another serial device without recabling.

SPECS: 300 to 9600 Switchable Baud Rates, 1 Year Warranty, Input 4 Pin Serial, Output 36 Pin Parallel and 4 Pin Serial.

**\$4995**

+ \$2 Shipping

**\$5495**

w/power supply  
+ \$2 Shipping

### SOFTWARE TRIO

- **Type Selection Tutorial Program**  
Specify Star/Seikosha/or Citizens Printer.
- **Super Gemprint Screen Dump**  
8"x 11" dump with grey level shading for color.
- **Drayon's Word Processor 2.2**  
Create, save & print customized documents.

All Three Programs **\$1995** + \$2 Shipping

**DAYTON ASSOCIATES OF W.R. HALL, INC.**

7201 CLAIRCREST BLDG. C

DAYTON, OHIO 45424

OHIO RESIDENTS ADD 6% SALES TAX • C.O.D. ADD \$2.00

PERSONAL SERVICE

(513) 236-1454

Visa & MasterCard  
within the continental U.S.

For quicker reference, Corrections will be posted on Delphi as soon as they are available in the Info on Rainbow topic area of the database. Just type DATA at the CoCo SIG> prompt and INFO at the TOPIC?> prompt.



<b>Champion</b>	
Good vs. Evil: More than a game/ <i>Mark Data Products</i> .....	141
<b>Datapak II Plus and Datapak III Plus</b>	
Super Smart Terminals/ <i>Cer Comp</i> .....	142
<b>Diskman</b>	
Provides Garbling Insurance/ <i>Tothian Software, Inc</i> .....	134
<b>Disto Super RAM 3</b>	
512K Memory Upgrade/ <i>CRC Computers</i> .....	144
<b>Educational Software</b>	
Discover the History of America/ <i>York 10 Software</i> .....	144
<b>Extender Cable for the Tandy CM-8 Monitor</b>	
Six Feet of Flexibility/ <i>Spectrum Projects, Inc.</i> .....	140
<b>Fourcube</b>	
Tic Tac Toe in 3D/ <i>Novasoft</i> .....	139
<b>Gold Finder</b>	
A Game for Everyone/ <i>Tom Mix Software</i> .....	137
<b>OS-9 Level II</b>	
Versatility, Power and Low Price/ <i>Tandy Corporation</i> .....	148
<b>The Return of Junior's Revenge</b>	
Arcade Game for the CoCo 3/ <i>Computerware</i> .....	135
<b>Roller Controller</b>	
A Game of Skills/ <i>Spectrum Projects, Inc.</i> .....	150
<b>The SECA Fraction Review</b>	
Help for Students/ <i>SECA</i> .....	136
<b>Sigmaword</b>	
Instructive Word Processor/ <i>Sigma Software</i> .....	147
<b>State the Facts Game</b>	
Capitalize on Your State Knowledge/ <i>Mikaron Software</i> .....	146
<b>Survey Programs</b>	
Get Your Bearings/ <i>T.P. Jones</i> .....	138







# HOW DO YOU PRESCRIBE A RAINBOW?

**It's simple — Give a RAINBOW gift certificate . . .**

THE RAINBOW is the perfect remedy for an ailing CoCo; let a gift subscription perk up your friends' tired old computers. THE RAINBOW is *the* information source for the Tandy Color Computer.

Each month, your friends will enjoy the intelligent programs, reviews and articles written exclusively for their CoCo.

First, your gift will be announced in a handsome card. Then, all year 'round, they'll remember you and your thoughtfulness when they get each edition of THE RAINBOW — more than 200 pages loaded with as many as 24 programs, 15 regular columns and lots of helpful hints and tips.

Generosity benefits the giver, too. There'll be no more tracking down borrowed copies of THE RAINBOW. Your collection will be safe at home.

Give a RAINBOW gift certificate and let your friends in on the fun. THE RAINBOW is the perfect companion for the Color Computer!

**Get your order to us by May 25 and we'll begin your friends' subscriptions with the July issue of RAINBOW.**

**Please begin a one-year (12 issues) gift subscription to THE RAINBOW for:**

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

**From:**

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

☐ My payment is enclosed.

Bill to: ☐ VISA ☐ MasterCard ☐ American Express

Acct. # \_\_\_\_\_ Exp. date \_\_\_\_\_

Signature \_\_\_\_\_

Mail to: **Rainbow Gift Certificate  
The Falsoft Building  
P.O. Box 385  
Prospect, KY 40059**

For credit card orders call (800) 847-0309, 8 a.m. to 5 p.m. EST.  
All other inquiries call (502) 228-4492.

Subscriptions to THE RAINBOW are \$31 in the United States; U.S. \$38 in Canada. The surface rate to other countries is U.S. \$68; the air rate, U.S. \$103. Kentucky residents add 5% sales tax. **U.S. currency only, please.** All subscriptions begin with the current issue. Please allow 6 to 8 weeks for delivery. In order to hold down non-editorial costs, we do not bill.



# REVIEWING REVIEWS

## *Keeping Track*

*Editor:*

I must assume someone spent 10 minutes cranking out a review of a few hundred words that failed to provide an accurate personal account of *Keeping Track's* uses (March 1987, Page 142). I am particularly dismayed to realize the reviewer used 5-year-old technology to test a current utility program. The PCLEAR 1 bug has not occurred on any of the CoCos (both 2 and 3) in use throughout our company.

A comparison was drawn between Directory Print and the "bare bones" command POKE 111,254:DIR. The versatile aspect of the CoCo means there is always more than one way to do any task, but methods can only be compared if they produce identical results. There is sufficient foolishness in this review to write several pages of rebuttal; however, enough is enough. Paying customers are the least forgiving, but none of them have ever come to us with any complaints about *Keeping Track*.

Ian Millard  
Duck Productions

*Editor:*

Having read the review of *Keeping Track* in March 1987, I feel there are a number of misconceptions that should be cleared up.

First, D is a high-speed machine language program with a BASIC loader that allows the use of the command RUN"D. The D program automatically loads and runs any file, machine language or BASIC. D gives continuous access to any length of directory and indicates the number of granules in each program, as well as the free disk space and users disk names — in less than four seconds.

Second, the speed of Disk File Address, like so many other programs, is dependent upon the printer baud rate and, therefore, the speed of data transfer.

Third, Directory Print does not bomb

out. When using the command PCLEAR 1 (not PCLEAR 0) in a program, the ROMs in some computers produce an SN Error. It has never happened on any of the CoCo 2 or CoCo 3 machines here but, when it does crop up, it is generally attributed to Extended Color BASIC, not the many programs that use PCLEAR 1. Directory Print automatically formats and prints up to eight disk directories on a single 8½-by-11 page.

Fourth, the line-list protection is a remnant of a copy-protection system that Duck Productions no longer uses. The DIR and LIST commands can be hobbled on any computer by POKE 383,158 and restored to operation by POKE 383,57.

When summing up any software package, it is important to keep in mind the type of user it is aimed at. *Keeping Track* was designed for the average person, who wants a maximum of organization with a minimum of effort. With this in mind, *Keeping Track* has been permanently re-priced at \$14.95 (\$19.95 Cdn.). I am sure the more technical types who repair their own disk drives, etc., will be buying much more detailed (and expensive) utilities.

I am disappointed with the apparent lack of attention to detail in this review. This is not sour grapes by any means. On the contrary, I am always looking for constructive criticism and suggestions on how to improve my work.

Gary Mills  
Author

## *Colorscan*

*Editor:*

I would like to thank reviewer Gay Crawford for her thorough and favorable review of our program, *Colorscan*, for the CGP-220 Color Ink-Jet printer.

However, there are several things that I would like to comment on. First, the maximum banner length is 27 feet, not 27 inches. Second, the program will work with ADOS if the ADOS DIS-ABLE command is used.

It was also noted in the review that to exit the program you must press the reset button or turn off the machine. This is true. But, this has been the case with all WHITESMITH software, and we have never received any complaints before.

Eric White  
WHITESMITH Partnership

## *CMOS Conversion Kit*

*Editor:*

Marty Goodman's review of the 63B09E and 63B21 chips deserves comment. He was right to say that these products are not meant for the casual tinkerer. They are too expensive for all but the most specific applications. It's difficult to install them in the CoCo 3 unless you have experience in desoldering chips. Furthermore, he was right to say there is currently no provision for adding a portable disk drive.

What Marty doesn't realize is that a couple of chips and a battery aren't meant to turn the CoCo into a laptop computer that will handle the spreadsheets and word processing tasks of typical users. Thumb through RAINBOW, however, and you'll see the CoCo harnessed for robotics, music synthesis and MIDI control, and signal processing, including speech recognition. In many cases, these functions are needed where an AC cord won't easily go.

Marty complained about the introductory price, but he'd have to buy several hundred dollars worth of other items before he could buy these chips in single quantities. Most likely, his distributor, like mine, would balk until he put in a minimum order. However, I've reduced the prices to \$34.95 for the CPU and \$12.95 for the PIA. But again, these chips are not meant for inexperienced tinkerers.

Mitch Gould  
CMOS Conversions



# RECEIVED & CERTIFIED

The following products have recently been received by THE RAINBOW, examined by our magazine staff and approved for the Rainbow Seal of Certification, your assurance that we have seen the product and have ascertained that it is what it purports to be.

This month the Seal of Certification has been issued to:

**Checkbook III**, a financial program designed to aid in checkbook maintenance. This program maintains current balance, tracks checks written, and allows the user to catalog each check into one of nine expense categories. For the CoCo 3. Requires one disk drive. *SECA, P.O. Box 3134, Gulfport, MS 39505; (601) 832-8236, \$19.98 plus \$3 S/H.*

**Checkerboard Filesort**, a 32K filing program. Machine language routines handle data entry, editing, reviewing, searches and sorting. For the CoCo 1 or 2. *Seibyte Software, Box 6464, Bakersfield, CA 93386; (805) 366-4540, Tape only, \$16.95.*

**CoCo3 Cribbage**, a 128K graphics version of the classic card game. Enjoy the game and learn about CoCo 3 programming. For the CoCo 3. *Bob van der Poel Software, 17435 57th Avenue, Edmonton, Alberta, Canada T6M 1E1; Disk, \$13.95; Tape, \$14.95.*

**CoCo Checkbook**, a 16K program to track expenditures, both by check and cash, by category or account, and to make using a budget easier. For CoCo 1, 2 or 3. Requires one disk drive. *Bob's Software, P.O. Box 391, Cleveland, OH 44107; \$25 plus \$2.50 S/H.*

**CoCo MIDI 2**, a 64K program for musicians. Let your CoCo talk to your MIDI music synthesizer. Includes MIDI hardware interface, 2 MIDI cables, detailed manual and software. For the CoCo 1, 2 or 3. Requires Y-Cable or Multi-Pak. *Speech Systems, 38 W. 25 Deerpath Road, Batavia, IL 60510; (312) 879-6880, \$149.95.*

**Diskman**, a 32K utility program for the disk drive user. Make backup directories, restore lost directories, examine and change sectors, and restore and alphabetize directories. *Tothian Software, Inc., Box 663, Rimersburg, PA 16248; \$21.95.*

**FKEYS III Version 1.3**, a 128K function key utility. *FKEYS III* can be programmed for 20 different functions. Custom versions can be saved to disk and loaded into RAM. For the CoCo 3. *Gimmesoft, 4 Hallfield Court, Baltimore, MD 21236; (301) 256-7558, \$19.95 plus \$2.50 S/H.*

**Gridiron Strategy**, 128K football Simulation game. For the CoCo 3. Requires one disk drive. *SPORTSware, 1251 S. Reynolds Road, Suite 414, Toledo, OH 43615; (419) 389-1515, \$29.95.*

**HR-1**, a collection of three Ham radio programs. The Morse code program is designed as a practice aid. An antenna design program calculates the length and spacing of a side-spaced Yagi antenna up to four elements. A DX station program allows typing notes onto the screen and then looking up the countries for a given prefix. For the CoCo 1, 2 or 3. *Dynamic Electronics, Inc., P.O. Box 896, Hartselle, AL 35640; (205) 773-2758, \$11.95 plus \$3 S/H.*

**IMML3**, a 128K mailing list program that will handle up to 200 records in a file. Features onscreen editing and ML sorts on any field. For the CoCo 3. *CMD Micro Computer Services Ltd., 10447 124th Street, Edmonton, Alberta, Canada T6M 1E1; (403) 488-7109, \$16.45 plus \$2 S/H.*

**The Levitical Offerings**, a Bible study program. The disk includes five studies on the offerings in Leviticus, and the entire King James text of the passages studied. For the CoCo 1, 2 or 3. *Sovereign Grace Software, 221 Highview Drive, Ballwin, MO 63011; (314) 227-3238, \$9.95 plus \$2.50 S/H.*

**Magazine Index System 2.0**, a 16K database program to catalog magazine articles. This new release maintains all the features of the original. Also supports multiple drive systems, allows searches on both description and source fields, and has faster search algorithms. For the CoCo 1, 2 or 3. *CMD Micro Computer Services Ltd., 10447 124th Street, Edmonton, Alberta, Canada T6M 1E1; (403) 488-7109, \$14.95 plus \$2 S/H.*

**Multi-Label III**, a 128K label creating program. Features include 40-by-24 or 80-by-24 Hi-Res text screen, F1 upper-/lower-case toggle, F2 40/80 column toggle, multiple printer codes, error-trapping and break-trapping. For the CoCo 3. *Gimmesoft, 4 Hallfield Court, Baltimore, MD 21236; (301) 256-7558, \$14.95 plus \$2.50 S/H.*

**RGB Patch**, a program designed to take CoCo programs that display black and white on RGB monitors when using the CoCo 3 and fix them to display in color. *RGB Patch* will not work for ROM packs, programs that run under OS-9 or BASIC programs. Works on most machine language programs loaded by CLOADM, LOADM, DOS or RUN. *Spectrum Projects, Inc., P.O. Box 264, Howard Beach, NY 11414; (718) 835-1344, Disk only, \$24.95 plus \$3 S/H.*

**Roller Controller**, a 128K arcade-type game that includes six different screens and three skill levels. Colored marbles start at the top of the maze and roll down the planks. The object is to guide the marbles into the correct color bin by opening and closing the trap doors. For the CoCo 3. *Spectrum Projects, Inc., P.O. Box 264, Howard Beach, NY 11414; (718) 835-1344, \$29.95 plus \$3 S/H.*

**VCR Database & Mini Title Screen Maker**, 64K Disk programs for cataloging and printing out VCR tape data, and personalizing VCR tapes. For the CoCo 1, 2 or 3. *SECA, P.O. Box 3134, Gulfport, MS 39505; (601) 832-8236, \$20.98 plus \$3 S/H.*

**Video Titler Version 2.0**, a program to generate an opening slate for videotaped programs or movies. Information about the upcoming production is displayed on the TV screen and is recorded for a short time by the VCR. For the CoCo 1, 2 or 3. *Griffin Enterprises, Box 6104, Sumter, SC 29150; (803) 773-8275, \$10.*

The *Seal of Certification* program is open to all manufacturers of products for the Tandy Color Computer, regardless of whether they advertise in THE RAINBOW.

By awarding a *Seal*, the magazine certifies the product does *exist* — but this *does not* constitute any guarantee of satisfaction. As soon as possible, these hardware or software items will be forwarded to THE RAINBOW reviewers for evaluation.

— Judi Hutchinson



# DIGISECTOR DS-69B **NEW** VIDEO DIGITIZER FOR THE COCO 3

**SUPER  
RESOLUTION !!!**



COCO 3 SCREEN

## USE YOUR COCO 3 TO ITS FULL POTENTIAL!

Use The Micro Works' DIGISECTOR™ DS-69 or DS-69B and your COCO 3's high resolution graphics to capture and display television pictures from your VCR or video camera. The DIGISECTOR™ systems are the only COCO video digitizers available that accurately capture and reproduce the subtle shades of gray in TV pictures!

- **COLOR:** Add color to your screen for dramatic special effects.
- **HIGH RESOLUTION:** 256 by 256 spatial resolution.
- **PRECISION:** 64 levels of grey scale.
- **SPEED!** 8 images per second on DS-69B, 2 images per second DS-69.
- **COMPACTNESS:** Self contained in a plug-in Rompack.
- **EASY TO USE:** Software on disk will get you up and running fast!
- **COMPATIBLE:** Use with a black and white or color camera, a VCR or tuner.
- **INEXPENSIVE:** Our low price puts this within everyone's reach.

## POWERFUL C-SEE 3.3 SOFTWARE

This menu-driven software will provide 5 and 16 shades of gray to the screen and to the printer with simple joystick control of brightness and contrast. Pictures taken by the DIGISECTOR™ may be saved on disk by C-SEE 3.3 and then edited by our optional MAGIGRAPH, or by COCO MAX or GRAPHICOM. This versatile new software is included in both DIGISECTORS™



<b>DS-69B and C-SEE 3.3</b>	<b>\$149.95</b>
<b>DS-69 and C-SEE 3.3</b>	<b>\$ 99.95</b>

## TRADE IN YOUR OLD DIGISECTOR™

If you already have one of The Micro Works' DS-69 or DS-69A DIGISECTORS™, you may return it to us and we will upgrade your unit to a DS-69B.

<b>UPGRADE DS-69A to DS-69B</b>	<b>\$49.95</b>
<b>UPGRADE DS-69 to DS-69B</b>	<b>\$69.95</b>

The DS-69B comes with a one year warranty. Cameras and other accessories are available from The Micro Works.

## NO RISK GUARANTEE

If you are not completely satisfied with the performance of your new DS-69B, you may return it, undamaged, within ten days for a full refund of the purchase price. We'll even pay the return shipping. If you can get any of our competitors to give you the same guarantee, buy both and return the one you don't like. We know which one you'll keep.



## Diskman Provides Garbling Insurance

Scrambled disks are the computer hacker's greatest fear. We keep backup copies of our disks, but keeping them current is a tough job. The most common problem in disks is garbling of the most-used portion of the disk, the directory track. *Diskman* is a utility that will make a backup of the directory on the disk itself, or on a separate disk. Besides providing this garbling insurance, *Diskman* also allows examination and changes to any sector of a disk, interchanging or alphabetizing of files, and scanning and printing out of directories.

The program is written for a minimum 32K CoCo. It is supplied in disk form only and, though written for a Radio Shack printer, can be easily modified for any printer. I ran the program on my CoCo 3, RS-DOS disk system, and an Epson FX-80 printer with no problems.

Upon running this BASIC program, a menu with nine options is presented. Option 1 makes a backup directory either on the same disk you are working with, or on a separate disk. If the backup is produced on the same disk, it uses up two granules of space, leaving 66 free granules for storage. If the backup directory is placed on a separate disk, it not only avoids using the space on the parent disk, but provides a dedicated disk upon which all directories can be stored, maintained and viewed.

Option 2 provides the means for restoring a lost or garbled directory. The restoration can be accomplished either from a backup directory on the same disk, or from the separate directory disk. A warning sound is produced prior to accomplishment, and the instructions remind you to keep the backup directories up to date or suffer the consequences!

***"A warning sound is produced prior to accomplishment, and the instructions remind you to keep the backup directories up to date or suffer the consequences!"***

With Option 3 you can examine and change any sector of a disk. As the instructions say, examination is harmless enough, but you had better know what you are doing if you make changes. For this reason, another warning is sounded. Finding the track or granule is easy, requiring only a T12 (Track 12) or a G7 (Granule 7) type entry. Entering the desired sector results in the 256 bytes of that sector appearing on screen. The cursor can then be moved among the bytes with arrow keys, and the values of the bytes can be seen in both hexadecimal and decimal values. Printouts of the 256 bytes of a sector can be obtained. Pressing the E key allows you to change the value of the byte the cursor is on.

Option 4 allows directory reorganization subject to the user's desire. Option 5 alphabetizes the directory upon command. Option 6 provides for viewing the catalog of directories you have put on the separate dedicated disk. It allows the user to browse through the entire list of directories. They are presented with a number of free granules on the parent disk, file names with extensions, types of files, and whether the files are in binary or ASCII format. To view the directory of an individual parent disk, Option 7 is used.

To obtain a printout of the catalog of directories (Option 6), use Option 7. The printout will contain all the information in Option 6 plus the size of each file in granules.

The program is user-friendly and does not require any special computer expertise, except in Option 3 where changing the values of bytes may be desired. The four pages of instructions are clear and easy to follow. One minor comment: It would be nice if the program allowed the use of multiple disk drives, thus eliminating the insertion and removal of disks from a single drive.

*Diskman* is useful for the protection of disks and provides the ability to reorganize and keep track of disk directories. It is certainly worth its price.

(Tothian Software, Box 663, Rimersburg, PA 16248; \$21.95)

— Mel Siegel


# GRAF PLOT

**NEW! — THE BEST JUST GOT BETTER!**

**GRAF PLOT DEMO:**  
\$5.00 DISK & TAPE  
REFUND W/PURCHASE.

**COMPATIBLE WITH COCO 3**


**30 DAY UNCONDITIONAL MONEY-BACK GUARANTEE!!**



**\* AUTOMATICALLY LOADS DATA FROM MOST POPULAR SPREADSHEETS.**  
**\* 291 GRAPHING SYMBOLS AND UNLIMITED OVERLAY OF DATA.**  
**\* AUTOMATICALLY SCALES AND LABELS ALL THREE OF THE AXES.**  
**\* CALCULATES MATH FUNCTIONS, INTEGRALS AND MOVING AVERAGES.**  
**\* FULLY AUTOMATIC, MENU DRIVEN W/ COMPLETE ERROR TRAPPING.**  
**\* FULL-PAGE SCREENPRINTS ON ANY PRINTER; SPECIFY WITH ORDER.**

**REQUIRES 32K EXT. BASIC; TAPE - \$40.00 DISK - \$45.00**

**NEW! SPREADSHEETS & FULL-PAGE PRINTED GRAPHS!!**



**NEW!!** *Picture Perfect* **NEW!!**

**PRINTER UTILITY**

**UNIVERSAL SCREENPRINT PROGRAM**

**\* COMPATIBLE WITH COCO III!!**  
**\* "PERFECTLY SIMPLE" TO OPERATE - "SIMPLY PERFECT" RESULTS!**  
**\* "PERFECTLY COMPATIBLE" WITH ALL DOT MATRIX PRINTERS!**  
**\* GET "PERFECT CONTROL" OF: HEIGHT, WIDTH, POSITION, BAUD RATE, DOT DENSITY, NEGATIVE IMAGES, ETC.**  
**\* THE "PERFECT SOLUTION" TO YOUR GRAPHICS PRINTING NEEDS!**  
**\* COMPATIBLE WITH GRAPHICOM AND COCO MAX PICTURES!**

♦ ONLY \$25.00 ON DISK OR TAPE ♦

**BUY BOTH PROGRAMS & SAVE \$10.00**

CALL NOW FOR FREE INFORMATION (415) 547-7557, OR WRITE:


HAWKES RESEARCH SERVICES; 859 STANFORD AVE, OAKLAND, CA 94608  
 YOUR PERSONAL CHECK IS WELCOME! SHIPMENT WITHIN 48 HOURS!  
 ADD \$3.00 SHIPPING ON ALL ORDERS. CA. RESIDENTS ADD SALES TAX



## The Return of Junior's Revenge . . . This Time on the CoCo 3

Those of you waiting eagerly for a new arcade game to brighten up your CoCo 3 need wait no longer. Computerware's *The Return of Junior's Revenge* is a version of the popular arcade game "Donkey Kong Junior," and of Computerware's own *Junior's Revenge*, made especially to strut the 3's new graphics and colors. While the game isn't perfect, overall it is very good, especially considering how quickly it came out after the 3's debut.

*The Return of Junior's Revenge* is supplied on a copy-protected disk and loads easily into any 128K or 512K Color Computer 3. The disk is backed by a 90 day warranty; after that, you must pay \$8 for a replacement if anything happens. Once the game is loaded, you have the option of using RGB (for the CM-8, Magnavox or Sony monitors) or Composite (for composite color monitors and TVs) modes.



You can play either a demo mode, in which you only lose a player by falling and your high score is not kept, or regular mode, in which you can lose a player by running into an opponent as well as by falling. In the game, you play the part of Junior, whose father, the gorilla, has been captured by Luigi. It is your job to free him, and you'll have four different screens (and many more levels) to traverse before you'll even get close.

Luigi has put your dad at the top of the screen in a cage (how humiliating!) and has sent out "Vinegators," little snapping creatures that crawl up and down the vines, to make sure nobody gets to him. But, being the ambitious little fellow you are, you're going to try. You'll have to climb up the vines, jump over the Vinegators, scurry across the platforms, hop from island to island to avoid falling in the water, and grab the key to unlock the cage. Along the way, you can touch the apples that are found on the vines and drop them on the Vinegators.

If you've managed to survive, the next stop is the chain screen. Here, you'll have to push keys into the six locks that stake your dad's cage down. But, in addition to Vinegators, you'll have to beware of the ZuZu birds. ZuZu birds fly

around and try to peck Junior off the chains. The trampoline screen follows later, where you'll have to use moving chains and trampolines to swing your way up to Dad. Finally, you'll reach Luigi's Hideout. At the Hideout, conveyor belts and sparks threaten to make life hard for poor Junior. Can you guide him to the top in one piece?

The game is well-conceived and I enjoyed playing it. Using 16 colors at once and better graphics make each of the four screens come alive. Perhaps a little more time could have been spent on the graphics detail, although there is a big improvement from the CoCo 1/2 version. Most of the animation was smooth, and cute "intermission" scenes were presented between some levels.

The sound effects, while not bad, were quite annoying. I had to turn the sound down after playing for a few minutes. Also, the program does not work well with the old joysticks; I strongly recommend the deluxe joysticks.

*Revenge* is jolly fun to play and takes a while to master. It requires a bit of strategy — not just straight "shoot-'em-up" reflexes, although you'll certainly need a fast reaction time to survive.

I liked this game, and I recommend it to any CoCo 3 owner as a good one you'll enjoy playing repeatedly. There are minor things, such as no pause key, that are irritating, but as the first arcade game for the CoCo 3, *The Return of Junior's Revenge* is certainly a step in the right direction.

(Computerware, Box 668, Encinitas, CA 92024; 619-436-3512, \$34.95 plus \$2 S/H)

— Eric W. Tilenius

# CINSOFT

PROGRAMS • PERIPHERALS • SUPPLIES • SERVICE

For Coco . . .  
in the Midwest



Now in our 5th year!



**SEIKOSHA**  
SP-1000

REVIEWED IN OCT. 86 RAINBOW

\$209.00	Parallel printer . . . . .	\$259.00
\$249.00	With Metric Industries Model 104 interface . . . . .	\$299.00
\$299.00	With pbh-64 interface with 64K buffer . . . . .	\$349.00

**star**  
NX-10

CHOOSE FROM OUR LARGE SELECTION OF COCO PRODUCTS

B5 ... Colorware ... Derringer ... Diacom ... Dynacalc ... Elite ... HJL ...  
J & M ... Mark Data ... Metric Industries ... Michtron ... Microcom ...  
Microworks ... Tom Mix ... PBJ ... PXE ... Spectrum Projects ...  
Speech Systems ... Sugar ... TCE ... VIP ... Zebra ... and more!

• Call •  
**513-396-SOFT**

• Shop by Modem •  
**513-396-SHOP**



• Write •

**2235 Losantiville, Cincinnati, OH 45237**

SHIPPING will be charged at our ACTUAL COST  
Ohio residents add 5.5% Sales Tax COD add 2.00



## The SECA Fraction Review Offers Help to Students

Fractions? Least common denominator? What's that? *The SECA Fraction Review* from Southeastern Computer Arts is designed to help students review fractions by allowing them to add or subtract using either single or double digit denominators. Written by Darryl W. Hawkins, the program allows the user to decide whether he or she will add or subtract fractions using common denominators or noncommon denominators. The ultimate objective is to arrive at the answer and to be sure it has been reduced to the lowest common denominator. When I tested this program, I found just how dependent upon calculators and computers I had become!

The program uses the normal CoCo screen display for the menu selection screens and score card screen. A Hi-Res screen is used for the actual test (or game, if you prefer). The Hi-Res screen is well laid out and easy to read. It is divided into three sections: the left side showing the problem, the right side showing the possible answers, and the bottom containing the number right and wrong, as well as the player's score.

Scoring consists of two values. One is calculated by dividing the number of correct problems by the total problems given and then converting to a percent. For example, eight correctly answered problems out of 10 yields

a value of 80 percent. The second value is a point total for the round. Points are determined by several factors, such as the level of difficulty, the speed or length of time that it took the user to answer the problem, and whether or not help was needed to arrive at the answer. The user could play five rounds and score 100 percent on each round, yet the points awarded may be different depending on the various factors. For example, I scored 100 percent on two rounds of play, acquiring 239,947 points for one round and 239,725 points for the other round. At the end of each round of play (10 problems), the final percent and point values are displayed on the screen. Also displayed are the number of problems right with help and the number of problems wrong with help.

The author has provided two help factors for the user who gets stuck on a problem. By pressing the L key, the student can see the denominator of the answer, although this will not be the denominator of the final answer. For example, when adding  $\frac{3}{8}$  and  $\frac{1}{10}$ , pressing the L key will show an answer of  $\frac{?}{80}$ . The student can see a common denominator for both fractions. If still stuck, the user can press the H key for more help. Doing this will show an answer of  $\frac{38}{80}$ . However,  $\frac{38}{80}$  can still be reduced. Of the five possible answers showing on the screen, the user must select the correct one, or the "most correct" one. Thus, if  $\frac{38}{80}$  and  $\frac{19}{40}$  appear as answers, the correct one is  $\frac{19}{40}$  since it is the answer reduced to the lowest terms.

*Fraction Review* also has a provision for maintaining a score card of the 10 highest scores. This makes it possible for a user to see his scores or for 10 students to play one round each and then see how each ranked in score at the end.

I asked my sixth grader, Monica, to try the program. Her class is now working with fractions. After she played a few rounds, I asked her what she thought. She replied, "Fine with me. I could use it. It is helpful and the screen is easy to read."

*The SECA Fraction Review* would be a good program for teachers to use. Individual students who are having problems with fraction addition and subtraction could use it and would have fun while doing so. Or, the class could be divided up into teams. The high scorer from each team could compete for the class championship, with a prize going to the team whose scorer ended up as the winner. Parents could use this at home to help their children make math study a little more enjoyable.

I have two minor complaints about this program. First, the author states the grade levels are 5 through 8. I think it would be more appropriate for grades 4 through 6. In our school district, students are introduced to fractions in the fourth grade; by the sixth grade, they are multiplying and dividing fractions. I cannot picture an eighth grader getting much use from the program. Second, a feature could be added to the score card so that, if a team is playing, a running total team score is also displayed. Otherwise, I highly recommend this piece of educational software.

(SECA, P.O. Box 3134, Gulfport, MS 39505; 601-832-8236, \$24.98 plus \$3 S/H)


— Mark S. Camp

## Canadians!

**We are Canada's largest  
national distributor of  
Software for the Colour  
Computer**

**Send for your FREE copy of our  
Catalog**

Kellynews is now available and contains news, hints, programs and articles from the crew at Kelly Software. We are Canada's largest national distributor of Colour Computer products and we stock all the latest games, utilities, simulations and business programs. We encourage all Canadian Colour Computer owners and Dealers to send for our FREE catalog.



**Kelly Software Distributors Ltd.**


P.O. Box 608, Station 'T' Calgary, Alta. T2H 2H2

**Tel: (403) 236-2161**



## Gold Finder — A Game for Everyone

Do you have games that have umpteen screens but you can't get past the third one? Or games that have only three or four screens and go back to the first screen again? Would you like to design your own screens but are not a programmer? Do you have games you have memorized and can breeze through without losing a man and, thus, have lost interest? Well, *Gold Finder* from Tom Mix is a game for everyone.



For arcade game wizards who can get through the first round of game screens most of the time, try 70 preprogrammed levels plus 236 of your own design for a total of 306 levels to play. For those who are not so good, start at any level. If you can't make it past the third level, just edit the level to make it easier. (Don't do this on your original copy; do it only on a backup.) The only rule in creating a level is that you must have four enemies and yourself on the screen. Other than that, you are free to put dissolvable bricks, undissolvable bricks, ladders, ropes and gold on the screen in any order or pattern you like. ENTER saves the level to disk, CLEAR clears the screen, SHIFT\* edits the level selected in the options menu, and BREAK returns you to the title screen. At the title screen, pressing ENTER lets you view the high scores.

SHIFT-0 takes you to the options menu, where you select one or two players, what level to start on, which drive to load levels for each player, and which drive to save levels to. All drive selections default to Drive 0; all other options default to Drive 1.

Pressing the right joystick button starts the game at the level selected in the options menu. If you start from level one and score high enough, you can put three initials in the high score screen and it is written to disk. This game is a lot like *Gold Runner* from Tom Mix, with a few exceptions. You move faster than the enemies and, when you pick up a piece of gold, it is deposited on a conveyor belt at the bottom of the screen and moves to the left side of the screen. Here it is dropped into a bucket and slowly carried to the

top of the screen. When you clear the screen of all the gold pieces, you must wait until the last gold piece reaches the top of the screen before climbing one of the ladders or riding the elevator to the top. If you ride the elevator to the top without getting all the gold or don't wait for the gold to get to the top of the screen first, you will be killed. You can stay away from the enemies by outrunning them, dissolving dissolvable bricks and trapping them, or dropping through the hole to the next level. Caution: Dropping into a hole on the bottom level can be deadly — you can't climb out. If you drop into a hole, pressing R restarts the level but it will cost you one man.

Scoring is as follows: 250 points for picking up a piece of gold; 125 points when the gold is deposited at the top of the screen; and 1500 points for completing a level. You get one extra man each time you complete a level.

The game loaded fine the first time. The disk should be backed up since it is accessed each time you go to the next level. The instructions are printed on a single sheet but are very complete, with one minor exception. The instructions state that there are 69 levels on the game disk; mine had 70 levels.

Overall, I rate *Gold Finder* as one of the best games I have played. I like the fact that I can modify the levels for easier or harder play and that I can create my own screens.

The game does work on the CoCo 3 but uses artifact colors and is in black and white on an RGB monitor.

(Tom Mix Software, P.O. Box 201, Ada, MI 49301; 616-676-8172, Disk only, \$27.95 plus \$3 S/H)

— Mark Bullon

ALL SOFTWARE COMPATIBLE WITH COCO3  
NO PATCHES REQUIRED

- **COLOR BANKBOOK +3 \*** \$19.95
- **BUSINESS BANKBOOK** \$49.95  
SPECIFY 1 OR 2 DISK DRIVES
- **TV BLACKOUT BINGO \*** \$19.95
- **VCR FILE** \$19.95
- **SUPERDISK UTILITY** \$ 9.95  
SEE REVIEW IN MAY '86  
RAINBOW PAGE 131
- **RADIOLOG** \$ 9.95  
SEE REVIEW IN MAY '86  
RAINBOW PAGE 209
- **CODE PRACTICE** \$ 9.95  
SEE REVIEW IN NOV '86  
RAINBOW PAGE 134



ORDERS OR INFORMATION

**CALL 1-800-628-2828  
EXTENSION 552**

ALL PROGRAMS INCLUDE MANUALS  
REQUIRE 32K AND 1 DISK DRIVE.  
ADD \$2.00 SHIPPING & HANDLING  
FLORIDA RES. ADD 5% SALES TAX

**SUNRISE  
SOFTWARE**

8901 NW 26 ST DEPT R  
SUNRISE, FL 33322

\* INCLUDES SPECIAL EDITION FOR COCO3 !!!





## Survey Programs for CoCo

By Stanley Townsend

When I got this old gray CoCo five years ago, one of my first attempts at programming was aimed at coming up with surveying programs. I'm a licensed land surveyor who occasionally brings work home, and I wanted something more powerful than my programmable calculator to help grind out coordinate geometry problems. As a newcomer to BASIC, I got no further than a rough, bare-bones traverse module before I realized how big the task before me was and set it aside. Since then I have watched the pages of RAINBOW and of surveying professional journals for ads about surveying programs for the CoCo. I ran across packages for other popular home computers, but for the CoCo, offerings have been as scarce as hen's teeth.

*Survey Programs* is on cassette for a 32K ECB CoCo. If you have a disk system, you'll have to unplug the controller. All graphics pages have to be cleared, and then this 28K plus program barely fits. The package allows the optional use of the TRS-80 TP-10 printer for hard copy. (I used it with my LP VII, and it seemed to work just fine.) Documentation consists of 28 loose 8½-by-11 pages and promises that after working through the included examples once, the instructions will no longer be needed. I agree: This program is so straightforward (a rarity in this field) I didn't need to refer to the instructions much, even the first time through. The documentation warned me about a high-speed poke (which my old gray beast won't take) in a certain line, but failed to warn me about the one in Line 1215. Once I found and deleted that one, things went smoothly.

*Survey Programs* stores up to 200 coordinate pairs (by point number) in high memory where they would be unaffected by a crash.

When using the module entitled "Field Traverse," bearings or field/deflection angles may be input. Angles are entered (for this and all other modules) in the usual DDD.MMSS format, with quadrants 1 through 4 for bearings. Distances input to this module may be corrected for slope or temperature. Side shots can also be input. There is an opportunity given to review data input and revise if necessary before calculation begins. After supplying the initial point number, subsequent point numbers are consecutively assigned automatically. It computes and stores latitudes and departures, which are not converted to coordinates until the traverse is balanced by compass or transit rule, at which time an area is calculated. Certain traverse legs may be held and omitted from the balancing procedure if desired.

A second traverse routine is available under the "Coordinate Geometry" module, accepting bearings and distances, and allowing user-assigned point numbers. This module also includes inverse, bearing-bearing, bearing-distance and distance-distance intersections, horizontal curve calculations, and coordinate transformation routines. Area computations are also available, including determination of the location of a sliding or pivoting line to enclose a specified area. Point numbers and coordinate pairs generated by this and the previous module can be saved to

tape (with a specified file name), loaded from tape, or printed.

A third traverse routine is also available in the "Map Check" module. This one accepts bearings and distances, but no coordinate pairs are stored. Curved sides may be included by supplying chord bearing and distance, as well as radius. Balance by compass or transit rule is available, and area calculated.

The final module is entitled "Miscellaneous Calculations." Included here is an angle addition routine that sums positive or negative angles. The bearing calculation routine starts with a known bearing and converts a turned angle to the bearing of the subsequent course. A triangle solution routine is also available. Another routine converts the CoCo into a full-featured RPN scientific calculator.

As you can see, *Survey Programs* offers quite a number of features. I spent more time familiarizing myself with this program than with any other I've reviewed, and yet there are some areas I've barely touched. With the exception of the neglected high-speed poke, I encountered no problems with program operation. It is easy to learn and does most everything needed in the areas covered. I do, however, have a "wish list" regarding this program.

Although the automatic consecutive point numbering feature is handy, there are situations where it is limiting. Assume the user is going back to an existing traverse and wants to turn a field angle at point #103 and go a certain distance to establish the coordinates of a side shot point. Assume there is already a point #104 in the traverse. Since the field angle techniques are available only in the "Field Traverse" module, with its automatic point numbering feature, this operation would overwrite the coordinates of point #104. There is a way around this problem: Go to the "Miscellaneous Calculations" module and use the bearing calculation routine to determine the bearing of the course to the desired side shot point, then go to the "Co-ordinate Geometry" module (which allows user-assigned point numbers, but will not accept field angles) to establish the point. Unfortunately, this is a little inconvenient.

Curves can only be included in a traverse by traversing along the chord (or through the radius point). It would be nice to just supply the delta, radius, and direction of curvature and traverse straight to the E.C. Once again this is not an impossible situation: There are ways around it using intersect techniques, etc. It's just an inconvenience.

The hard copy obtained from the printer uses about a third of the page width at the left margin. Point numbers with bearings and distances are printed in a separate operation from point numbers with coordinates. While the printouts are logically arranged and readable, the format could be improved.

My main wish is that *Survey Programs* be made available for a disk system. I believe the average user in the market targeted by a program like this would either already have a disk system, or be willing to upgrade to one.

I hope I'm not coming across as too negative here: This is a fine piece of programming, and Mr. Jones is to be commended. I consider *Survey Programs* to be well worth the asking price and would recommend it to anyone wanting to use their CoCo in this field.

(T. P. Jones, 2338 Ryder St., Ottawa, Ontario, Canada K1H 6X6; \$119 U.S., \$159 CDN.)




## Fourcube: A New Twist to an Old Game

I'm sure just about everybody has at one time or another played Tic Tac Toe. A lot of you have probably even played Reversi or some other variation of the "four-in-a-row" type game. Most were pretty simple and couldn't hold your attention for very long.

This latest version, *Fourcube* from Novasoft, will give you a lot more challenge for the money. Enough of a challenge to keep you interested long, long after those other games have been forgotten on the shelf.

You start with four cubes, one on top of the other. Each of those cubes has 16 squares within it. Your goal is to fill in four squares in a row. Sounds easy, but the computer is smarter than you think. You can accomplish your four in a row all within the same cube, or you can stagger them, one to a cube. Either way, you must think on four different levels at the same time to be able to outsmart the computer.



There are six levels of play. Level one offers little or no resistance to your obvious moves. This is great for youngsters. Level six kept me at bay for quite some time. The game also offers you a choice of joystick or keyboard operation. It also offers the chance to either play against the computer or another human opponent. It even plays itself in the Demo mode so you can see all the possibilities of how to win. I liked the "rotate" operation. Using the left and right arrow keys, you can rotate all four cubes to get a different view of the playing field.

*Fourcube* is written completely in machine language so it's fast, fun and furious. I think you'll like this one.

(Novasoft, P.O. Box 201, Ada, MI 49301; 616-676-8172, tape \$15.95; disk \$18.95)

— Bill Bernico

## The RAINBOW

THE COLOR COMPUTER MONTHLY MAGAZINE

### Back Issue Availability



Back copies of many issues of **THE RAINBOW** are still available.

All back issues sell for the single issue cover price. In addition, there is a \$3.50 charge for the first issue, plus 50 cents for each additional issue for postage and handling if sent by United Parcel Service. There is a \$5 charge for the first issue, plus a \$1 charge for each additional issue on orders sent by U.S. Mail. UPS *will not* deliver to a post office box or to another country.

Issues July 1981 through June 1982 are available on white paper in a reprint form. All others are in regular magazine form. VISA, MasterCard and American Express accepted. Kentucky residents please add 5 percent state sales tax. In order to hold down costs, we do not bill and no C.O.D. orders are accepted.

Due to heavy demand, we suggest you order the back issues you want now while supplies last.

To order, just fill out the form on the next page and mail it with your payment to:

**THE RAINBOW**  
The Falsoft Building  
P.O. Box 385  
Prospect, KY 40059





## BACK ISSUE ORDER FORM

(See overleaf for instructions.)

(Payment must accompany back issue orders. We do not bill.)

☐ Please send me the following back issues:

NO.	MONTH	YEAR	VOLUME 1	PRICE
1	JULY	'81	PREMIER ISSUE	\$2.00 <input type="checkbox"/>
2	AUGUST	'81		\$2.00 <input type="checkbox"/>
3	SEPTEMBER	'81	EDUCATION	\$2.00 <input type="checkbox"/>
4	OCTOBER	'81	PRINTER	\$2.00 <input type="checkbox"/>
5	NOVEMBER	'81		\$2.00 <input type="checkbox"/>
6	DECEMBER	'81	HOLIDAY	\$2.00 <input type="checkbox"/>
7	JANUARY	'82		\$2.00 <input type="checkbox"/>
8	FEBRUARY	'82		\$2.00 <input type="checkbox"/>
9	MARCH	'82		\$2.50 <input type="checkbox"/>
10	APRIL	'82		\$2.50 <input type="checkbox"/>
12	JUNE	'82		\$2.50 <input type="checkbox"/>
<b>VOLUME 2</b>				
11	JUNE	'83	PRINTERS	\$2.95 <input type="checkbox"/>
12	JULY	'83	ANNIVERSARY	\$2.95 <input type="checkbox"/>
<b>VOLUME 3</b>				
1	AUGUST	'83	GAMES	\$2.95 <input type="checkbox"/>
2	SEPTEMBER	'83	EDUCATION	\$2.95 <input type="checkbox"/>
3	OCTOBER	'83	GRAPHICS	\$3.95 <input type="checkbox"/>
5	DECEMBER	'83	HOLIDAY	\$3.95 <input type="checkbox"/>
8	MARCH	'84	BUSINESS	\$3.95 <input type="checkbox"/>
9	APRIL	'84	GAMING	\$3.95 <input type="checkbox"/>
10	MAY	'84	PRINTER	\$3.95 <input type="checkbox"/>
11	JUNE	'84	MUSIC	\$3.95 <input type="checkbox"/>
12	JULY	'84	ANNIVERSARY	\$3.95 <input type="checkbox"/>
<b>VOLUME 4</b>				
1	AUGUST	'84	GAMES	\$3.95 <input type="checkbox"/>
2	SEPTEMBER	'84	EDUCATION	\$3.95 <input type="checkbox"/>
3	OCTOBER	'84	GRAPHICS	\$3.95 <input type="checkbox"/>
4	NOVEMBER	'84	DATA COMM.	\$3.95 <input type="checkbox"/>
5	DECEMBER	'84	HOLIDAY	\$3.95 <input type="checkbox"/>
6	JANUARY	'85	BEGINNERS	\$3.95 <input type="checkbox"/>
7	FEBRUARY	'85	UTILITIES	\$3.95 <input type="checkbox"/>
8	MARCH	'85	BUSINESS	\$3.95 <input type="checkbox"/>
9	APRIL	'85	SIMULATIONS	\$3.95 <input type="checkbox"/>
10	MAY	'85	PRINTER	\$3.95 <input type="checkbox"/>
11	JUNE	'85	MUSIC	\$3.95 <input type="checkbox"/>
12	JULY	'85	ANNIVERSARY	\$3.95 <input type="checkbox"/>
<b>VOLUME 5</b>				
1	AUGUST	'85	GAMES	\$3.95 <input type="checkbox"/>
2	SEPTEMBER	'85	EDUCATION	\$3.95 <input type="checkbox"/>
3	OCTOBER	'85	GRAPHICS	\$3.95 <input type="checkbox"/>
4	NOVEMBER	'85	DATA COMM.	\$3.95 <input type="checkbox"/>
6	JANUARY	'86	BEGINNERS	\$3.95 <input type="checkbox"/>
7	FEBRUARY	'86	UTILITIES	\$3.95 <input type="checkbox"/>
8	MARCH	'86	BUSINESS	\$3.95 <input type="checkbox"/>
9	APRIL	'86	HOME HELP	\$3.95 <input type="checkbox"/>
10	MAY	'86	PRINTER	\$3.95 <input type="checkbox"/>
11	JUNE	'86	MUSIC	\$3.95 <input type="checkbox"/>
12	JULY	'86	ANNIVERSARY	\$3.95 <input type="checkbox"/>
<b>VOLUME 6</b>				
1	AUGUST	'86	GAMES	\$3.95 <input type="checkbox"/>
2	SEPTEMBER	'86	EDUCATION	\$3.95 <input type="checkbox"/>
3	OCTOBER	'86	GRAPHICS	\$3.95 <input type="checkbox"/>
4	NOVEMBER	'86	DATA COMM.	\$3.95 <input type="checkbox"/>
5	DECEMBER	'86	HOLIDAY	\$3.95 <input type="checkbox"/>
6	JANUARY	'87	BEGINNERS	\$3.95 <input type="checkbox"/>
7	FEBRUARY	'87	UTILITIES	\$3.95 <input type="checkbox"/>
8	MARCH	'87	BUSINESS	\$3.95 <input type="checkbox"/>
9	APRIL	'87	HOME HELP	\$3.95 <input type="checkbox"/>
10	MAY	'87	PRINTER	\$3.95 <input type="checkbox"/>

**RAINBOW INDEX** A complete index to our first three years, July 1981 through June 1984, is printed in its entirety in our July 1984 issue. Separately available copies are also available \$2.50 ☐

**Note:** Our Fourth and Fifth Year Indexes, including RAINBOW ON TAPE indexes, are included in the July 1985 and 1986 issues, respectively.

TOTAL \_\_\_\_\_

KY RESIDENTS ADD 5% \_\_\_\_\_

U.S. MAIL CHARGE \_\_\_\_\_

SHIPPING & HANDLING \_\_\_\_\_

U.P.S. CHARGE \_\_\_\_\_

TOTAL AMOUNT \_\_\_\_\_

ENCLOSED \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

☐ Payment Enclosed, or charge to my:

☐ VISA ☐ MC ☐ AE

CARD # \_\_\_\_\_

EXPIRATION DATE \_\_\_\_\_ PHONE # \_\_\_\_\_

SIGNATURE \_\_\_\_\_

To order by phone (credit card orders only) call (800) 847-0309, 8 a.m. to 5 p.m. EST. All other inquiries call (502) 228-4492.

## Extender Cable Offers Flexibility

One of the first things I noticed when I unpacked my new CM-8 monitor was that the video cable that attaches to the CoCo 3 was only about 3 feet long. That's long enough if you plan to set your monitor right behind the CoCo 3 or on a stand or shelf just above it, but it's too short if you need to move it farther away. Enter the Spectrum CM-8 6-foot Extender Cable.

This 6-foot cable from Spectrum Projects will allow you to move your CM-8 to most any place you like. I found this to be a big help for me because the large 13 inch CM-8 screen is too close for me and results in added eyestrain. Using the extender cable, I was able to move the monitor farther away, and now I don't have to wear my glasses while computing!

The flat-ribbon cable is well-made, with a male connector on one end and a female connector on the other end. Since the cable is flat instead of round, as on the CM-8, I had to roll the cable along its length to get it pushed down into the cable slot underneath the CoCo 3. But that was not a problem.

Although I feel such a cable is handy for CM-8 users, I do not feel that the \$20 price tag for an unshielded cable is reasonable.

(Spectrum Projects, Inc., P.O. Box 264, Howard Beach, NY 11414; 718-835-1344, \$19.95 plus \$3 S/H.)

— David Gerald

### Two-Liner Contest Winner . . .

This routine prints a chart for you to list your favorite BBS numbers.

### The listing:

```
10 PRINT#-2,CHR$(27)"W":PRINT#-2
,TAB(14)"BBS ID NUMBERS":PRINT#-2,
STRING$(40,"="):PRINT#-2:PRINT
#-2,TAB(0)"BBS NAME"TAB(14)"area
PHONE No."TAB(30)"ID NUMBER":PR
INT#-2
20 FORX=1TO25:PRINT#-2,TAB(0)"..
....."TAB(13)"( ) ..-....
"TAB(30)".....":PRINT#-2:NE
XT X
```

J.A. Carey  
Brooklyn, NY

(For this winning two-liner contest entry, the author has been sent copies of both *The Second Rainbow Book of Simulations* and its companion *The Second Rainbow Simulations Tape*.)



## It's a Bird; It's a Plane; It's *Champion*

Stronger than a locomotive (not quite); able to leap tall buildings (maybe just fly around for a while); the *Champion* is here to save the city of Oakdale. *Champion*, a program from Mark Data Products, is an Adventure game written for a Color Computer with 64K and at least one disk drive. It comes with six pages of instructions, a disk and vinyl portfolio. This is more than sufficient to play the game.

The *Champion* is a crusader endowed with special powers. He has taken it upon himself to rid the world of crime. However, his arch rival, Mr. Bigg, does not quite see it that way. Mr. Bigg, a criminal mastermind, plans to use his great powers to rule mankind. Using his influence, he has gathered a great army of villains and plans to take over the city of Oakdale. Mr. Bigg can take on any form and can easily hide among his army of villains.

A government group, The Service, has developed a device that can detect Mr. Bigg. The only problem is that it has been stolen by a spy, disassembled into three parts, and been hidden somewhere in Oakdale. Meanwhile, your sources have discovered that Mr. Bigg has a gadget called a power drain, which he intends to use on you. It is also hidden somewhere in the city. If you can recover the gadget first, you may be able to destroy Mr. Bigg with his own weapon. At this point, the challenge begins.

The game could be considered a variation of the classic *Star Trek* type game. The city is divided into sectors specified by a horizontal and vertical coordinate. This is displayed in the upper-left corner of the screen along with a small description of the location. The bottom-left is the command area where you use the joystick to control the activities of the *Champion*. The upper-right contains a section of the city map while the lower-right displays responses to your queries and displays actual combat sequences.

*Champion* consists of two modes: flight and grounded. During flight, the *Champion* can fly above the city and is not restricted to following the roads because the villains are active and moving around, and the game clock is running. The difficulty level you choose to start the game determines the length of time before the villains attack the sectors. When the message *Villains on the Move* is displayed, the city is being attacked. The villains are only interested in attacking the city and not the *Champion*. When in flight, you have access to your on-board computer, which can identify sectors containing villains but cannot identify the particular villains until you are grounded.

Once grounded, you may attempt to search a sector for the missing detector pieces or the power drain; however, if there are villains present, you are not allowed to search the sector until they are destroyed. Here lies the real challenge. The *Champion* has strength and endurance. The strength

is a finite amount and cannot be replenished, while endurance may be increased by hovering in flight. Once the strength is gone, the *Champion* dies and the game is over. Your strength is decreased by the amount of *damage* you sustain during attacks to rid a sector of its villains. While grounded, your on-board computer can provide a status of your current sector (taken or free), a list of what you have already recovered, and a complete map of the city. You can also attack a villain or return to flight.

---

***"If you can recover the gadget first, you may be able to destroy Mr. Bigg with his own weapon."***

---

There are actually four types of villains that you must contend with: agents, villains, raiders and Mr. Bigg. The agents are the weakest; Mr. Bigg is the strongest. Likewise, the agents are the easiest to kill and can cause the least damage to you, while raiders are the toughest and can really do some damage if they get hold of you. Naturally, it requires the power drain, to eliminate Mr. Bigg. Without the power drain your only weapons are the blast, punch, kick and dodge (you must move or you may also be blasted, punched or kicked). The blast uses the most endurance and the most time, while the punch uses the least. The dodge also uses some endurance. Sometimes you may have to hit and run. You must remember that villains increase their endurance while you are in flight. Choosing the retreat function costs you 100 points.

Every time the message *Villains on the Move* appears, the sectors are being attacked by Mr. Bigg's army. A sector begins with 15 strength points that decrease each time it is attacked. The number of points decreased is determined by the number and type of villains in the sector. An agent costs one point, a villain costs two, a raider costs three, and Mr. Bigg costs four. When the sector strength points reach zero that sector is "taken." When all sectors have been taken by the villains, the game ends, just as it does when your strength runs out.

This is a fascinating game and a very difficult one to master. It takes a while just to be able to move the joystick quickly enough to outmaneuver the villains during an attack. Anyone enjoying the *Star Trek* type action games will get a blast (no pun intended) out of this one. Oakdale needs your help! Be a crusader. Be a true *Champion*.

(Mark Data Products, 24001 Alicia Pkwy. #207, Mission Viejo, CA 92691; 714-768-1551, \$27.95)

— Larry Birkenfeld



## ***Datapack II Plus (and III+)*** **— Super Smart Terminals**

As terminal programs add capabilities, they often add such complexity that users are intimidated by the many available commands.

The challenge for the software programmer is to provide the features and power of a smart terminal program with the simplicity of a ROM pack.

One successful terminal program combining power and ease is *Datapack II Plus* Version 4.0 from Cer-Comp. As the name implies, *Datapack II Plus* is a full-featured terminal/data communications program. It is the most fully featured communications program I have ever seen for the Color Computer.

*Datapack II Plus* is an M6809 machine language program written for the Color Computer. Actually, eight versions of *DPH+* are included on the disk. There are versions that support the Double Density and PBJ 80-column video boards as well as the Disto Super Controller with the 80-column card. Also included are versions to support either the standard RS-232 port or the deluxe RS-232 cartridge.

*DPH+* senses the maximum available memory in the computer and adjusts the buffer to take advantage of this storage capability.

Even if you don't have an 80-column adapter, *DPH+* has a high resolution command that sets the number of characters displayed per line on the high resolution screen. This can be varied from 28 to 255 characters. All screen widths above 64 characters per line are unreadable, but can be useful for seeing print formats on the display before printing a document.

The list of *DPH+* commands is extensive. However, the default settings of the program are the most commonly used. These options give you the flexibility to customize the program to meet your needs.

A very useful tool has been included with *DPH+* to assist the user in getting maximum application from the program. A communications programming language called Auto Log enables the user to have *DPH+* automatically connect with a desired information source and position the requested terminal settings.

Auto Log files can be saved either to disk or tape and used any time you are in the terminal mode. All the functions and commands of *DPH+* can be used in an autolog file. You can use them for uploading, downloading, logging off a system or whatever you like; it depends on your imagination. Auto Log gives you the power of *DPH+* in an easy-to-use operating shell.

*DPH+* also gives you the capability of emulating a VT 100 terminal. While this will be of limited interest to most CoCo users, if their company's mainframe is a Digital VAX, and their employer has sufficient foresight to allow employees to log onto the computer from a remote terminal, this feature will be appreciated. The PF-X commands used in the VAX MASS-11 word processing program are a pain on the Color Computer's keyboard, requiring holding three keys simultaneously. Considering the differences in the number of keys between a CoCo and VT100, it's amazing the Color Computer has any emulation capability.

Overall, I found *Datapack II Plus* an excellent communications program. Its capabilities are unexcelled, and this power is usable as logical command codes are used to control these features. A 50-plus page user's manual is included. This manual will walk a new user through the program's features. Auto Log files, once set-up, allow the user to rapidly log onto information sources and discover what awaits them on the other side of the phone line.

— Bruce Rothermel

### **A Look at *Datapack III+***

As smart terminals, both versions of *Datapack* are essentially the same. While *Datapack II Plus* requires the use of add-on cards (PBJ or Disto 80-column card, RS-232 pack and multipack) to fulfill its full potential, *Datapack III+* takes advantage of the new features found on the CoCo 3 to achieve the same performance with far less clutter. While support of 80-column cards has been discontinued with the new *III+*, full support for the CoCo 3 is provided. All palette options are available for a customized RGB display. Screen widths from 32 to 80 columns are supported, as well as a monochrome display option.

A general rundown of the program configuration reveals that it supports xon/xoff, with user-definable download characters. A control character trap and filter are also provided and, again, are user definable. Xmodem upload and download are fully supported with a status display of the Xmodem process as it is implemented. All communication parameters may be easily set, or programmed into a custom AUTOEXEC file that will automatically configure the program with up to 12 different parameters, such as terminal and printer baud rates, data bits, etc. A general status screen is the default display in the command mode. This screen displays all of the current terminal settings, as well as the memory status of the PK and terminal buffers. What's a PK buffer?

Most smart terminal programs allow the use of several user-definable keys to send short strings, usually as an adjunct to the log-on procedure. *Datapack* provides for nine such keys, but there is a major difference in the way these buffers may be utilized. Each programmable key (PK) may contain any amount of information up to the total amount of memory available, i.e., one key may be programmed to contain up to 49K of information! A PK buffer may be

#### **POLICE OFFICERS and others**

If you are involved in the reconstruction of motor vehicle accidents or would like to learn, this program is a must. The program is extremely user friendly. It allows you to enter just your road measurements. The computer will give you the speed of each vehicle at the point of impact. Answers output to screen or printer. Complete instructions for the beginner. This program is written for a 64K COCO ECB disc. It is easily adaptable to other RADIO SHACK computers. Order **RECON** today.

Price \$39.95 Plus \$2.50 S&H MA Res. add 5% sales tax.

Bytes Bits & Chips Computer Shop  
P.O. Box 42, Chicopee, MA 01014



printed, saved to disk, contain a *Datapak* command string, or be transmitted to a host computer. The PK buffers may be programmed to issue commands within *Datapak* and stored on disk. When recalled, either by the program (AUTODEXEC), or the user, an automated terminal configuration and log on (AUTOPILOT) is quickly and accurately accomplished.

*Datapak* is configured with an adequate text editor. Full line edit capabilities are provided, along with a 10 line jump command. However, the lack of buffer navigation aids, such as mark, find or search, limit the program in manipulating large blocks of text. As *Datapak* handles standard ASCII files, such operations may be performed offline with any compatible word processor.

While a complete memory status update is always available, it is not displayed or windowed in the terminal mode. As such, a buffer overflow is possible. Online, *Datapak* will retain the most current information, up to 49K. When the buffer is full, wrap-around occurs on a first-in, first-out basis.

Xmodem implementation is extremely smooth, supporting direct to disk send and receive operations. Options are provided for both binary and ASCII formats, with a complete onscreen display of the Xmodem file transfer status.

While there have been several reports that *Datapak II Plus* will sometimes drop characters right after a carriage return, if a fast typist is using it (and more likely in Hi-Res mode), the *III+* program has an improved keyboard handler that should make this serious problem unlikely to occur.

While it was not tested, *Datapak III+* is said to run at 2400 baud through the bit banger port! Certainly, that is a singular accomplishment in good programming and a very desirable feature.

*Datapak* is heavily and cleverly copy-protected. As a purchaser, you will have to rely on Cer-Comp for backup support, as the distribution disk may not be backed up or cloned by any conventional procedure. The original disk may be "refreshed" with a modified, non-functional backup, but no other user maintenance is possible. *Datapak* is supplied as a doubled-sided disk with a complete copy of the program on each side. Minimum system requirements are 32K with at least one disk drive.

Once *Datapak* is configured and running, it is an extremely user-friendly package. The documentation is excellent, providing a full description of each command as well as sample AUTOEXEC, AUTOLOG and AUTOPILOT sequences. One rather useful utility has been omitted from the current manual. *Datapak* looks for a file of the type AUTOEXEC.DAT in Drive 0 when the program is first booted. With a two-drive system, the distribution disk may be installed in Drive 1, with a short BASIC loader and a custom AUTOEXEC file stored in Drive 0. The files in Drive 0 may then be used to boot customized versions of *Datapak* for each BBS or information service that the user employs.

The error trapping within *Datapak* is superb. There is an onscreen menu of all available commands, along with prompts as to the type of information each command requires. If an incorrect command is issued, the user is so notified, and prompted for another value. The only "fatal" error that may occur is with the reset switch which is not disabled and will reset your machine, resulting in the loss of any data currently in the terminal buffer.

VT52/100 emulation is one feature that is unique to *Datapak*. To be sure, it is not required on any system that

is currently running, but it is almost universally supported by all the major information networks. With an 80-column screen, VT-100 emulation provides for a very pleasing screen refresh. Additionally, many services support online screen editing via VT52/100 control codes. As the VT52/100 protocol is extremely long, complete implementation is impossible with the CoCo. *Datapak* supports auxiliary keypad sequences, 0-9, as well as PF 1-4. Status and cursor position reports, control codes to enable/disable line feed-new line, cursor key modes and ANSI/VT52 are also supported. All other DEC VT set/reset modes are ignored.

With the use of VT-100 emulation, many private mainframe systems may be contacted. While this later capability is almost exclusively the province of private industry, it is an extremely attractive option for those who can take advantage of such a capability. The documentation provided with *Datapak* assumes that the user is familiar with the DEC VT protocol. If this is not the case, a copy of the DEC VT52/100 manual will provide a useful, perhaps necessary, adjunct to this diverse capability.

If your interest in telecommunications is in the area of data retrieval, forum communications, or program downloading, it will be quite difficult to find any program that outperforms *Datapak*. While I have pointed out some flaws, I haven't used any CoCo terminal program that comes close to the overall performance of *Datapak*.

(Cer-Comp, 5566 Ricochet Ave., Las Vegas, NV 89110; 702-452-0632, \$59.95)

— Henry H. Holzgrefe

## ADOS ENHANCED, EPROM-ABLE DISK BASIC

Now, you can supercharge Basic with an impressive array of extra features WITHOUT sacrificing compatibility! ADOS is compatible with virtually 100% of commercial software. Customizing utilities are provided to allow user-defined command abbreviations, baud rate, step rate, tracks per disk (35 or 40), support of double-sided drives, and more. After customizing ADOS, you can have it burned into an EPROM that plugs into the Disk Basic ROM socket, or just use it in RAM as a 64K disk utility (EPROM + burning will cost about \$20—we provide information concerning how you can have this done.) Features include: • repeat and edit of the last direct-mode command • 26 definable control key abbreviations • automatic line-number prompts • DOS command • lowercase command entry (a fine complement to a Lowerkit or PBJ WordPak) • COPY (filename) to (drive number) • AE error override option • RAM command (64K) • RUNM command • text echoing to printer • ML monitor • text file scan • enhanced directory • error trapping • hi-res text utility included (42, 51, or 64 characters per line)

"I COULD NOT FIND ANY SOFTWARE THAT WOULD NOT RUN UNDER ADOS."

THE RAINBOW, December 1984

"I LOVE ADOS! ... A GENUINELY FIRST RATE PRODUCT."

Color Micro Journal, February 1985

"I WON'T PART WITH MY ADOS EPROM FOR ANYTHING ... NO COMPATIBILITY PROBLEMS."

Hot CoCo, May 1985

Disk \$27.95

## THE PEEPER ML PROGRAM TRACER

Monitor machine-language programs AS THEY ARE RUNNING! Peeper actually timeshares with the target program, giving FULL CONTROL, as ML programs run. Switch instantly between watching regular program output and Peeper's trace of registers and stack on screen or printer. Inspect memory in any of 26 display modes. Execution speed can be varied from full speed to the barest crawl, or halted entirely, as programs run. Single-stepping, breakpoints, memory or register examine/change. Relocatable, supports 64K use (16K required). See February '85 review.

Disk \$23.95

Assembler source listing Add 3.00

## NEW FOR COCO3

### CUSTOM CABLE FOR MAGNAVOX RGB MONITORS

The Magnavox 8CM515 and 8CM505 monitors, containing RGBA, RGBI, and audio inputs, sell at prices comparable to Tandy's CM-8, and represent a far better buy for CoCo3 users. Composite input, which CM-8 lacks, is required for seeing PMODE 4 displays in color. RGBI allows the Magnavox, unlike the CM-8, to be used with PC-Compatibles — a big resale consideration.

... Cable 19.95

**SPECTROSYSTEMS**

No delay on personal checks  
Please add \$2.00 shipping Sorry no credit cards or CODs

11111 N. Kendall Drive,  
Suite A108  
Miami, Florida 33176  
(305) 274-3899 Day or  
Even



## Disto Super RAM 3: Quick and Simple

The Disto 512K upgrade is the smallest I've seen so far. The double-sided glass epoxy circuit board measures  $2\frac{3}{4}$  by  $2\frac{7}{8}$  inches and contains 16 socketed NEC 41256 120 ns DRAMS. Two rows of header pins extend from the bottom of the board and plug in to matching sockets on the CoCo 3 board.

Installation instructions supplied with the board consist of five steps. After taking appropriate grounding precautions, the four 128K RAM chips IC16, IC17, IC18 and IC19 are removed. Two small capacitors, C65 and C66, are clipped with small wire cutters and removed. The new board is then plugged into the two white header sockets on the CoCo 3 board. That's all there is to it. In 20 minutes or so, you will have completed the job.

---

***"In 20 minutes or so, you  
will have completed the  
job."***

---

This upgrade has the memory chips facing up to facilitate better ventilation. It also does not use a ground plane. In RFI (Radio Frequency Interference) comparisons on my short wave equipment, I could not hear any interference. An interesting addition to the Disto upgrade is the use of a thin sheet of anti-static foam on the underside of the board. This prevents any accidental electrical contact between the bottom connections and components on the CoCo 3 board.

Also included with the Disto upgrade is a disk that contains two very useful programs. The disk is not copy-protected so backup copies for your own use and protection are advisable. A 512K memory test program is useful to check out your new board and a utility to create 1 or 2 RAM disks and a printer spooler is also provided. The spooler has a handy feature if you have Disto PPRINT capability. With this feature, you can use the parallel printer port with the Disto printer adapter. Installing the RAM disk and spooler utilities is easy to do, and a one-page instruction sheet is provided.

Disto Super RAM 3 offers a great bargain and will provide some excellent uses for your CoCo 3's expanded memory capability.

(C.R.C. Computers Inc., 10802 Lajeunesse, Montreal, Quebec, Canada H3L 2E8; 514-383-5293, price available on request. The software is also available from Spectrum Projects, P.O. Box 264, Howard Beach, NY 11414; 718-835-1344, for \$24.95 plus \$3 S/H)

— Jerry Semones

## History Comes to Life With Educational Software

How would you like to travel across the Atlantic Ocean with Christopher Columbus in search of a new passage to India? Or look for the Fountain of Youth with Ponce de Leon? How about a trip to the moon with Neil Armstrong?

You can experience these and many other events from the history of our country with software available from Compass Education. The American History package contains the history of the United States from the time of its discovery by Christopher Columbus to the day Neil Armstrong landed on the moon.

Lesson plans one through eight deal with the discovery of America, the Colonial period, the American Revolution, the Constitution and the War Between the States. Lesson plans nine through 16 deal with settling the West, World War I, World War II and how we reached the moon.

Each lesson is presented in an audiovisual manner. This is an excellent way to learn; while you are seeing the material presented on the screen, you are hearing about it.

These programs are in a logical and well-presented format. At the end of each lesson, a scoreboard shows the number of questions asked, the number answered right on the first try and the number of wrong answers.

This is the final study course in the educational software package I've been reviewing for the past five months. All five have met my criteria for valuable educational software: They're user-friendly, provide varying levels of difficulty, and include review capability and positive reinforcement. All the programs have been entertaining and educational. I would not hesitate to recommend them.

(York 10 Software, 9525 Vassar Avenue, Chatsworth, CA 91311; 818-700-0330. Two-volume set \$49.95 plus \$3 S/H)

— John H. Appel

### *Two-Liner Contest Winner . . .*

This subroutine shows you how to prevent a lockup because your printer wasn't online or turned on.

#### **The listing:**

```
10 CLS:A=PEEK(65314):B=INT(A/2):
C=A/2:IFC-B=0THENPRINT"PRINTER O
N"ELSEPRINT"PRINTER OFF"
20 IFC-B=0THENPRINT#-2,"THIS CAN
BE A PROGRAM PRINT STATEMENT."E
LSEPRINT"TURN PRINTER ON"
```

*Jim Knoppow  
Kent, WA*


(For this winning two-liner contest entry, the author has been sent copies of both *The Second Rainbow Book of Simulations* and its companion *The Second Rainbow Simulations Tape*.)



## Fantasy Clip Art Disk

Gnomes, elves, dragons and more...  
More than thirty clips for Cocomax...

ALL NEW!!!




You must have  
Cocomax.

64K EXB disk.....\$14.95

## Oriental Gallery I


Twenty new full-screen pictures from a  
talented graphic artist...all ready to  
print or use with your graphic editor.

ALL NEW!!!



32K EXB Disk  
Only \$9.95

# MORETON BAY SOFTWARE



## A GUIDE TO COCO 3 BASIC AND GRAPHICS

Do you want to learn more about your  
Color Computer 3? If so, A Guide to Coco  
3 Basic and Graphics is what you need!

This practical guide to the Coco 3 is  
written by Linda Nielsen, a long time  
Coco user. It has more than 50 pages of  
examples, explanations, and programs  
especially for the Coco 3.

Not only that, the Guide includes a  
disk of programs and pictures. Translate  
low res graphics onto the high resolution  
screen. Draw on the 320 by 192, 16 color  
or the 640 by 192, 4 color screens.  
Learn how to display 256 artifactual  
colors on a television or composite  
monitor.

Unlock the power in your Color Computer  
3, order your GUIDE today!

Price effective March 1.....\$21.95

## BETTER GRAPHICS ON YOUR COCO 3

Use the graphic power  
of your Coco 3! More  
good information and  
examples of high res  
graphics on the Coco 3.  
Create better static  
illustrations. Learn  
more about Basic  
animation, screen  
scrolling, tips on  
HPUT and HGET, how to  
use HDRAW and much more. Better Graphics on your Coco  
3 plus two disks of programs and pictures. \$24.95.



\$24.95.

## OKIMATE 20 WITH PLUG'N'PRINT

Small, quiet and colorful! Eight vivid colors.  
Excellent print quality. Italics, super and sub  
scripts. Ten, twelve or fifteen characters to the  
inch. The perfect second printer for your Coco.

Printer, Plug'n'Print, paper, black and color ribbons,  
instruction and software. \$240 plus \$10 shipping.

## GRAPHIC SCREEN DUMP FOR THE OKIMATE 20

Dump PMODE 3 and PMODE 4 graphics from your Color  
Computer to the Okimate 20 printer. Select 2 color, 4  
color or black and white screen dumps. \$29.95


## DOUBLE DRIVER I

The BEST monitor driver available.  
Color composite, monochrome and  
audio output. For original CoCo D, E  
and F boards. \$24.95.

## MONO II


Mono II for Color Computer 2. An  
excellent monochrome monitor driver  
that has audio output also. Specify  
model needed.

\$24.95.



## DOUBLE DRIVER II

Finally a monitor driver for  
the Color Computer II that  
lets you use a monochrome  
and a color monitor  
simultaneously. We're proud  
of this new driver. The six  
transistor circuit provides op-  
timal signal mixing and signal  
gain. Excellent monochrome  
output and better quality  
resolution in the color output



than any driver we have  
seen. Audio output also. Fits  
all models of the Color Com-  
puter II. \$29.95.

## THE COCO-SWITCHER

### A QUALITY PIECE OF HARDWARE



The CoCo Switcher allows you to hook up  
three peripherals to your RS-232 jack. Con-  
nect your modem, printer and any other  
RS-232 compatible peripheral to the CoCo  
Switcher. An LED on the CoCo Switcher  
shows if your computer is on or off at a glance.  
The LED flickers when transmitting or receiv-  
ing data.

\$39.95 plus \$2.00 shipping and handling

## MORETON BAY SOFTWARE



A Division of Moreton Bay laboratory  
316 CASTILLO STREET  
SANTA BARBARA  
CALIFORNIA 93101  
(805) 962-3127



### Ordering information


Send \$2.00 shipping and handling per order. We ship  
within 1 working day on receipt of order. Blue Label  
Service available. California residents add 6% sales tax.



## Capitalize on Your State Knowledge With *State the Facts Game*

Quick, what is the capital of Nebraska? If you didn't answer Lincoln, you might benefit from a new program titled *State the Facts Game*. *State the Facts* is a drill and practice exercise on the 50 states and their capitals. A Hi-Res map of the United States is drawn on the screen. Next, states are picked at random and highlighted on the map for the player to identify. The player gets three chances to identify the state and then is asked to identify its capital.

There are three game options available: 1) Identifying states and capitals with optional state data, 2) Identifying states and capitals without the state data, and 3) Viewing the state data files only. The feature that sets this state identification program apart from others is the optional database. When choosing this feature, you can get further information about the state's geography, history, population, etc. This makes it a more valuable learning tool, because the user can browse through individual state information in addition to doing memory practice on states and capitals. The files are written in ASCII on the disk. Data in these files could easily be added to or modified by loading them into most word processors and then resaving them.



The program keeps a running total of correct and incorrect responses on both identification of states and capitals. High and low pitched tones signal the correct and incorrect answers, respectively. Spelling is important for the responses, since incorrect spelling counts as a wrong answer. In general, all words should be spelled out, rather than abbreviated (West Virginia instead of W. Virginia).

Documentation consists of one small sheet of paper that includes loading instructions and general information about the program. However, I don't consider this to be a drawback. The majority of the needed instructions are located on the main menu screen. Actually, programs with straightforward directions should include them within the program for the user's convenience.

There were two features missing that would make *State the Facts Game* more effective. The program, because of its random picks, does not repeat missed states or make an attempt to keep from duplicating states that were already answered correctly. A visual message as well as the tone could also be added for correct responses as another form of positive reinforcement.

The program requires a disk drive and 64K of memory. It works perfectly on the CoCo 2 and 3, but locked up on the CoCo 1 after getting past the main menu. Another somewhat annoying glitch was in the data files section. The directions say to type MENU or QUIT to move out of a section, but this didn't work. I found out by accident that if you choose state 51, it returns to the main menu. This is not clearly documented in the program. The Hi-Res map is generally good, but the New England states are cramped. Some of them are hard to distinguish by shape and could only be identified by their relative positions.

As an instructional tool, I'd suggest you use the data files section first to view the states and their corresponding capitals. A blank U.S. map with the states outlined would help with the identification of the New England states and would serve as a manual score card to mark states known and unknown. Playing the game with or without the optional database would then provide a review or post-test to check on your state fact knowledge. A classroom teacher might set up a class challenge or competition based on the results of each round.

On a scale of 1 to 10, I'd rate it an 8, primarily because I was impressed with the state data file and its reasonable price. As far as the few glitches in the program and the issue of CoCo 1 compatibility, I was a bit disappointed. I contacted Mikaron, and they assured me that fixes for these would appear on all future disks shipped.

(Mikaron Software Co., P.O. Box 1064, Chester, CA 96020; \$22.95 plus \$.50 S/H)

— Mark Haverstock

### One-Liner Contest Winner . . .

Use this program to print any information on standard 3½-inch by 1-inch labels.

#### The listing:

```
Ø CLS:PRINT"SET LABELS":L=96:FOR
I=ØTO5:PRINT@L+4Ø,"<":PRINT@L,""
;:LINEINPUTA$(I):L=L+64:IFA$(I)<
>"ANDI<4THENNEXTELSEINPUT"OK";A
$:PRINT#-2,CHR$((I<3)*-1Ø);:FORK
=1TO999:FORJ=ØTO5:PRINT#-2,STRIN
G$((28-LEN(A$(J)))/2,32)A$(J):NE
XT:INPUT"AGAIN";A$:NEXT
```

Jim McDowell  
Burlington, VT

(For this winning one-liner contest entry, the author has been sent copies of both *The Second Rainbow Book of Simulations* and its companion *The Second Rainbow Simulations Tape*.)



## Sigmaword: Instructive Word Processor for Beginners

Every CoCo beginner soon starts to search for a word processing program. Why not start with a simple, inexpensive one? After using it for awhile, it will be easier to know just what your requirements are for a word processor. *Sigmaword* is a good starter program that will permit you to refine your requirements. You can learn a lot about word processing from *Sigmaword*.

When the program is entered, questions are asked with reference to presentation on the monitor screen. You may select black letters on a white background or white letters on a black background. I prefer black letters on a white background, but the choice is there for you to make.

After the background and letter color choices are made and entered, a word-counting bar is printed across the bottom of the monitor. Because of the details one must keep in mind to preserve the accuracy of the word-count system, I did not find this feature useful. But, it is not in the way and is easy to ignore.

The main menu, only accessible from the Command mode (the program automatically opens in Command mode), is reached by pressing the BREAK key. This menu includes New file, Display/edit/add, Display with justification, Print, Directory, Save file, Load file, and Setup. Free memory on disk is also printed.

After the program has been entered and the color of printing and background selected, the program is automatically in the Command mode, ready for you to enter whatever you want from the keyboard. This is the same as if you had called for the main menu and selected either New file (N) or Display/edit/add (D).

If you select "D" and the Edit mode, the up and down arrows permit moving the cursor to the point where you want to insert, delete or make changes. Although the Edit function works, I found it to be awkward and time-consuming.

In the Edit mode the cursor may be moved, using arrows, to the point in the document where corrections, deletions or additions are to be made. To insert, the "I" is pressed,

and the material to be inserted is typed in, or deletions made. If the position of these changes is made in more than a few lines from the end of the document, the process of making the changes and getting back to the place in the document from which you entered the Edit mode is so time-consuming that you may decide that it is better to erase and start all over again. There are no provisions for block or word copy or move, headers or footers, page numbering, global or any other search, setting of tabs and many other things found in more expensive programs.

---

***"You can learn a lot  
about word processing  
from Sigmaword."***

---

When in Command mode, the down arrow becomes a REPEAT key. Since the left arrow erases whatever is immediately to its left, the combination of down arrow and left arrow permits rapid erasing. The main menu can only be reached from Command mode.

The Print facility provides underlining, font changes, and anything else for which you can find a CHR\$ code. This is done by entering the proper CHR\$ code (preceded by right arrow and followed by another right arrow).

The instructions accompanying this program are not the highest order and should be rewritten. They can be followed, but it isn't easy! This program does work, and the price is low. Try it, you may like it! It is certain that you will learn from it. For an error-free typist who has no requirement to do much editing, *Sigmaword* would be an adequate word processing program.

(Sigma Software, 14025 152nd Ave. S.E., Renton, WA 98056; \$9.95)

— Charles L. Redman, Jr.

CoCo's Best &  
Fastest Spreadsheet  
RS-DOS Version

# DYNACALC®

retail . . . \$99.95



DYNACALC® is a registered  
trademark of  
Computer Systems Center

Compatible with  
CoCo 1, 2 & 3  
64K Required

**DERRINGER SOFTWARE, INC.**

P.O. Box 5300  
Florence, SC 29502-5300

To place an order by phone, call **(803) 665-5676**  
10 AM - 5PM EDT

Check, Money Order, VISA, or MasterCard

South Carolina residents add sales tax

Include \$3.00 for UPS Shipping — \$5.00 U.S. Mail — \$9.00 Air Mail



## OS-9 Level II: Versatility, Power and Low Price

By Dale L. Puckett

We'll start our review of OS-9 Level II by highlighting some of the differences between this package and Level I. To find the differences, I set up a pipeline using a single-line public domain directory listing utility and a third-party sort program to put OS-9's multitasking to work. Why should I work to find the differences when I have a powerful operating system at my finger tips? The command line looked like this:

```
OS9: ls /d0/cmds ! qsort >/p
```

When OS-9 finished running this command, I had a hard copy of all the utility commands available on the OS-9 Level II system disk. The names of the utilities were listed in alphabetical order, with one name on each line. Next, I issued the same command on the OS-9 Level I, Version 2.00.00 system disk. I then taped the two listings side by side and noted the differences.

When I compared the two printed listings, I noticed that `asm`, `binex`, `debug`, `dump`, `exbin`, `grfo`, `login`, `prnterr`, `save`, `sleep`, `tee`, `tsmon` and `verify` were missing from the Level II system disk.

At the same time, I noticed that the `CMDS` directory on the new Level II system disk contained `deinix`, `error`, `grfdrv`, `modpatch`, `montype` and `wcreate`. By comparing the two lists, we can learn a lot about the design and marketing philosophy of OS-9 Level II. Don't fret; it's good news!

Most of the utilities missing from the list are those used by assembly language programmers. Tandy wisely decided that the average Color Computer owner starting to use OS-9 is probably not an assembly language programmer. They pulled the assembler and debugger out of the OS-9 Level II release and made a very smart substitute. When you buy OS-9, you now receive BASIC09 with the package — a good move, since most Color Computer owners are familiar with BASIC programming.

This philosophical change also means the `DEFS` directory is not needed on the Level II system disk. Assembly language programmers will receive the files in the `DEFS` directory when they purchase the new developers pack. This addition to the OS-9 product line will include a screen editor and a relocatable macro assembler, as well as a number of additional device drivers and descriptors.

Because of OS-9's versatility, beginners can set up their system disks to run BASIC09 immediately after they start up their Color Computer. This places them in a familiar environment and should remove much of the panic that overwhelms many OS-9 newcomers.

To set up your system disk, move a copy of BASIC09 and `RunB` to the `CMDS` directory on your system disk. Rename the copy of BASIC09. Call it `AutoEx`. Now restart your computer and watch what happens. Don't blink or you won't notice what happened. As soon as OS-9 finishes running the last command in your start-up procedure file, it runs `AutoEx` and you will see the familiar BASIC09

billboard. Of course, if you want to go to work with your text editor, you could change the names `TsEdit`, `DynaStar` or `Stylograph`... to `AutoEx`. A fantastic idea!

GFX2, the high resolution graphics package that comes with BASIC09, will literally knock your socks off. With it, you will be able to write object-oriented drawing programs that spit out graphics quality that no bit map-based program can touch.

With high level BASIC09 run commands, you can select from 64 colors available in four 16 color palettes. You can set the border color and create colored patterns and new cursors. You can use logic functions to mix colors and use automatic scaling to draw outlines or filled boxes. You can draw ellipses and arcs and fill your objects with the color of your choice. You can get and put sections of your graphics screen to create animation effects, and select your own font. Letters can be boldface, proportionally spaced, transparent or underlined.

`Grfdrv` has the same function, albeit many times the power, as `grfo`, so there is little change. Because of the basic design of Level II, a `prnterr` utility is not available on any Level II system. However, one third-party software developer sells one. Tandy's version of Level II solves this problem by giving you the ability to receive an English language error message by typing the command `error` followed by the error number in question.

The missing `login` and `tsmon` utilities may be a serious problem for a few users. Again, I'm sure the fact they are missing revolves around the Color Computer OS-9 design philosophy. "With the rich windowing environment, why would anyone want to use an external terminal?" That's a very valid question, and it says a lot. Besides, the addition of an immortal shell concept to the package accomplishes the same thing — almost.

On the other hand, the addition of the `modpatch` utility can only be heralded as a terrific idea. It's an excellent tool that would have been nice to have a long time ago. You use it to patch and correct the CRC of a module in memory. After you run it, you can use the `cobbler` utility to put the changes in your `OS9Boot` file.

Another slick addition is a new device descriptor named `/dd` — for default device. Tandy utilities that have a unique pathlist hard-coded use this device. For example, the `error` utility reads its English language error messages from `/dd/sys/errmsg`.

The `/dd` device descriptor is nothing more than a copy of the device descriptor you want to use as your default device — with its name changed. For example, if you routinely copy `SYS` directory files into a RAM disk named `/r0` when you boot your system, you may want this RAM disk to be your default device. To make `/r0` the default device, you need only make an extra copy of the module named `r0` and change its name to `dd` using `modpatch` or another verifying patch utility. People who own hard disk drives will want to make a copy of their `/h0` device descriptor and rename it to `/dd`.

This addition means programmers who must hard-code a pathlist into a program can standardize on the device name `/dd` as their default. If this is done, everyone will be able to run their programs, without worrying about using the same device name as the programmer. Another step toward ease of use has been made through this standardization.



Another welcome addition to OS-9 Level II is an online help utility. If you forget how to run a particular utility command, you can simply type `help` followed by the name of the command to receive a detailed message. This message describes the proper syntax for the command. The utility lists its messages from a text file with a pathlist of `/dd/sys/helpmsg`.

When you boot OS-9 Level II and use the `mdir` command to take a look at the modules in memory the first time, you'll notice that the following frequently used OS-9 utility commands are always in memory: `copy`, `date`, `deiniz`, `del`, `dir`, `display`, `echo`, `iniz`, `link`, `list`, `load`, `mdir`, `merge`, `mfree`, `procs`, `rename`, `setime`, `tmode` and `unlink`.

Having these commands available instantly, with no disk access required, is very convenient. It saves a lot of time and is also very memory-efficient. The `shell` command, which must always be resident, and all of these utility commands fit in one 8K block of memory. The Color Computer's GIME chip switches memory in 8K blocks. Since the `shell` command has to be in memory all the time, Tandy's designers decided to use the remainder of the 8K block used by the `shell` — a very smart move indeed!

There are few things, if any, you could do with Level I that you can't do with OS-9 Level II. The use of an external terminal is one of the only question marks because `tsmon` and `login` are missing from the Level II release. But, I'm pretty sure you can use another terminal by simply running a shell and redirecting the input, output and error output paths to `/T2`. Yep — it works! I typed:

```
OS9: iniz /t2
OS9: shell <>>>/t2&
```

The device `/T2` was set at its default value of 9600 baud. I hooked up a cable to my Macintosh and called up Red Ryder. At 9600 baud, no parity and one stop bit, the directory and file listings from the Color Computer hard disk flew by on the black and white Mac screen. The only thing missing is the ability to use `tsmon` to login as another user from another terminal. I'll work on that.

When you move up from Level I to Level II, the number of options available is increased. For example, with this version of OS-9, if you own a double-sided drive or an 80-track drive, you can use it without buying additional third-party software drivers. You run the `config` utility to create a new `OS9Boot` file, using the device descriptor modules supplied in the `MODULES` directory on the `Config` disk that comes with Level II. Unfortunately, device descriptors set to a stepping rate of six milliseconds are not supplied. However, since the descriptors follow the OS-9 standard, you can patch them with `modpatch` as we reported in the April issue of "KISSable OS-9."

When you stop and think, you quickly realize why Tandy left the `tsmon` and `login` utilities out of this package. With all those windows and the new immortal shell feature, why would you ever need another terminal? I can't think of too many reasons.

The OS-9 Level II release disk comes with no less than eight window device descriptors in memory. All you need to use them is run the `iniz` utility and start up a shell in the new window. If you are running with 512K in your Color Computer 3, you can open all eight at one time and run

different processes in each. With a 128K machine, you are pretty limited and things will get tight rather quickly. You can only open one or two windows on one screen if you want to save enough memory to run a process or two.

With the new Color Computer and OS-9 Level II, you can have it your way. You can create standard windows and overlay windows. If you use overlay windows, you can save the text or graphics image under the overlay, and the system will redraw it when you close the overlay window. You can pick the foreground color, the background color and the border color when you create a window. If you change your mind or get bored easily, you can change these colors on the fly, by typing short display commands. You can also discard windows after you are finished with them to free their memory for other processes.

---

***"With all those windows and the new immortal shell feature, why would you ever need another terminal?"***

---

Level II designers had your sanity in mind, too! While you can create a window by typing hexadecimal parameters following the `display` utility command, they added a tool named `wcreate` that lets you create a window by typing a series of decimal numbers. Which would you rather type?

```
OS9: display 1b 20 5 0 0 50 18 2 4 1
OS9: wcreate /w7 -s=2 0 0 80 24 2 4 1
```

Both of these command lines create a red screen with black letters and a blue border. In any case, just about any thing you could do with OS-9 Level I on the Color Computer, you can do better with OS-9 Level II.

The difference between the OS-9 Level I and OS-9 Level II manuals is like day and night. The new manual is so large it will not fit in a standard binder. The 200-plus pages lie flat in the supplied binders, which makes them easy to use.

This manual is more than 3 inches thick and has an excellent table of contents and a thorough index in each section. Dividers named *Getting Started*, *OS-9 Commands*, *Technical Reference* and *Windows* let you find the information you need about the operating system. Additionally, a section named *BASIC09* and an accompanying glossary will make it easy for you to learn this powerful high level language.

The type style used in the manual is easy to read, and the designers used plenty of white space to take your eye where it should go on the page. The organization is clear and logical, and is much easier to follow than the Level I manuals. The *Getting Started* section shows you how to create a new window or two.





One of the features that consumers and reviewers alike demand these days is onscreen help. OS-9 delivers it with the utility command named `help`. If you forget how to run one of the standard OS-9 utilities, you need only type `help` followed by the name of the command. The help comes from a specially formatted text file in a file named `helpmsgs` in the directory `/dd/SYS`.

OS-9 Level II should be much easier to use than OS-9 Level I. With a total of 512K of memory and separate 64K address spaces for the system and each individual process, you will find life much easier. In fact, most of the problems beginners have encountered with OS-9 revolve around the limited memory resources of the Level I system. They ran out of memory before they ran out of ideas. Then, they didn't understand the cryptic error messages.

OS-9 is a very complex and powerful operating system. For this reason, it will take you quite a while to pick up on all the tricks. However, OS-9 command names are very logical and their syntax simple, if you use the default parameters and don't try to do anything fancy for the first week or two. After you are comfortable with the system, you can call in the many available parameters and get down to some fancy work.

Ease of use is a completely different story. Once you have learned the basics, you will uncover more power every time you turn on the computer. Shortcuts can be found everywhere. You'll find yourself typing less and enjoying your computer more. OS-9's anonymous directories, coupled with its concept of current data and execution directories, and its hierarchical file structure, make it easy to organize programs and data.

The command line editor makes it easy to execute redundant commands with little typing. Procedure files do the typing in many cases, and pipelines let you run three or four processes concurrently to do one big job. With OS-9 Level II, you have plenty of memory to set up some nice pipelines. Even large programs running in BASIC09 can be inserted in a pipeline; each process in line can have up to 64K of space to use.

OS-9 Level II prints an error number when it encounters a problem. After a few days you will recognize all the common errors. Until you do, you can use the OS-9 error command utility. Just type `error`, followed by the number reported by the system, and OS-9 will return an English language explanation of that number. These messages, while short, are easy to understand. The secret is — relax, lean back and ask yourself, "What did I do that caused this condition?" Ninety-nine times out of a hundred you will find you forgot something when you typed the command.

Because of its versatility, power and extremely low price, OS-9 Level II has to be the best bargain on any computer, anywhere. The addition of MultiVue's point-and-click interface, and the standardization of application software it will force, will make OS-9 even more a bargain in the near future. When OS-9 MultiVue happens, you won't even realize you are running OS-9 — unless you want to — and you certainly won't want to be without it.

(Tandy Corporation. Available in Radio Shack stores nationwide, \$79.95)

## It's Marble Mania with Roller Controller

*Roller Controller* is an arcade-type game written especially for the CoCo 3. It works with either 128K or 512K and is available on cassette or disk. The deluxe two-button joystick is recommended, but the game can be played using the keyboard. The program is not copy-protected so a backup can be made for protection. The disk version contains a BASIC loader, but the game itself is written in machine language. The program can be booted up using the DOS command, if you have Disk BASIC Version 2.1 or higher; otherwise, just type `RUN "ROLLER"`.

The game is written for either RGB or Composite monitors, and this selection is made when the game first starts. If you are using a TV set, you want to select the composite mode so the colors come out right.

*Roller Controller* uses the highest resolution graphics mode available on the CoCo 3. You can expect excellent colors and detail. The game contains six different and increasingly difficult screens, each of which contains a maze of sloping planks and trap doors. Colored marbles are released at the top of each maze and roll down the planks. You must guide the various colored marbles by opening and closing the trap doors at just the right time, so the marbles drop into an appropriate bin at the bottom of the screen. Three levels of play are available. I played level one and after a few games I was able to qualify for a spot on the high games screen. At harder levels more than one marble rolls even faster down the planks at the same time. This is sure to challenge the most gifted arcade game player.

The solid colored marbles are marked with a 'T'. These must be guided into one of three identically colored bins at the bottom of the screen. "Ringer" marbles are a combination of three colors and must be guided into one of two large funnels at the bottom of the screen. If you see you are going to miss the correct bin or funnel, you can, if you are quick enough, recycle the marble to the top of the screen by guiding it off to the extreme right or left side where a fan will blow the marble back up to the top plank. You have to be careful with this feature because the marbles roll faster as a result of being blown back to the top.

"Happy" and "sad" faces at the upper-right of the screen are used to tell you how many marbles must be guided into the correct bins before the current screen is completed. The sad face will tell you how many "mistakes" you are allowed before the game is over. You get 50 points for each colored marble that goes into the correct bin but none for the ringer marbles. You also get 50 points for each unused mistake marble at the end of a screen. Bonus points are awarded at the conclusion of each wave consisting of a pattern of 10, 11, or 12 screens depending on the skill level.

*Roller Controller* is great fun. It's a unique diversion from the typical "shoot-'em-up" fare and will keep you on the edge of your CoCo seat for hours. In spite of its tame theme, it's one of the most challenging and unique games I've seen for the CoCo 3.


(Spectrum Projects Inc., P.O. Box 264, Howard Beach, NY, 11414, \$29.95 plus \$3 S/H)

— Jerry Semones





Shipping: \$3 UPS ground, \$12 air mail (overseas)  
Canadian Distributor: Kelly Software





## This One's a Puzzler

By Benjamin W. Brunotte



**A**lways on the lookout for new games, I decided to create some of my own, so I wrote *Word Search*. This program is a word search puzzle maker. It requires 32K with or without a disk drive. It is written in BASIC, and no commands need to be entered before loading or running.

*Word Search* will take a list of up to 25 words and hide them in a word search puzzle. The puzzle size can range from 5 by 5 letters to 30 by 30 letters. Be sure to use a puzzle size large enough to hide all the words. The words will be hidden horizontally, vertically and diagonally, and may be spelled forward or backward, but always in a straight line.

I have included many comments, so memory can be saved by removing them. The maximum number of words allowed in the word list is 25 (because of memory limitations).

When entering the words, use a period to indicate the end of the list. Entering a hyphen lets you redo the previous word. Spaces are ignored. Thus, you can enter "New York," but it will be hidden as "NewYork."

The array DD is weighted toward the diagonal. DD(1) through DD(24) put a word on the diagonal, and DD(25) through DD(28) put a word either horizontally or vertically. If a word will not fit in any direction, you are given the choice of either beginning another puzzle in hopes the word will fit in the new one or dropping the word from the list and continuing with the present puzzle.

When the puzzle is completed, the solution is printed first. Then, all the hyphens (indicating spaces) are replaced with random letters, and the word search puzzle is printed.

I hope you enjoy *Word Search*. I have tried to make it as easy to follow as possible. As written, this program is designed to work with Radio Shack DMP printers. For those with other printer makes, all printer control codes are on separate lines and are identified with comments. ☐

*Ben Brunotte lives in Nederland, Texas, and works in operations at a large oil refinery. He is a self-taught programmer, and the CoCo is his hobby.*

### BASIC Commands


```
J B Z E Y C H N A W N W S E Z H Q H Q X N P J L G
U K U V X A Z R O B G F F U B H B E Y Z Q T E Y O
Z E L V M R S T C J U S S N J A G K N X L G K F J
R G V E W R L Z X J R D O I T G E D Y J C O E U N
Q M R B P N B V V S J R C T Q X I D I F N I Y M G
J R J X M P C S U M T D N E T G J S B B O N Y V Y
Q Z B U J A E F Z J C I L K E J L Z T V Y S N E R
B D X W C P E U S I R S J V C V X M Q I B T D F J
A T B H I D C S D P H A I V B A A S A D G R O H F
I U X O V K T O E R O T S E R V Y V C X I U J C I
Y R B I S X A P P I Z X M Z F T G X Y R O G S X O
B E M M L E C S R Y R L U N D G G P U O E I Z L L
I C P H H P O X Z Q T M I L O T V N O F F E Q W S
S H I Q Y I I W G F R B H H M C H C N I A P N W B
W E I A L M Q E F V N E L F K V B W N M I R I U I
W U X S G I G V Y L H Z N F R O D F W Z D I V K X
T X B I V R O H A G S C K U J X X P D I P N H R S
I R U P G D P N F O T X V V M M D W G B A T D O Z
S E B Q L A R R S O A K A X E B I T P W X U R U J
T X G O I Y I E J E T B P V C L U I Z X P S D F Q
E T A N M V D U Z E J L A A L I W B C D F I Q P N
O D T Y Z L T Q E E D S C I M S T W T P H N W I I
N C X D R J M U M C E S F U H Y S G O R G J Y O
G O S U B Q Z M V Z X T B U M D Q J J S A O S X M
J O P C C K G V N E H G F C Y W K C I U G F S E Z
```

Find these words hidden in the puzzle above:

CSAVEM	DEFUSR	DLOAD
EXEC	GOSUB	HBUFF
HPAINT	HSTAT	INSTR
LLIST	PCOPY	PRINTTAB
PRINTUSNG	RENUM	RESTORE
SCREEN	SKIPF	TRON

Sample Printout





180	.....20
240	.....2
330	.....171
430	.....200
560	.....111
640	.....131
780	.....50
890	.....27
END	.....41

The listing: WDSEARCH

```

10 *****
20 '*
30 '* WORD SEARCH PUZZLE MAKER *
40 '* BY BENJAMIN BRUNOTTE *
50 '* COPYRIGHT 1987 *
60 '*
70 *****
80 PMODE 0,1:PCLEAR 1:' **FREE U
P MORE MEMORY
90 CLEAR 14000:CLS:DIM A$(30,30)
,W$(25),DX(8,2),DD(28):K=RND(-TI
MER):' **RESERVE STRING SPACE &
DIMENSION ARRAYS
100 ' ***SET UP ARRAYS FOR PICKI
NG DIRECTION TO PLACE WORD IN PU
ZZLE
110 FOR I=1 TO 8:READ DX(I,1),DX
(I,2):NEXT I
120 FOR I=1 TO 28:READ DD(I):NEX
T I
130 DATA 0,1,1,1,1,0,1,-1,0,-1,-
1,-1,-1,0,-1,1
140 DATA 2,4,6,8,2,4,6,8,2,4,6,8
,2,4,6,8,2,4,6,8,2,4,6,8,1,3,5,7
150 ' ***INSTRUCTIONS
160 CLS:PRINT@167,"WORD SEARCH P
UZZLE":PRINT:PRINT:PRINT"DO YOU
NEED INSTRUCTIONS (Y/N)?"
170 IK$=INKEY$:IF IK$="Y" THEN C
LS ELSE IF IK$="N" THEN CLS:GOTO
220 ELSE 170
180 PRINT" THIS PROGRAM IS A W
ORD SEARCHPUZZLE GENERATOR! THE
PROGRAM TAKES A LIST OF WORDS,
REMOVES ANY NON-ALPHABETICAL C
HARACTERS EXCEPT SPACES, AND BUI
LDS A WORDSEARCH PUZZLE WITH THE
M.":PRINT
190 PRINT" IF THE COMPUTER CAN

```

NOT FIT AWORD IN THE PUZZLE, IT  
WILL ASK IF YOU WANT TO START O  
VER. THE WORD WILL BE DROPPED F  
ROM THE LIST IF YOU ANSWER 'N'  
' . IF NECESSARY, TRY USING F  
EWER WORDSOR A LARGER PUZZLE SIZ  
E."

```

200 PRINT:INPUT" PRESS enter T
O START....";IK$:CLS
210 ' ***SET UP PUZZLE
220 FOR I=1 TO 25:W$(I)="" :NEXT:
CLS:' **CLEAR WORD LIST ARRAY
230 PRINT:PRINT:INPUT"WIDTH OF P
UZZLE: ";W:MD=W:IF W>30 THEN PRI
NT"TOO WIDE. MUST BE 30 OR LESS
.":GOTO 230 ELSE IF W<5 THEN PRI
NT"MUST BE AT LEAST 5 WIDE.":GOT
O 230:' **SET PUZZLE WIDTH
240 PRINT:PRINT:INPUT"LENGTH OF
PUZZLE: ";L:IF L>W THEN MD=L
250 IF L<5 THEN PRINT"MUST BE AT
LEAST 5 LONG.":GOTO 240 ELSE IF
L>30 THEN PRINT"TOO LONG. MUST
BE 30 OR LESS.":GOTO 240:' **SE
T PUZZLE LENGTH
260 PRINT:PRINT:PRINT"ENTER A HE
ADING TO BE PRINTED AT THE TOP
OF THE PUZZLE. (40 CHARAC
TERS MAXIMUM)":LINE INPUT HD$:IF
LEN(HD$)>40 THEN PRINT"TOO MANY
CHARACTERS.":GOTO 260:' **INPUT
HEADING FOR PUZZLE
270 ' ***INPUT WORD LIST
280 CLS:PRINT:PRINT:PRINT" THER
E MUST BE AT LEAST 2 WORDSIN THE
LIST AND NOT MORE THAN 25.":P
RINT" ENTER A WORD AT EACH QUES
TION MARK.":PRINT" TO REDO THE
PREVIOUS WORD, TYPE A HYPHEN
(-).":PRINT" WHEN FINISHED, TYP
E A PERIOD (.)".
290 FOR I=1 TO 25:PRINT"NEXT WOR
D: ";
300 INPUT T$:' **INPUT A WORD
310 IF T$="-" THEN I=I-1:PRINT"R
EDO: ";W$(I):GOTO 300:' **CHECK
FOR HYPHEN
320 IF T$="." THEN IF I<3 THEN P
RINT"MUST HAVE AT LEAST 2 WORDS.
":GOTO 300 ELSE M=I-1:GOTO 490:'
**CHECK FOR PERIOD
330 IF LEN(T$)=0 THEN PRINT"INPU
T ERROR.":PRINT"REDO: ";:GOTO 30
0 ELSE J=1:' **MAKE SURE A WORD
WAS ENTERED

```



```

340 TE$=MID$(T$,J,1):IF TE$<"A"
OR TE$>"Z" THEN 360:' **CHECK FO
R LETTERS ONLY
350 J=J+1:IF J<=LEN(T$) THEN 340
ELSE 410:' **DONE?
360 IF TE$=T$ THEN T$="":GOTO 33
0:' **ONLY 1 NON-ALPHABETICAL CH
ARACTER IN WORD
370 IF TE$=" " THEN 350:' **SKIP
IF A SPACE
380 IF J=LEN(T$) THEN T$=LEFT$(T
$,J-1):GOTO 410:' **REMOVE NON-A
LPHA CHARACTERS
390 IF J=1 THEN T$=RIGHT$(T$,LEN
(T$)-1):GOTO 340
400 T$=LEFT$(T$,J-1)+RIGHT$(T$,L
EN(T$)-J):J=J-1:GOTO 350
410 IF LEN(T$)>MD THEN PRINT"WOR
D IS TOO LONG.":PRINT"REDO: ";G
OTO 300:' **CHECK IF WORD TOO LO
NG FOR PUZZLE
420 ' ***CHECK WORD LIST FOR DUP
PLICATE WORD
430 IF I=1 THEN 460:' **SKIP CHE
CK IF FIRST WORD
440 FOR K=1 TO I-1:IF W$(K)=T$ T
HEN PRINT"DUPLICATE WORD.":PRINT
"REDO: ";:GOTO 300
450 NEXT K
460 W$(I)=T$:CLS:PRINT"WORD LIST
":FOR K=1 TO I:PRINTW$(K),:NEX
T K:PRINT:' **PRINT WORD LIST ON
SCREEN
470 NEXT I:M=25
480 ' ***PUT WORDS IN PUZZLE
490 CLS:PRINT@199,"one";CHR$(12
8);"moment";CHR$(128);"please";:
FOR J=1 TO L:FOR K=1 TO W:A$(J,K
)=CHR$(45):NEXT K:NEXT J:' **PUT
HYPHENS IN ALL PUZZLE SPACES
500 CLS:PRINT@37,"BUILDING THE P
UZZLE.":FOR I=1 TO M-1:FOR J=I+1

```

```

TO M:IF LEN(W$(I))<LEN(W$(J)) T
HEN W$(0)=W$(I):W$(I)=W$(J):W$(J
)=W$(0):' **ARRANGE WORDS LONGES
T TO SHORTEST
510 NEXT J,I
520 FOR I=1 TO M:PRINT@37,"BUILD
ING THE PUZZLE.":PRINT:PRINT"WOR
KING ON WORD ";W$(I):LN=LEN(W$(I
)):NT=0
530 SD=DD(RND(28)):' **SELECT DI
RECTION AND STARTING SPACE FOR W
ORD
540 SX=RND(W):X1=SX+(LN-1)*DX(SD
,1):IF X1<1 OR X1>W THEN 530
550 SY=RND(L):X1=SY+(LN-1)*DX(SD
,2):IF X1<1 OR X1>L THEN 530
560 NT=NT+1:IF NT<>W*L*2 THEN 59
0:' **NUMBER OF TRIES TO PUT WOR
D IN PUZZLE
570 PRINT:PRINT"CAN NOT FIT ",W$
(I)," IN THE PUZZLE.":PRINT"STAR
T OVER (Y/N)?:' **START OVER OR
DROP WORD
580 IK$=INKEY$:IF IK$="Y" THEN C
LS:PRINT@8,"STARTING OVER":GOTO
520 ELSE IF IK$="N" THEN CLS:PRI
NT@96,W$(I);" REMOVED.":W$(I)=""
:GOTO 650 ELSE 580
590 J=SY:K=SX:FOR P=1 TO LN:IF A
$(J,K)=CHR$(45) OR A$(J,K)=MID$(
W$(I),P,1) THEN 600 ELSE IF MID$
(W$(I),P,1)="" THEN 610 ELSE 53
0:' **CHECK IF WORD FITS AND SKI
P SPACES
600 J=J+DX(SD,2):K=K+DX(SD,1)
610 NEXT P
620 J=SY:K=SX:FOR P=1 TO LN:IF M
ID$(W$(I),P,1)="" THEN 640 ELSE
A$(J,K)=MID$(W$(I),P,1):' **REP
LACE HYPHENS WITH LETTERS OF WOR
D IF IT FITS AND SKIP SPACES
630 J=J+DX(SD,2):K=K+DX(SD,1)

```

Moving up to a *Turbo PC/XT* compatible costs less than you think.

- \* 4.77/8 Mhz Turbo (software controlled)
- \* 256K Memory (640K Expandable).(\*\*)
- \* 360K DSD Disk Drive.
- \* 150W Power Supply
- \* Real Time Clock.
- \* with battery backed Time & Date.
- \* Parallel Printer Port.
- \* 1 Serial Port (2nd port optional).
- \* Game Port.
- \* IT Style Keyboard.
- \* Mono Graphics Adapter.(\*\*)
- \* High Res. Monochrome Monitor.(\*\*)
- \* MS-DOS 3.1
- \* Full 6 Mo. Limited Warranty


**\$597.50**

Mono System

(\*\*)Substitute Colour Graphics Adaptor \$795.00 and TTL Colour Monitor for

- (\*) 640K upgrade add.....\$ 45.00
- 2nd Floppy Disk Drive.....\$ 89.00
- 2nd Serial Port add.....\$ 22.00

- 300/1200 Baud Modem.....\$112.00
- Mouse (serial port).....\$ 68.00
- MS-DOS 3.2 w/ GW Basic add.\$ 65.00
- 20Mb Hard Disk w/Controller.\$389.00



## NEW LOW PRICES ON

DSD 5 1/4" Disks; \$.48ea./\$41.00 box 100 with sleeves & labels. 100% GUARANTEED.

SEE AD IN LAST ISSUE FOR PRINTER RIBBONS

Calif. add 6.5% Tax. / C.O.D. ADD \$1.50

Voice (818)904-1398 / Data (805)253-0221

# Canyon County Devices

P.O. Box C

Saugus, Ca. 91350

PRICES APPLY TO UNITED STATES ORDERS ONLY.



```

640 NEXT P
650 NEXT I
660 TB=(80-(2*W))/2: ' **TAB SETTING FOR 80 COLUMN PRINTER
670 POKE 150,41: ' **1200 BAUD
680 CLS:PRINT"READY PRINTER TO PRINT PUZZLE.":INPUT"HOW MANY COPIES";CP
690 PT=1: ' **SET PRINT COUNTER TO 1
700 FOR I=1 TO M-1:FOR J=I+1 TO M:IF W$(J)<W$(I) THEN W$(J)=W$(I):W$(I)=W$(J):W$(J)=W$(I): ' **PUT WORDS IN ALPHABETICAL ORDER
710 NEXT J,I:X$="SOLUTION"
720 PRINT#-2,CHR$(27);CHR$(18);: ' **NORMAL CORRESPONDENCE PRINT
730 PRINT"PRINTING ANSWER COPY";PT:GOSUB 800:IF PT<CP THEN PT=PT+1:GOTO 730: ' **PRINT EACH COPY
740 PRINT"FILLING IN PUZZLE.":FOR J=1 TO L:FOR K=1 TO W:IF A$(J,K)=CHR$(45) THEN CK=RND(26)+64:A$(J,K)=CHR$(CK): ' **REPLACE HYPHENS WITH RANDOM LETTERS
750 NEXT K,J
760 PT=1:X$=" ": ' **RESET PRINT COUNTER
770 PRINT"PRINTING PUZZLE COPY";PT:GOSUB 800:IF PT<CP THEN PT=PT+1:GOTO 770: ' **PRINT EACH COPY
780 CLS:PRINT:PRINT:PRINT:PRINT:PRINT:PRINT" N = NEW PUZZLE":PRINT:PRINT" Q = QUIT":PRINT:PRINT" PRESS KEY FOR CHOICE....."
790 IK$=INKEY$:IF IK$="N" THEN RUN ELSE IF IK$="Q" THEN END ELSE
790
800 PRINT#-2,CHR$(13);CHR$(13);CHR$(13);CHR$(13):PRINT#-2,TAB((80-(2*LEN(HD$)))/2);: ' **CENTER HEADING 5 LINES FROM TOP OF PAPER
810 PRINT#-2,CHR$(15);: ' **UNDERLINE
820 PRINT#-2,CHR$(27);CHR$(14);: ' **ELONGATION
830 PRINT#-2,HD$;: ' **PRINT HEADING
840 PRINT#-2,CHR$(14);: ' **END UNDERLINE
850 PRINT#-2,CHR$(27);CHR$(15): ' **END ELONGATION
860 PRINT#-2,TAB((80-LEN(X$))/2);X$;CHR$(13);CHR$(13)
870 FOR J=1 TO L:PRINT#-2,TAB(TB);: ' **CENTER EACH LINE
880 FOR K=1 TO W:PRINT#-2,A$(J,K);: " ";:NEXT K: ' **PRINT EACH LETTER IN A LINE
890 PRINT#-2,CHR$(13);:NEXT J
900 FOR I=1 TO 3:PRINT#-2:NEXT I:B$="Find these words hidden in the puzzle above:":DD=(80-LEN(B$))/2:PRINT#-2,TAB(DD);: ' **CENTER MESSAGE 3 LINES DOWN
910 PRINT#-2,CHR$(15);: ' **UNDERLINE
920 PRINT#-2,B$;
930 PRINT#-2,CHR$(14): ' **END UNDERLINE
940 MD=0
950 ' ***PRINT WORD LIST IN COLUMNS BELOW MESSAGE
960 FOR I=1 TO M:IF W$(I)="" THEN N1000
970 PRINT#-2,TAB(DD+MD);W$(I);
980 MD=MD+16:IF MD=48 THEN MD=0:PRINT#-2,CHR$(13);
990 IF POS(-2)>MD+DD THEN MD=MD+16:GOTO 980
1000 NEXT I
1010 PRINT#-2,CHR$(12);: ' **PRINT FORM FEED
1020 RETURN

```

## ORDER PHONE (416) 456-0032

Get your free Catalogue! May we market your programs?

Duck Productions, 18 Rowe Court, Brampton, Ontario, Canada L6X 2S2  
Please add \$2.00 for handling. Ontario residents add 7% provincial tax

### Micro • Fire the ultimate secret weapon.

Have you beat your thumbs more than the aliens? This is a great rapid fire circuit that's easily installed on any joystick. Has no computer side effects. Comes with complete instructions and calibration program for adjustment to taste. \$19.95 (\$24.95 CDN.) Reviewed October 86

### Class Monitor Dual monitor driver

The best monitor driver for any Cocom. It drives any composite, colour or monochrome monitors. Complete with dual audio outputs for immediate access of either or both monitors. Simple installation instructions. \$31.50 (\$39.50 CDN.)

### Laser Mazer master puzzle of reflections

The supreme game of suspense. Engage in a strategic battle of time and space. A realtime contest of wits. \$14.95 (\$19.95 CDN.)

### Battle to D-Day the multiple player adventure

The master game of strategy. Battle against time, battle against the Third Reich. Up to four joystick players. Adventure in thoughtware. \$29.95 (\$38.95 CDN.)



### Machine Genesis assembly tutor...plus

is a clean and simple approach to learning binary programming. The package includes full beginners instruction in plain language, an editor assembler, a debugger, a disassembler and utilities for advanced study and application. Fantastic value at only \$34.95 (\$49.95 CDN.)

**Buy Quality and Value!**

DUCK QUALITY  
COMPUTER PRODUCTS  
PRODUCTIONS



### Keeping Track more than a disk manager.

If you own more than two disks you'll love Keeping Track. A manager menu of nine utilities that do it all! The real highlight is "D", the directory/autostart. It's a continuous access I.D. directory that loads and executes any program with a single keystroke. All programs fully documented. SPECIAL SALE! only \$14.95 (\$19.95 CDN.)

### Map 'n Zap semi automatic disk repair

The layman's step by step kit for directory and grain table repair. Locates errors, maps out disk contents to screen or printer, backs up any flawed disk and prompts built in disk zap for repair. Complete with full tutorial on Cocom's disk input / output access operation. \$19.95 (\$24.95 CDN.) Reviewed January 87

### Code Buster machine language disassembler

Three terrific programs to explore machine language. Screen or printer accurate disassembly of binary code. Simple prompted procedure with some instruction to dissect and understand your ROMs. Fully documented for only \$19.95 (\$24.95 CDN.)



# The Hardware Project Basics Review

By Tony DiStefano  
Rainbow Contributing Editor

**R**ecently it was brought to my attention that some readers of my column seem to be having a bit of trouble constructing the projects. When I bought my first CoCo, the first thing I did when I got it home was take the cover off to see what made it tick. I spent many hours inside the CoCo and many hours reading technical manuals on how the different components of a computer work. I also spent a lot of time with a soldering iron, soldering things together and taking them apart again. In short, I have a lot of experience with the CoCo and computers.

A lot of people use the CoCo as a means to an end. They are not hardware hackers. Other people are hobbyists who want to dig in and learn all about the insides of the computer. Whatever background you have with computers, or whatever electronics experience you have, I am sure you will agree that digging inside a computer requires a little skill and a lot of patience. Here are a few hints and tips on how to successfully complete a project.

The first and most important factor to consider is the project itself. Ask yourself, will it suit my needs? Is it within my budget? Will I learn anything from it? If all the answers are yes, then you can proceed. Once you have decided to tackle the project, you must learn all you can about it before you begin. It is important to read the whole article before you start. Make sure you understand the object of the project and the skills required. If there are parts you don't understand, study them over and

over. Refer to other articles of the same nature or reference books that touch on that subject. Technical data books are readily available from your local electronics distributor. Texas Instruments and Motorola have excellent books on understanding microprocessors, as well as technical data manuals. Never start a project if you are not sure you can finish it or if you do not fully understand the whole project, start to finish.

Once you have read the article and are confident you can finish it, the next step is parts. Make a list of all the parts you will need. Then do your shopping. If you are missing a part or two, don't start the project. Not only is it frustrating to have to stop because you are missing a part, but you lose the momentum of the project. Returning to a project after a while may cause you to skip a step. You may even lose interest and give up the project all together. So don't start until all the parts are in.

Another point you must consider is whether you have all the tools you need. Projects that require you to build some kind of hardware gizmo require tools. Make sure you have all the tools necessary to build your project. If mounting parts requires you to drill a hole, make sure you have the right size drill bit and that it's sharp. A sharp bit (or whatever the tool) is easier to work with; you don't have to force a sharp bit into a sheet of metal. A dull bit will drift before it cuts and may cause damage to the project and to you.

When you are about to start a project, take time to clear a good place to work. The work area must be free for the entire time it takes to do the project. If it is going to take more than one day to do, make sure that you will not need the work place for something else. It is too

easy to lose or break something if you have to put the computer and all the loose parts aside to repair the toaster. This way, you can continue exactly where you left off. If the project has a complex circuit or a lot of instructions, it may be wise to photocopy the article and staple the article together. This way you don't have to worry about getting your magazine dirty, torn or worn.

OK, you have all the parts, a clean workplace and all the tools necessary to do the project. Take things one step at a time. Build, cut, solder and do whatever is required of the project. At this time, it may be wise to consider the well-being of your computer. Some projects may require you to cut, bend, or modify the computer's PCB (Printed Circuit Board). Now, cutting a PCB may be quite permanent. Before you cut, look around to make sure you will not accidentally cut other things. Also, make your cut in a place that is accessible enough that you can rewire that cut, if you need to.

Removing ICs is a tricky task. There are more versions of the CoCo than there are versions of *Pac Man*, and every one of them is different. On the older CoCo 1s, almost all the chips are socketed. The contrary is true for the newer CoCo 3s; almost all the chips are soldered directly to the PCB.

Special consideration must be given to this situation. If the project requires that you lift, bend or cut a pin on an IC that is soldered in, you have two choices. Both of them are a pain. The first choice is to cut the pin and solder it to the stub. If you don't do it right, the pin will break off. Also be careful not to short-circuit to the next pin.

The other way is a bit longer. It requires you to completely remove the

---

*Tony DiStefano is a well-known early specialist in computer hardware projects. He lives in Laval Ouest, Quebec.*



chip, which is a very hard procedure to follow. A lot of soldering experience is required. Most people use a soldering iron and some solder wick. Heat each pin (one at a time) until the solder flows. Remove the iron, lay the wick onto the pin and press the iron on top. The wick will draw the solder and leave the pin and hole empty. Do each pin one at a time. Then remove the chip and clean the pins with the same stuff. Now, insert a socket where the chip was and solder it into place. Remember to position the socket so that Pin 1 of the socket matches Pin 1 of the chip.

When at all possible, if the instructions of the project require you to solder to an IC or bend the pin of an IC, use a socket instead. Remove the IC in question, insert the IC into a good quality socket and treat the pins of the socket like the pins of the IC. This way, if you break a pin off, all you have to do is replace the socket and not the chip.

When you are finished, don't jump right in and try it. Take time to clean up your bench, put your tools away and check your work. Go over the project step by step again. Make sure all wires are properly soldered, components are all in their proper places, and there are no short circuits on your project. Before you plug in your project, blow the dust and shavings out of the computer. If you don't have anything to blow with, hold the computer or project upside-down and gently tap the bottom of the computer. This will dislodge any bits of drill shavings or wire that may have fallen into the computer. Now put the thing together and try it out.

Plug all connectors and wires in and connect the power to the computer. Turn the TV or monitor on first; do not connect anything that is not necessary for the operation of the project you are testing. For instance, if you don't need to have the disk controller plugged in, leave it out. Then if you do have a problem, you will at least have saved your controller from abuse. Turn the

***"If you are certain  
your work is good,  
but it still doesn't  
function, look at the  
circuit diagram."***

computer on and watch the monitor. The familiar CoCo screen should appear. Pay close attention to the monitor; if you suspect something is wrong, turn the computer off right away.

Don't panic! Go over your work step by step. Check all your connections. Check for chips that have been installed backward, or transistors or diodes that have been reversed. Depending on the type of solder you use, a deposit will be left behind after you solder. This can act as a conductor at high CPU clock speeds. It must be cleaned off. Use a recommended flux remover. Remember, some of the stronger flux remover can melt plastic. Don't clean it on your work table. Go outside or to the sink in the laundry room.

If you are certain your work is good,

but it still doesn't function, look at the circuit diagram. There may be a way to check only a section of the project at a time. Fall back on the theory of the circuit, and if you have some test equipment, check for proper voltages on the power supply and ground. If all else fails, restore the computer to what it was before you started and make sure it still works. Once you know the computer works, check the project carefully and try it again.

A few articles ago, I showed you how to interface the MC6847T1 chip into the older CoCos. One of the chips required rewiring. I had the diagram for the computers I had, but not all of the computers are the same. A couple of readers sent me the pinouts to this chip. I have not tried these out, but I am passing them along to you anyway. You are on your own to verify whether they work.

The first is from John A. Lind of Corona, Calif., whom I met at the Color Expo 87. The computer in question is the CoCo 2, Catalog No. 26-3127. The board markings are 8709416 Rev B DWG NO. 1700235. The jumpers for the U5 (74LS273) socket are as follows:

FROM	TO
3	15
4	12
7	6
8	9
13	6
14	2
17	19
18	16

## PRINTERS!

<b>NEW!</b> Okidata 192+ (Par. or Ser.)	\$370
<b>NEW!</b> Okidata 193 (Parallel)	\$540
<b>NEW!</b> Okidata 193+ (Serial)	\$610
Okimate 20 Color Printer	\$135
Fujitsu 2100 (80 col.)	\$410
Fujitsu 2200 (132 col.)	\$520
Toshiba 321 (Par. or Ser.)	\$510
Qume Letterpro 20 (Letter Qual.)	\$445
Silver Reed 420 (Daisy Wheel)	\$240
Silver Reed 600 (Daisy Wheel)	\$575

(Add \$10 Shipping for Printers)

## ACCESSORIES!

Taxan 12" Green Monitor	\$125
Taxan 12" Amber Monitor	\$135
Table Top Printer Stand	
w/Slot (80 col.)	\$30
Table Top Printer Stand	
w/Slot (132 col.)	\$45
Stand w/Diskette Storage (80 col.)	\$47
Stand w/Diskette Storage (132 col.)	\$57

Other Printers, Monitors, and Accessories for CoCo and IBM upon request.

\$15 off interface with purchase of printer.

Find your cheapest published price and we'll beat it!!!

## DISK DRIVE SYSTEMS!

### ALL 1/2 HEIGHT DOUBLE SIDED

Drive 0 (addressed as 2 drives!)	\$235
Drive 0,1 (addressed as 4 drives!)	\$350

### All above complete with HDS controller, cable, & drive in case with power supply

Bare Double Sided Drives	\$109
Dual 1/2 Height Case w/Power Supply	\$49
Double Sided Adapter	\$25
HDS Controller, RS ROM & Instructions	\$99
25 CDC DS/DD Diskettes	\$32 & \$3 s/h

We use the HDS controller exclusively. Can use 2 different DOS ROM's.

Shipping Costs: \$5/drive or power supply, \$10 max.

Co Co Serial Cables 15 ft.—\$10. Co Co/RS-232 Cables 15 ft.—\$20.

Other cables on request. (Add \$3.00 shipping)

### SP-2 INTERFACE for EPSON PRINTERS:

- 300-19,200 BAUD rates
- Fits inside printer — No AC Plugs
- Optional external switch (\$5.00 extra) frees parallel port for use with other computers
- \$49.95 (plus \$3.00 shipping)

### SP-3 INTERFACE for MOST OTHER PRINTERS:

- 300-19,200 BAUD rates
- External to printer — No AC Plugs
- Built in modem/printer switch—no need for Y-cables or plugging/unplugging cables
- \$64.95 (plus \$3.00 shipping)

Both also available for IBM, RS-232 and Apple IIC computers.

**CNR ENGINEERING**  
P.O. Box 293  
Raritan, NJ 08869  
(201) 722-1055



From the little elves at the end of the Rainbow:

# RAINBOW ON DISK!

Remember the story of the cobbler and the elves, when the little people crept into the old man's shop and did all his chores while he slept? Well, there is a monthly chore we can now eliminate for you — transferring RAINBOW ON TAPE to disk!

Now, in addition to RAINBOW ON TAPE, we're offering RAINBOW ON DISK, the perfect companion to THE RAINBOW for all our readers with disk drives. No more typing. No more transfers. We take care of all the work for you.

## OS-9 programs

Thanks to the elfin magic going into RAINBOW ON DISK, part of one side of the disk is formatted for the OS-9 operating system. That means that you can now get all the OS-9 programs from the magazine — programs that cannot be put on tape. And, with the introduction of the new CoCo 3, OS-9 programs will become more and more prevalent.

## More than two dozen programs

If you're a RAINBOW reader and you have a disk drive, you won't want to go another day without RAINBOW ON DISK. For only \$99, 12 full issues of RAINBOW ON DISK will follow the RAINBOW to your door. That's only \$8.25 for each disk.

To start your subscription, call our toll-free number or use the handy order card between pages 34 and 35. When your copy of the RAINBOW arrives next month, you can start enjoying the programs without any extra effort. The little people at the end of the RAINBOW will already have taken care of all the work.

Subscriptions to RAINBOW ON DISK are only \$99 a year in the United States. Canadian rate U.S. \$145. All other countries U.S. \$430. RAINBOW ON DISK single copy rate is: \$42 within the U.S.; Canadian rate U.S. \$44; all other countries U.S. \$16. Kentucky residents add 5% sales tax. All subscriptions begin with the current issue unless otherwise specified. Please allow 6 to 8 weeks for first copy. U.S. currency only, please. In order to hold down non-editorial costs, we do not bill.

RAINBOW ON DISK and RAINBOW ON TAPE are not stand-alone products, but are intended as adjuncts and complements to the magazine. Even if you purchase RAINBOW ON DISK or RAINBOW ON TAPE, you will still need the magazine for loading and operating instructions. For information on RAINBOW ON TAPE, see Page 190.

To order by phone (credit card orders only), call (800) 847-0309, 8 a.m. to 5 p.m. EST. All other inquiries call (502) 228-4492.



Added notes: Pins 10, 11, and 20 are used for clock, +5V and GND. No jumper to the SAM chip is necessary.

The second diagram is from Mr. Ralph Fox of New Zealand. Mr. Fox wrote: "Although your column did not mention it, it is also necessary to bend up Pin 12 of the 6847T1 VDG as well as Pin 31. The reason is Pin 12 is connected to Pin 37 (FS) on the CoCo's main circuit board; so if you jumper Pin 12 of the new VDG to Pin 10 (WE) of the SAM, you will get contention between the VDG's FS output and the SAM's WE output."

### CoCo-1 E boards (boards numbered 8709137-E)

U7-6847  
U6-74LS273





Figure 1 shows Mr. Fox's diagram on how to wire the CoCo 1 'E' board. Figure 2 shows how to wire the CoCo 2 PAL version. Thank you for these diagrams and information; if I get more, I will pass them on to RAINBOW readers.

### CoCo-2 PAL version (boards numbered 20261027)

IC6 - 6847  
IC10 - 74LS273



## Announcing the Fourth Rainbow Adventure Contest!

We invite all Color Computer enthusiasts to try their hand at writing the perfect Adventure. It might be a 4K, text-only entry, or it might utilize the full power of the CoCo 3. It might be written in BASIC or it might consist entirely of assembly language instructions.

Looking for ideas? You need only examine past issues of THE RAINBOW for plenty of samples and tutorials covering the fine art of creating Adventures.

What will our judges be looking for? Originality counts the most, but several other items are worth noting:

- creativity
- programming efficiency
- clarity of instructions
- ease of use
- vocabulary and grammar
- responsiveness
- level of challenge
- enjoyment

Your submission should include all programs and information needed to set up and run the Adventure. All programs must be sent on tape or disk. Several saves of each program must be included with at least one ASCII save of each. If an Adventure cannot be loaded, it cannot be judged. We will not type in even the shortest of programs! Hard copy of all program listings and instructions must also be included. If your submission involves machine language routines, all source code should be included on the tape or disk. Point out any special features of your Adventure or programming which you feel deserve special attention. Finally, indicate the minimum CoCo system required to run your Adventure and include a complete solution.

**Some Hints for the Successful Adventure:** The judges will also be concerned with the "publishability" of each Adventure. A shorter program is easier to fit into print (both in The RAINBOW and any subsequent Adventure book) as well as being easier for the reader to type in. Don't use packed lines that can't be listed or LLISTed for the benefit of our readers. Your program should run on standard Radio Shack equipment without requiring any special modifications, and should not rely on commercial software for its execution. The only exception is the use of the OS-9 operating system (Level I and Level II) and BASIC09. If your Adventure uses graphics (which are not necessary for winning), make sure the graphics are self-contained. In other words, don't submit a program that loads several different graphics screens unless those graphics are created by a printable program included in the submission.

In summary, send a complete package. Put the accompanying article, documentation, listings, complete loading instructions, solution and cover letter on paper. Include your name, address and telephone number on each page of all materials. Be sure to write-protect your disk or punch out the tabs on your cassette to avoid accidental erasure, and label each with the name of the program(s) and your name and address. As in any contest, packaging does make a difference.

Your entry must be postmarked no later than August 15, 1987, in error-free condition. Each entrant will receive a free pass to the RAINBOWfest of his or her choice. You may also win one of the many prizes donated by our generous advertisers as well as have your program published in RAINBOW!

**Additional Rules:** All entries must be original, unpublished and unmarketed works, no "conversions." No programs that have been placed in the public domain will be accepted. Entries become the property of Falsoft, Inc., publisher of THE RAINBOW. The decisions of the judges are final. Duplicate prizes will be awarded in the event of ties. Winning entries will be featured in a future issue of RAINBOW. Address entries to "Adventure Contest Editor" and send to The Rainbow, 9509 U.S. Highway 42, P.O. Box 385, Prospect, KY 40059.





# Presenting the Smarter-Than-Average Printer Buffer

By Emmett J. Lewis Jr.

What is better than a Color Computer? The answer is easy — two Color Computers. The problem in the past has been what to do with the second CoCo. Well, you are going to like this, especially if you use your printer often.

A printer buffer, by the way, is a hardware device that accepts data from the main computer and stores it. The printer buffer then sends the data to the printer, freeing the main computer for more important tasks. The main computer is the computer you use for word processing or programming.

Suppose you are writing a long program and decide you would like a copy to study. Normally, you would have to wait for your printer to finish typing your program. With a print buffer you can send an entire 64K document in one minute 38 seconds, and let the printer buffer do all the waiting. I made an important discovery after finishing this project — my computer is much better at waiting than I am. I think you will also discover this.

To date, printer buffers cost more than the 64K Extended Color Computer and perform only one function. Now you can have your cake and CoCo too. With *Printbuf* you now have a smarter-than-average 64K printer buffer and a useful computer. *Printbuf* works with disk, tape, BASIC or Extended BASIC. As

a matter of fact, this program does not need any ROM, only 64K RAM. It is a 100 percent self-supporting machine code program (i.e., it uses no ROM calls) that is poked into BASIC, so the user can implement changes easily (e.g., baud rates, control codes, etc.).

To get started, you need to build a printer selector/de-selector (a simple hardware project). If you do not want to build a printer selector/de-selector, no problem. You just have to switch cables when you want to download from the computer or send the contents of the buffer to the printer. However, at the very least, you will still need to build a main computer-to-buffer computer cable (extra simple).

To build a printer selector/de-selector, you need the following material:

- 1) 5 VDC DPDT relay. R.S. Part No. 275-215.
- 2) Two 4-pin plugs. (Plugs into the printer socket.) R.S. No. 274-007.
- 3) 5-pin plug. (Plugs into cassette port.) R.S. No. 274-003.
- 4) Battery holder for four AA penlight batteries and, of course, batteries. R.S. No. 270-383; snaps, R.S. No. 270-325.
- 5) Plastic case to hold all the goods. R.S. No. 270-231.
- 6) About 7 feet of 4-conductor stranded telephone wire.
- 7) Two 47-ohm resistors to reduce current drain. R.S. No. 271-009.
- 8) Circuit Board. R.S. No. 276-148.
- 9) Inline jack or plug to plug into your printer. Plugs, R.S. No. 274-007; jack, R.S. No. 274-018.

*Emmett J. Lewis Jr. has been an electronics technician for Southwestern Bell Telephone Co. for 13 years. He spends four or five hours a day programming the CoCo and is the author of the WordTriad word processor.*



All these items can be found at Radio Shack for about \$15. Once the items are purchased, assemble them as shown in Figure 2 or Figure 3. Figure 2 is for those who are able to follow schematic drawings using any DPDT relay. Figure 3 is for those who have difficulty with schematics. For Figure 3 to work, you will need the Radio Shack relay. Illustration 1 gives you a general idea of how the finished product is supposed to operate. As you can see, this project will present little difficulty, even for new technicians.

To use *Printbuf*, load in the BASIC program and run it in the extra CoCo you plan to use as the printer buffer. After you run *Printbuf*, it takes a few seconds to poke the program in memory. After the program is poked into memory, *Printbuf* asks if you would like to enter as many as three control codes each time the printer option is selected.

There are many reasons you may need to send a control code to the printer. The reason I put this option in is that the printer selector/de-selector sometimes generates errors in the printer (I have a Gemini 10X with a serial-to-parallel converter) and, if errors are in the printer, they will soon be on the paper. If you select the printer only when there is something to print out, you will not get any errors. The only time you get errors is when you select the printer option and the print buffer is empty.

To avoid errors you may use "Delete last character control codes" (127 for the Gemini). If you choose to have control codes sent to the printer, the next three questions ask what they are. If you only need one code, then answer the next two questions with 0 (press 0). If you do not want control codes sent, press N (no). The next question asks if you would like to change the downloading to buffer baud rate. Normally this should not be changed, but you can do it if you want.

Next, you are asked if your printer is 9600 baud. If not, enter your printer's baud rate by entering the number following the baud rate. For example, for a baud rate of 600, enter 87. Next, you are asked if you would like to save the customized version on disk or tape. If no, press N and *Printbuf* executes. If you press Y (yes), you are asked if you would like to save to disk or tape. If you enter DISK, then PRINTBUF.BIN is written to disk. If you enter TAPE, then *Printbuf* is written to tape.




Figure 1




Figure 2








# The Best Money Can Buy . . .

## HDS Floppy Drive Controller Board



### Features\*

- Gold Plated Edge Cards
- Dual Selectable ROM Sockets
- Compatible with COCO I & II
- 120 Day Warranty
- Double and Single Density

Reduce your I/O errors with the Hard Drive Specialist Floppy Drive Controller for the Color Computer. Gold edge card connectors, advanced design, and the absence of potentiometers make it the best available. Our newest version controller allows the use of either (two 24 pin ROMs), or (one 24 pin and one 28 pin ROM). Using this board with the standard Radio Shack ROM gives you 100% compatibility with all Radio Shack software.

### Completed and Tested Board

with Radio Shack ROM . . . . . \$99.  
(Includes Case, and DOS Instructions)

Completed and Tested Board without ROM . . . \$79.  
(Includes Case)

Bare Board with Instruction manual . . . . . \$30.

Parts Kit For Bare Board without ROM . . . . . \$30.

Radio Shack ROM (current version) . . . . . \$20.

Radio Shack ROM 1.0 . . . . . \$40.

**Drive 0 SS/DD \$150.**  
**WHILE SUPPLY LASTS!**

*DOUBLE SIDED!*

Drive 0 Complete . . . . .	\$199.
Drive 1 Complete . . . . .	\$129.
Drive 0 & 1 Dual Drive . . . . .	\$319.

**HARD DRIVE SPECIALIST**

### Ordering Information:

Use our WATS line to place your order via Visa, MasterCard, or Wire Transfer. Or mail your payment directly to us. Any non-certified funds will be held until proper clearance is made. COD orders are accepted as well as purchase orders from government agencies. Most items are shipped off the shelf with the exception of hard drive products that are custom built. UPS ground is our standard means of shipping unless otherwise specified. Shipping costs are available upon request.

1-713-480-6000

Order Line 1-800-231-6671

16208 Hickory Knoll

Houston, Texas 77059



Next, run this program on the main computer and, as it is running, the buffer computer should be displaying on the screen what you are sending it. As the buffer computer is being filled up, the buffer indicator (F>>>>>E) should be losing some of its >'s. If none of this is happening, you probably have a wiring error between the main computer and the buffer computer.

Soon after the last > is gone, "Buffer full alarm, please wait for menu" is displayed briefly. When the menu re-


turns, press C so you can exit the print program on the main computer by pressing the BREAK key. Next, press P on the buffer computer to print the contents on the printer.

If all your connections are correct, your printer should start. If it does not, check the wiring. If you do not want to build the project yourself and prefer that I build it, send \$38 to Emmett Lewis Jr., 4530 Hogan, Corpus Christi, TX 78413. I will include *Printbuf* on tape or disk (you choose) and the

completed printer selector/de-selector ready to use (with batteries).

Now you have good reason to buy that extra CoCo. Also, check want ads for a good bargain. As prices continue to fall however, the best bargain might be a new CoCo from Radio Shack.

(Questions about this program may be directed to the author at 4530 Hogan, Corpus Christi, TX 78413, 512-855-0151. Please enclose an SASE for a reply when writing.) □



200	.....45
270	.....112
530	.....40
810	.....160
1000	.....143
1200	.....233
1440	.....51
1600	.....155
END	.....145

#### The listing: PRINTBUF

```

10 CLS
20 PRINT"*****"
30 PRINT"*****PRINTBUF*****"
40 PRINT"*****"
50 PRINT"***WRITTEN BY*****"
60 PRINT"*****"
70 PRINT"*EMMETT M. LEWIS JR*"
80 PRINT"*****"
90 S = 4096
100 E = 5300
110 X = 5200
120 FOR A = S TO E
130 READ D$
140 V = VAL("&H"+D$)
150 POKE A,V
160 NEXT
170 CLS:PRINT" BECAUSE THE PRINT
ER IS SELECTED AND DESELECTED US
ING A RELAY, SOMETIMES ERRORS AR
E RECEIVED (NO MORE THAN 1 OR 2)
. IF YOU ARE EXPERIENCING ERRORS
, THEN YOU MAY ELECT TO SEND A '
DELETE LAST CHARACTER SENT TO PR
INTER CONTROL CODE'."
180 PRINT"FOR SOME PRINTERS THE
CODE IS 127. PLEASE REMEMBER IF
YOU CHOOSE TO HAVE A CODE SENT (
3 MAX.), IT OR THEY ARE SENT EAC
H TIME YOU PRESS P (P=PRINT OUT
CONTENTS OF BUFFER)"
190 PRINT"DO YOU WISH TO SEND AN
Y CONTROL CODES TO THE PRINTER";
:INPUTA$:IF A$="N"THEN230
200 INPUT"THE FIRST CONTROL CODE
";A:POKE&H1002,A
210 INPUT"THE SECOND CONTROL COD
E, IF NONE REQUIRED, ENTER 0";A:
POKE&H1003,A
220 INPUT"PLEASE INPUT THE THIRD
CONTROL CODE TO BE SENT TO THE
PRINTER, IF NONE REQUIRD ENTER 0
";A:POKE&H1004,A
230 INPUT"*DO YOU NEED TO CHANGE
THE DOWNLOADING BAUD RATE? IT I
S SET FOR 9600 BAUD.";A$:IF A$=
"N"THEN 240 ELSE GOSUB 260:POKE&
H1006,A
240 INPUT"***IS YOUR PRINTER SET
FOR 9600 BAUD";A$:IFA$="Y"THEN
270ELSE GOSUB 260:POKE&H1008,A:G
OTO270
250 GOTO 270
260 INPUT"PLEASE INPUT THE NUMBE
R FOLLOWING THE BAUD RATE TO SEL
ECT THAT BAUD RATE. (EX, TO SELE
CT 600 BAUD ENTER 87) 300=1
80,600=87,1200=41,2400=18,4800=6
,9600=1";A:RETURN
270 INPUT"DO YOU WISH TO SAVE PR
OGRAM ?";A$:IF A$="N"THEN EXEC 5
200
280 INPUT"SAVE TO TAPE OR DISK";
A$:IF A$="DISK" THEN SAVEM"PRINT
BUF/BIN",&H1000,5300,5200
290 IF A$="TAPE"THEN 300 ELSE 28
0
300 CSAVEM"PRINTBUF",4096,5300,5
200
310 EXEC5200
320 END
330 DATA 20,07,00,00,00,00,01,00
340 DATA 01,4F,B7,FF,40,B7,FF,DF
350 DATA 1A,50,10,CE,06,2C,8E,06
360 DATA 40,BF,03,ED,BF,03,F1,BF
370 DATA 03,EF,17,03,6C,B6,FF,21
380 DATA 84,F7,B7,FF,21,8E,01,36
390 DATA 10,8E,04,80,17,00,37,BD

```



400 DATA 02,98,CC,F7,01,BD,03,D7  
 410 DATA 10,27,01,93,CC,FB,04,BD  
 420 DATA 03,D7,10,27,01,94,CC,FE  
 430 DATA 04,BD,03,D7,10,27,01,A5  
 440 DATA CC,EF,01,BD,03,D7,10,27  
 450 DATA 00,2A,CC,DF,01,BD,03,D7  
 460 DATA 10,27,02,D9,20,CC,A6,80  
 470 DATA 27,0C,8D,04,A7,A0,20,F6  
 480 DATA 81,40,24,03,8B,40,39,81  
 490 DATA 61,24,01,39,80,20,39,BD  
 500 DATA 02,E6,20,96,BD,03,91,8E  
 510 DATA 04,20,86,44,A7,84,BF,01  
 520 DATA 30,BD,02,98,5F,F7,FF,20  
 530 DATA 86,DF,B7,FF,02,B6,FF,00  
 540 DATA 84,02,27,DB,F6,FF,22,57  
 550 DATA 25,EE,21,5C,4F,34,02,C6  
 560 DATA 08,8D,4F,21,53,12,12,B6  
 570 DATA FF,22,47,66,E4,5A,26,F1  
 580 DATA 35,02,C6,02,F7,FF,20,BE  
 590 DATA 03,F1,BC,03,EB,26,08,BE  
 600 DATA 03,ED,BC,03,EF,27,05,30  
 610 DATA 01,BC,03,EF,10,27,02,B6  
 620 DATA A7,1F,BF,03,F1,8D,2C,BE  
 630 DATA 01,30,BD,00,78,8C,05,FF  
 640 DATA 23,03,8E,04,20,A7,80,C6  
 650 DATA AF,E7,84,BF,01,30,8D,02  
 660 DATA 0E,9C,10,21,00,02,8D,00

670 DATA 9E,05,12,12,12,12,30,1F  
 680 DATA 26,FC,39,BE,03,F3,26,0A  
 690 DATA 34,02,BD,02,98,35,02,8E  
 700 DATA 01,A9,30,1F,BF,03,F3,39  
 710 DATA 04,00,13,88,13,88,20,44  
 720 DATA 3D,44,4F,57,4E,4C,4F,41  
 730 DATA 44,20,46,52,4F,4D,20,4D  
 740 DATA 41,49,4E,20,43,4F,4D,50  
 750 DATA 55,54,45,52,2E,20,20,52  
 760 DATA 3D,52,45,53,45,54,20,4F  
 770 DATA 52,20,52,45,53,54,41,52  
 780 DATA 54,2C,20,45,52,41,53,45  
 790 DATA 20,41,4C,4C,20,20,20,50  
 800 DATA 3D,50,52,49,4E,54,20,4F  
 810 DATA 55,54,20,43,4F,4E,54,45  
 820 DATA 4E,54,53,20,4F,46,20,42  
 830 DATA 55,46,46,45,52,20,20,43  
 840 DATA 3D,43,4C,45,41,52,20,46  
 850 DATA 46,32,30,2C,52,45,4C,45  
 860 DATA 41,53,45,20,50,52,49,4E  
 870 DATA 54,20,53,55,42,2E,20,45  
 880 DATA 3D,45,53,43,41,50,45,20  
 890 DATA 54,4F,20,42,41,53,49,43  
 900 DATA 20,2A,43,4F,4C,44,20,53  
 910 DATA 54,41,52,54,2A,20,00,5F  
 920 DATA F7,FF,20,C6,43,F7,04,00  
 930 DATA 0E,22,86,00,B7,FF,20,86

## About The One-Liner Contest . . .

THE RAINBOW's One-Liner Contest has now been expanded to include programs of either one or two lines. This means a new dimension and new opportunity for those who have "really neat" programs that simply just won't fit in one line.


Here are the guidelines: The program must work in Extended BASIC, have only one or two line numbers and be entirely self-contained — no loading other programs, no calling ROM routines, no poked-in machine language code. The program has to run when typed in directly (since that's how our readers will use it). Make sure your line, or lines, aren't packed so tightly that the program won't list completely. Finally, any instructions needed should be very short.

Send your entry (preferably on cassette) to:

THE RAINBOW One-Liner Contest  
 P.O. Box 385  
 Prospect, KY 40059

## "XPNDR2 and SuperGuide - an Ideal Expansion Card Set"

— RAINBOW 2/86  
 HARDWARE REVIEW



### XPNDR2 \$39.95 each or 2/\$76

This prototype card features a 40 pin connector for projects requiring an on-line disk system or ROM paks. The CoCo signals are brought out to wire-wrap pins. Special gold plated spring clips provide reliable and noise-free disk operation plus solid support for vertical mounting of the controller. The entire 4.3x7 inch card is drilled for ICs. Assembled, tested and ready to run.

### XPNDR1 \$19.95 each or 2/\$36

A rugged 4.3x6.2 inch bare breadboard that brings the CoCo signals out to labeled pads. Both XPNDR cards are double-sided glass/epoxy, have gold plated edge connectors, thru-hole plating and are designed with heavy power and ground buses. They're drilled for standard 0.3 and 0.6 inch wide dual in-line wirewrap sockets; with a 0.1 inch grid on the outboard end for connectors.

### SuperGuide \$3.95 each

Here is a unique plastic insert that aligns and supports printed circuit cards in the CoCo cartridge port. Don't forget to ORDER ONE FOR YOUR XPNDR CARDS.

Included with each XPNDR card are 8 pages of APPLICATION NOTES to help you learn about chips and how to connect them to your CoCo.



To order or for technical information call:

(206) 782-6809

weekdays 8 a.m. to noon

We pay shipping on prepaid orders. For immediate shipment send check, money order or the number and expiration date of your VISA or MASTERCARD to:

ROBOTIC MICROSYSTEMS



BOX 30807 SEATTLE, WA 98103



940 DATA 52,B7,04,00,BE,03,ED,BF  
 950 DATA 03,F1,BF,03,EF,0E,22,27  
 960 DATA 03,BD,02,43,39,BD,03,E2  
 970 DATA 8E,00,00,BD,02,93,C6,50  
 980 DATA F7,04,20,96,02,8D,E8,96  
 990 DATA 03,8D,E4,96,04,8D,E0,BE  
 1000 DATA 03,EF,BC,03,EB,26,03,B  
 E  
 1010 DATA 03,ED,BC,03,F1,10,27,F  
 D  
 1020 DATA F9,A6,80,BF,03,EF,8D,1  
 3  
 1030 DATA BD,01,1B,86,DF,B7,FF,0  
 2  
 1040 DATA B6,FF,00,84,02,10,27,F  
 D  
 1050 DATA E1,20,D4,8D,3F,5F,8D,3  
 E  
 1060 DATA C6,08,34,04,5F,44,59,5  
 8  
 1070 DATA 8D,34,35,04,5A,26,F3,8  
 D  
 1080 DATA 2B,10,21,FE,B3,10,21,F  
 E  
 1090 DATA AF,10,21,FE,AB,10,21,F  
 E  
 1100 DATA A7,10,21,FE,A3,10,21,F

E  
 1110 DATA 9F,10,21,FE,9B,10,21,F  
 E  
 1120 DATA 97,10,21,FE,93,F6,FF,2  
 2  
 1130 DATA 54,25,FA,39,C6,02,F7,F  
 F  
 1140 DATA 20,8D,00,9E,07,8C,9E,9  
 7  
 1150 DATA 7E,02,93,30,1F,26,FC,3  
 9  
 1160 DATA 8E,04,00,CC,60,60,ED,8  
 1  
 1170 DATA 8C,04,1F,25,F9,BE,03,F  
 1  
 1180 DATA CC,F8,70,BC,03,EF,25,1  
 1  
 1190 DATA 27,15,FC,03,F1,B3,03,E  
 F  
 1200 DATA 34,06,CC,F8,70,A3,E1,2  
 0  
 1210 DATA 06,FC,03,EF,B3,03,F1,1  
 F  
 1220 DATA 01,86,46,10,8E,04,1F,B  
 7  
 1230 DATA 04,00,86,45,A7,A4,86,7  
 E  
 1240 DATA 8C,08,48,23,08,30,89,F  
 7  
 1250 DATA B8,A7,A2,20,F3,39,8E,0  
 3  
 1260 DATA 24,10,8E,05,E0,17,FD,7  
 E  
 1270 DATA CC,FD,08,BD,03,D7,27,0  
 C  
 1280 DATA CC,BF,02,BD,03,D7,10,2  
 7  
 1290 DATA FD,7C,20,EC,BE,03,F1,B  
 C  
 1300 DATA 03,EF,10,27,FD,70,BC,0  
 3  
 1310 DATA ED,26,03,BE,03,EB,A6,8  
 2  
 1320 DATA 81,0D,26,EB,86,20,A7,8  
 4  
 1330 DATA BF,03,F1,39,52,45,4D,4  
 F  
 1340 DATA 56,45,20,4C,41,53,54,2  
 0  
 1350 DATA 43,41,52,52,49,41,47,4  
 5  
 1360 DATA 20,52,45,54,55,52,4E,3  
 F  
 1370 DATA 20,59,2C,4E,00,BD,03,9  
 1  
 1380 DATA 8E,03,68,10,8E,04,E0,B  
 D  
 1390 DATA 00,6E,CC,FD,08,BD,03,D  
 7

## Submitting Material To Rainbow

Contributions to THE RAINBOW are welcome from everyone. We like to run a variety of programs that are useful/helpful/fun for other CoCo owners.

Program submissions must be on tape or disk and it is best to make several saves, at least one of them in ASCII format. We're sorry, but we do not have time to key in programs. All programs should be supported by some editorial commentary explaining how the program works. Generally, we're much more interested in how your submission works and runs than how you developed it. Programs should be learning experiences.

We do pay for submissions, based on a number of criteria. Those wishing remuneration should so state when making submissions.

For the benefit of those who wish more detailed information on making submissions, please send a self-addressed, stamped envelope (SASE) to: Submissions Editor, THE RAINBOW, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. We will send you some more comprehensive guidelines.

Please do not submit programs or articles currently submitted to another publication.



1400 DATA 10,27,00,2B,CC,BF,02,B  
D  
1410 DATA 03,D7,10,27,FC,BC,20,D  
D  
1420 DATA 2A,2A,2A,2A,2A,20,20,2  
0  
1430 DATA 41,52,45,20,59,4F,55,2  
0  
1440 DATA 53,55,52,45,3F,20,20,2  
0  
1450 DATA 20,2A,2A,2A,2A,2A,00,B  
7  
1460 DATA FF,DE,86,03,97,71,7E,A  
0  
1470 DATA 27,8E,04,00,86,60,A7,8  
0  
1480 DATA 8C,06,00,26,F9,39,8D,F  
1  
1490 DATA 30,8D,00,14,10,8E,04,E  
0  
1500 DATA BD,00,6E,86,0A,8E,00,0  
0  
1510 DATA BD,02,93,4A,26,FA,0E,2  
2  
1520 DATA 42,55,46,46,45,52,20,4  
9  
1530 DATA 53,20,46,55,4C,4C,20,2  
D  
1540 DATA 20,57,41,49,54,20,46,4  
F  
1550 DATA 52,20,4D,45,4E,55,00,B  
7  
1560 DATA FF,02,34,04,B6,FF,00,A  
4  
1570 DATA E0,39,B6,FF,21,8A,08,B  
7  
1580 DATA FF,21,39,FE,B0,FF,00,F  
F  
1590 DATA 00,FF,00,01,A8,FF,00,F  
F  
1600 DATA 00,FF,00,FF,00,FF,00,F  
F  
1610 DATA E9,00,FF,00,FF,00,FF,0  
0  
1620 DATA FF,00,FF,00,FF,00,FF,0  
0  
1630 DATA FF,00,FF,00,FF,00,FF,0  
0  
1640 DATA FF,00,FF,00,FF,00,FF,0  
0  
1650 DATA FF,00,FF,00,FF,00,FF,0  
0  
1660 DATA FF,00,FF,00,FF,00,FF,0  
0  
1670 DATA FF,00,FF,00,FF,00,FF,0  
0  
1680 DATA FF,00,FF,00,FF,00,FF,0  
0  
1690 DATA FF,00,FF,00,FF,00,FF,0

0  
1700 DATA FF,00,FF,00,FF,00,FF,0  
0  
1710 DATA 1A,50,8E,10,00,10,8E,0  
0  
1720 DATA 00,A6,80,8C,14,4F,10,2  
7  
1730 DATA EB,9E,A7,A0,20,F3,FF,0  
0  
1740 DATA FF,00,FF,00,FF,00,FF,0  
0  
1750 DATA FF,00,FF,00,FF,00,FF,0  
0  
1760 DATA FF,00,FF,00,FF,00,FF,0  
0  
1770 DATA ED,00,FF,00,FF,00,FF,0  
0  
1780 DATA FF,00,FF,00,FF,00,FF,0  
0  
1790 DATA FF,00,FF,00,FF,00,FF,0  
0  
1800 DATA FF,00,FF,00,FF,00,FF,0  
0  
1810 DATA FF,00,FF,00,FF,00,FF,0  
0  
1820 DATA FF,00,FF,00,FF,00,FF,0  
0  
1830 DATA FF,00,FF,00,FF

## THE SOFTWARE HOUSE

A DIVISION OF DATAMATCH, INC.

DS/DD  
PROGRAMMERS  
DISKS



WOW!

10 FOR \$ 5.95

50 FOR \$28.95

100 FOR \$49.95

W/SLEEVES, LABELS, W.P. TABS

MADE IN USA! CERTIFIED ERROR FREE.

5 YEAR WARRANTY

FLIPPY DISKS 10/\$8.95

FACTORY PUNCHED - USE BOTH SIDES

PRINTER RIBBONS

EPSON MX/RX/FX 70/80	\$5.00 Ea.	6/\$28.00
RED, GREEN, BROWN, BLUE	\$6.00 Ea.	4/\$22.00
GEMINI 10/10X/SG10	\$2.00 Ea.	DOZ/\$22.00
GEM/OKI COLORS	\$3.00 Ea.	4/\$10.00
OKIDATA 80/82/92/93	\$2.00 Ea.	DOZ/\$22.00
C.I.TOH.NEC 8023, APPLE		
DMP/IMAGEWRITER	\$6.00 Ea.	6/\$34.00
RED, GREEN, BROWN, BLUE	\$6.50 Ea.	4/\$25.00

ALL ITEMS 100% GUARANTEED

Add \$2.50 S/H in U.S.A. - Canada Add \$3.50 + \$1.00/LB

Michigan Residents Add 4% Sales Tax

Send Check/Money Order Payable to:

THE SOFTWARE HOUSE

23552 PLYMOUTH, REDFORD, MI 48239

(313) 255-9850



Send Card Number & Exp. Date



Min. Charge Order \$20.00



# RAINBOW

Give us your best: Join the ranks of these courageous CoCoists in showing the Color Computer world your high score at your favorite micro-diversion. We want to put your best effort on record in THE RAINBOW's "Scoreboard" column. All entries must be received 60 days prior to publication. Entries should be printed — legibly — and must include your full name, address, game title, company name and, of course, your high score. Each individual is limited to three score entries per month. Send your entries to Scoreboard, c/o THE RAINBOW. The "Rainbow Scoreboard" is now a bimonthly feature.

For greater convenience, your high scores may also be sent to us through the MAIL section of our Delphi CoCo SIG. From the CoCo SIG> prompt, pick MAIL, then type SEND and address to: EDITORS.

★ Current Record Holder

● Shutout

## ADVANCED STAR TRENCH (THE RAINBOW, 7/86)

3,975 ★David Schaller, Clarkston, WA  
3,960 Maurice MacGarvey, Dawson Creek, British Columbia  
3,800 Shaw Muniz, Los Angeles, CA  
2,600 John Fredericks, Kalkaska, MI  
2,300 Blain Jamieson, Kingston, Ontario

## ALPINE SLOPES (THE RAINBOW, 12/85)

10,938 ★Chad Lung, Lake Lenore, Saskatchewan  
6,851 Myriam Ferland, Trois-Rivieres, Quebec  
4,656 Maurice MacGarvey, Dawson Creek, British Columbia  
4,254 Todd Wirtz, Midland, MI  
4,064 Minesh Patel, Benton, AR

## AMPHIBIA (THE RAINBOW, 8/85)

11,682 ★Chris Curtis, Walling, TN

## ANDRONE (Radio Shack)

71,035 ★Quinn Granfor, Bismark, ND  
63,600 Maurice MacGarvey, Dawson Creek, British Columbia  
58,200 Scott Bellman, Bettendorf, IA  
57,880 Melessia McWhirter, Winter Haven, FL  
57,300 Mitch Hart, Seattle, WA

## AREX (Adventure International)

69,500 ★Jean-Francois Morin, Loretteville, Quebec

## BAG-IT-MAN (Aardvark)

466,000 ★Aaron Sotak, Glen Flora, WI

## BEAM RIDER (Spectral Associates)

9,999,310 ★Gilles Veillette, La Tuque, Quebec  
6,871,020 Lise Lapointe, La Tuque, Quebec  
6,004,000 James Oakley, Nashville, TN  
3,286,700 Paul Bivens, Washington, PA  
3,042,470 Evelyn Thompson, Nederland, TX

## BIOSPHERE (Radio Shack)

21,372 ★Randall Edwards, Dunlap, KS  
10,056 Carlos Gameros, El Paso, TX  
3,101 Vincent Knight, Harvey, IL  
2,491 Robert de Lambert, Everett, WA  
391 Danny Perkins, Clifton Forge, VA

## BLACK SANCTUM (Mark Data)

160 ★Roger Rance, Charleston, SC

## BOUNCING BOULDERS (Diecom)

36 ★Andre Grenier, Quebec, Canada

## BOXING (THE RAINBOW, 8/86)

995 ★Jonathan Wanagel, Freeville, NY  
775 Quinn Granfor, Bismark, ND  
720 Konnie Siewierski, Schaumburg, IL  
620 John Dunne Jr., Pittsfield, NH  
545 Duke Davis, Sandwich, IL  
520 Minesh Patel, Benton, AR

## BUBBLE WARS (THE RAINBOW, 2/86)

76,200 ★Eugene Paoli, Wilmington, DE  
75,100 Rachael Richards, Blakeslee, PA  
43,150 Shirley Kirk, Elgin, OR  
37,957 Odene Kirk, Elgin, OR  
36,400 Jeff Miller, Bronson, MI

## BUGS (T. Edwards)

438,850 ★Christian Grenier, Quebec, Canada

## BUZZARD BAIT (Tom Mix)

100,200 ★Jason Maxwell, Manchester, TN

## CANDY CO. (Intracolor)

225,083 ★Steven Clendenning, Titusville, FL

## CANYON CLIMBER (Radio Shack)

150,200 ★Brian Lewis, Baltimore, MD  
125,000 Tony Fortino, Tacoma, WA  
112,700 Jesse Binns, Phoenix, AZ  
104,000 Steven Honigman, Waggoner, IL  
75,000 Abby Gordon, Philadelphia, PA  
72,800 Terry Cockerline, Cornwall, Ontario  
68,300 Art Pancoast, North Huntingdon, PA  
63,800 Keith Mordough, New Boston, NH

## CASTLE (THE RAINBOW, 6/86)

202,659 ★Brendan Powell, La Grande, OR  
116,606 Darryn Bearisto, New Carlisle, Quebec  
93,672 Maurice MacGarvey, Dawson Creek, British Columbia  
55,239 John Broussard Jr., Alexandria, LA  
38,217 John Fredericks, Kalkaska, MI  
11,802 Todd Masek, Wickliffe, OH

## CATCH IT (Family Computing)

25,465 ★James Donegan, Saugerties, NY

## CHAMBERS (Tom Mix)

182,300 ★Blossom Mayor, East Greenbush, NY

## CLOWNS AND BALLOONS (Radio Shack)

48,740 ★Trent Travis, Dresden, TN

## COLOR BASEBALL (Radio Shack)

999-0 ★Erik Munson, Tucson, AZ  
998-0 ★Eugene Paoli, Wilmington, DE  
866-1 Ghislain Chillis, Trois-Rivieres, Quebec

814-1 Frank D'Amato, Brooklyn, NY  
814-0 John Licata, Richton Park, IL  
653-0 ★Denny Perkins, Clifton Forge, VA

## COLORPEDE (Intracolor)

449,594 ★John Haldane, Tempe, AZ  
35,650 Blake Cadmus, Reading, PA

## COMMANDO (THE RAINBOW, 2/86)

5,816 ★Eugene Paoli, Wilmington, DE

## DALLAS QUEST (Radio Shack)

87 ★David & Shirley Johnson, Leicester, NC  
87 ★Paul Summers, Orange Park, FL  
87 ★Douglas Bell, Duncan, OK

89 Chris Piche, White Rock, British Columbia  
89 Milan Parekh, Fullerton, CA  
89 Andrew Urquhart, Metairie, LA

89 Steve Zemaitis, Howell, MI  
90 Roy Grant, Toledo, OH  
91 John Semonin, Akron, OH

## DEATH TRAP (Soft Sector)

95,577 ★Vivian Buterin, St. John, MO  
94,729 Douglas Pardon, Brigham City, UT

## DEMOLITION DERBY (Radio Shack)

210,700 ★Duke Davis, Sandwich, IL

## DEMON ATTACK (Imagic)

244,110 ★Gregory Day, Holstein, Ontario  
125,520 Mike Watson, Northville, NY  
81,635 Tim Glenn, Havertown, PA  
78,010 Lisa Nebel, Phoenix, AZ  
64,195 Jon Ruhnaw, Duncanville, TX  
55,676 Chris Brokaw, Monticello, IA  
50,120 Brian Abeling, Monticello, IA

## DESERT GOLF (Spectral Associates)

-14 ★Terry Krueger, Maple Ridge, British Columbia

## DESERT RIDER (Radio Shack)

65,570 ★Don Ball, Chicago, IL

56,918 Anthony Collins, New Caney, TX

## DEVIL ASSAULT (Tom Mix)

623,550 ★Dale Krueger, Maple Ridge, British Columbia

75,000 Blake Cadmus, Reading, PA

## DOODLEBUG (Computerware)

6,698,490 ★Andre Grenier, Quebec, Canada  
3,637,720 Bill Novobitsky, Lanoka Harbor, NJ  
3,010,000 Blake Cadmus, Reading, PA

## DOUBLE BACK (Radio Shack)

2,586,300 ★Eugene Roosa, Stone Ridge, NY  
1,618,400 Diane Guernon, Montreal, Quebec  
450,600 Michael Brennan, Calgary, Alberta  
159,610 Blake Cadmus, Reading, PA  
112,890 MaryAnn Powers, Carmichael, CA  
64,100 Geoffrey Hall, Casselbury, FL  
52,840 Joel MacNeil, Needham, MA  
50,040 Brad Larkin, Sterling Hts., MI  
45,470 Thomas Hulit, Sweet Grass, MT

## DOWNLAND (Radio Shack)

98,985 ★Kari Gulliford, Summerville, SC  
97,740 Stephane Deshaies, Beloeil, Quebec  
89,490 Neil Edge, Williston, FL  
77,254 Tom Audas, Fremont, CA  
73,346 Jean-Francois Morin, Loretteville, Quebec

70,142 Chris Goodman, Baltimore, MD  
68,142 Cooper Valentin, Vavenby, British Columbia

67,721 Keith Yamanis, Jaffrey, NH  
62,442 Eddie Lawrence, Pasadena, Newfoundland

55,300 Patricio Gonzalez, Buenos Aires, Argentina  
49,500 Danny Perkins, Clifton Forge, VA  
40,360 Jesse Binns, Phoenix, AZ  
34,424 Andrea Mayfield, Melbourne, FL

## DRAGON FIRE (Radio Shack)

125,000 ★Dan Liffmann, Andover, MA  
123,120 Rupert Young, Sheffield, MA  
46,713 Gilles Gagne, Sillery, Quebec

33,676 Nathanael Heller, Kenner, LA  
32,464 Garrett Stangel, Milwaukee, WI

## ENCHANTER (Infocom)

400/212 ★Charly Rushing, Santa Rosa, CA  
400/621 Brad Wilson, Lithia Springs, GA  
400/431 Truman Bryerton, Jr., B.Ville, NY  
185/186 David Tarleton, Williamsburg, VA  
80/115 Scott Bellman, Bettendorf, IA

## FANGMAN (Tom Mix)

2,946,460 ★Andre Grenier, Quebec, Canada

## FIGHTER PILOT (Saguaro Software)

75,900 ★Blake Cadmus, Reading, PA

## FIRE COPTER (Adventure International)

43,260 ★Rodrigo Maldonado, Whittier, CA

## FIRESTORM (THE RAINBOW, 1/86)

3,505 ★Blake Cadmus, Reading, PA

## FROGGIE (Spectral Associates)

55,190 ★Scott Jamison, Billerica, MA



# SCOREBOARD

## GALAGON (Spectral Associates)

169,410	★ Danny Dunne, Pittsfield, NH
116,280	Scott Jamison, Billerica, MA
104,870	Chris Dunne, Pittsfield, NH
73,520	Neil Edge, Williston, FL
71,220	Debora Edwards, Wembley, Alberta

## GANTELET (Diecom Products)

20,921,490	★ Randall Edwards, Dunlap, KS
2,512,620	Jason Steele, Pensacola, FL
2,115,790	Jerry Honigman, Waggoner, IL
2,011,200	Jerry Colbert, Bakersfield, CA
1,108,750	Robert Fox, Dover, OH
1,081,530	Michael Wallace, Bronx, NY
1,025,900	John Hotaling, Duaneburg, NY
1,016,050	Edward Swatek, Chicago, IL
933,740	Yvan Langlois, Laval, Quebec
932,660	Brian Hunter, South Berwick, ME
787,780	Brad Wilson, Lithia Springs, GA
685,840	Karen Jessen, Cleveland, OH
456,220	Scott Jamison, Billerica, MA
410,868	Billy Helmeick, Independence, KY

## GATES (THE RAINBOW, 8/86)

600	★ Minesh Patel, Benton, AR
-----	----------------------------

## HOME ROW BOMBER (THE RAINBOW, 1/87)

6,384	★ Timothy Hennon, Highland, IN
-------	--------------------------------

## JUNIOR'S REVENGE (Computerware)

1,500,300	★ Alex Abraham, Atlanta, GA
-----------	-----------------------------

## KAMAKAZIE KAR (THE RAINBOW, 8/85)

144.85	★ Chris Piche, White Rock, British Columbia
83.85	Dan Dawson, Fort Wayne, IN
75.75	Tim Glenn, Havertown, PA

## THE KING (Tom Mix)

3,824,280	★ Andre Grenier, Quebec, Canada
-----------	---------------------------------

## KNOCK OUT (Diecom Products)

181,085	★ Rush Caley, Port Orchard, WA
168,385	John Licata, Richton Park, IL
151,850	Christian Grenier, Quebec, Canada
149,190	Daniel Lesage, Laval, Quebec
138,150	Nick Pettibone, St. Louis, MO

## LANCER (Spectral Associates)

99,700	★ David Kauffman, South Haven, MI
--------	-----------------------------------

## LUNCHTIME (Novasoft)

42,025	★ Steve Place, Webster, NY
--------	----------------------------

## MICROBES (Radio Shack)

121,330	★ Minesh Patel, Benton, AR
---------	----------------------------

## MINIGOLF (THE RAINBOW, 5/86)

77,700	Brian Abeling, Monticello, IA
23	★ Wilfrid Sloan, Newport-on-Tay, Scotland
25	Billy Helmeick, Independence, KY
32	Chris Banas, North West Territories, Canada

## MISSION: F-16 ASSAULT (Diecom Products)

468,750	★ Karen Jessen, Cleveland, OH
127,550	Michael Heitz, Chicago, IL
49,630	Edward Swatek, Chicago, IL
45,500	Chuck Morey, Bakersfield, CA
38,305	Richard Nieves, Mayaguez, Puerto Rico

## MODULE MAN (Spectral Associates)

166,500	★ James Church, Pointe Claire, Quebec
---------	---------------------------------------

## MUDPIES (MichTron)

286,600	★ Chuck Morey, Bakersfield, CA
---------	--------------------------------

## ONE-ON-ONE (Radio Shack)

1,204-0	★ Chad Johnson, Benton, AR
1,160-0	★ Mark Lang, Downville, CA
1,132-23	Dan Liffmann, Andover, MA
1,086-17	David Blankenship, Princeton, WV
1,078-2	Toby Jacobs, Bellefontaine, OH
1,064-16	Tim DeJong, Rock Valley, IA

## OPERATION FREEDOM (THE RAINBOW, 8/85)

15,343	★ Matthew Knight, Yakima, WA
--------	------------------------------

## PAPER ROUTE (Diecom Products)

1,059,350	★ David Kauffman, South Haven, MI
720,560	Konnie Siewierski, Schaumburg, IL
531,600	Larry Shelton, Marion, IL
511,000	David Kauffman, South Haven, MI
337,550	Lawrence Elman, Smithtown, NY
249,000	Jami Foster, Maryville, TN
151,800	Carl Sylvain, St-Frederic Beauce, Quebec
13,400	Abby Gordon, Philadelphia, PA

## PEGASUS AND THE PHANTOM RIDERS (Radio Shack)

250,200	★ Leon Kornbluth, Richfield, NJ
197,500	Douglas Wilkinson, Jr., New Bern, NC
187,300	Mike Grant, Fresno, CA
170,500	Rodrigo Maldonado, Whittier, CA
109,800	Mike Dyer, Lompoc, CA

## PITFALL II (Activision)

199,000	★ Pat Leathrum, Newark, DE
199,000	★ Kirk Lockhart, Waco, TX
199,000	★ Danny Perkins, Clifton Forge, VA
198,800	David Kardos, Colonia, NJ
198,252	Tom Audas, Fremont, CA
196,012	Scott Mitchell, Rural Hall, NC
194,320	Marc Reiter, Cincinnati, OH
194,000	Michael Wallace, Bronx, NY
192,550	Rodrigo Maldonado, Whittier, CA
189,024	Christine Vollmer, Richmond Hill, NY

## PITSTOP II (Epyx)

54	★ Christopher Conley, North Attleboro, MA
54	★ James Doty, Washougal, WA
54	★ Bernard Florence, Croydon, Australia
54	★ Tom Maccarone, Swampscott, MA
54	★ Danny Perkins, Clifton Forge, VA
45	Doug Sterner, New Albany, PA
15	Randy Heckman, La Mirada, CA
9	Walter Hearne, Pensacola, FL
9	Jeff Maxwell, Lincoln, NE

## POLARIS (Radio Shack)

151,125	★ Gene Murphy, Ft. Worth, TX
---------	------------------------------

## POLTERGEIST (Radio Shack)

3,140	★ Jesse Binns, Phoenix, AZ
-------	----------------------------

## POOYAN (Datasoft)

97,500,000	★ Rich Fiore, Clemson, SC
54,500,000	Carlos Gameros, El Paso, TX
3,785,000	Ben Collins, Clemson, SC
1,987,000	Jon Sowle, Sanford, FL
1,546,000	Jason Maxwell, Manchester, TN
1,253,200	Thomas Mayor, Brooklyn, NY
401,300	Terry Heinz, Shreveport, LA

## POPCORN (Radio Shack)

77,200	★ Scott Jackson, Doraville, GA
--------	--------------------------------

## Q-NEED (THE RAINBOW 5/84)

58,510	★ Duke Davis, Sandwich, IL
--------	----------------------------

## QUIX (Tom Mix)

8,407,772	★ John Haldane, Tempe, AZ
1,404,000	Curtis Goodson, Sao Paulo, Brazil
1,003,104	Elisa Goodson, Sao Paulo, Brazil
205,335	John Hotaling, Duaneburg, NY
104,034	Christopher Conley, North Attleboro, MA

## RADIO BALL (Radio Shack)

6,330,350	★ Myriam Ferland, Trois-Rivieres, Quebec
4,510,740	Les Dorn, Eau Claire, WI
1,945,110	Dominic Deguire, St. Basile, Quebec
1,768,940	Brian Buss, Whitehall, PA
1,631,750	David Del Purgatorio, Antioch, CA

## ROBOTACK (Intracolor)

2,122,150	★ Ghislain Chillis & Michel Lessard, Trois-Rivieres, Quebec
1,020,800	Ian MacLachlan, Bethany, Ontario
975,850	Erik Huffman, Rochester Hills, MI
931,250	Keith Smith, Bethany, Ontario
866,320	Richard Deane, Chicago, IL

## ROMMEL 3-D (MichTron)

670,300	★ Edward Swatek, Chicago, IL
137,100	Stephane Deshaies, Beloeil, Quebec
308	★ Tony Fortino, Tacoma, WA

## SANDWORM (THE RAINBOW, 8/86)

308	★ Tony Fortino, Tacoma, WA
-----	----------------------------

## SHAMUS (Radio Shack)

120,480	★ Lynn Shrewsbury, Sunnyside, WA
38,075	Kay Shrewsbury, Sunnyside, WA

## SHOCK TROOPER (Mark Data)

321,405	★ Chuck Morey, Bakersfield, CA
301,538	Bernard Florence, Croydon, Australia
52,700	Blake Cadmus, Reading, PA

## SIR EGBERT JUMPER (THE RAINBOW, 8/85)

2,630	★ Brad Walker, Prince George, British Columbia
1,660	John Austin, Clifton, TX
568	Odene Kirk, Elgin, OR

## SKIING (Radio Shack)

44,25	★ Tim North, Emporia, KS
-------	--------------------------

## SLAY THE NERUIS (Radio Shack)

339,742	★ Curt Lebel, Sunrise, FL
---------	---------------------------

## SPIDERCADE (Radio Shack)

3,820	★ Eddie Lawrence, Pasadena, Newfoundland
3,540	James Church, Pointe Claire, Quebec
2,550	Charles Marlow, Briarwood, NY
2,000	Mike Watson, Northville, NY
1,740	Joel DeYoung, Manson, Manitoba

## STAR BLAZE (Radio Shack)

10,000	★ Aaron Sotak, Glen Flora, WI
9,350	Michael Shahan, Bloomington, IN
8,750	J. Yosefkrinsky, Jerusalem, Israel
8,750	Jon Larson, Seligman, AZ
8,750	Kent Pirkle, Cumming, GA

## STARLORD (THE RAINBOW, 8/86)

2,747,355	★ Frederick Lajoie, Middleton, Nova Scotia
1,234,125	John Herbert, New Baltimore, MI

575,100	David Schaller, Clarkston, WA
---------	-------------------------------

452,880	Brad Bansner, Wyomissing, PA
---------	------------------------------

406,875	Mark Glover, Derby, NY
---------	------------------------

## STELLAR LIFE-LINE (Radio Shack)

427,210	★ Steven Smith, Matthews, NC
---------	------------------------------

397,680	Bill Novobilsky, Lanoka Harbor, NJ
---------	------------------------------------

78,600	Don Johnson, Winnipeg, Manitoba
--------	---------------------------------

58,580	Stefan Mecay, Austin, TX
--------	--------------------------

49,900	Craig Fricke, Jacksonville, IL
--------	--------------------------------

## TEMPLE OF ROM (Radio Shack)

1,592,100	★ Sara Hunt, Gaithersburg, MD
-----------	-------------------------------

1,422,400	Timothy Bishop, Jacksonville, FL
-----------	----------------------------------

960,000	J. Yosefkrinsky, Jerusalem, Israel
---------	------------------------------------

959,400	Sonya Hurst, Richmond, CA
---------	---------------------------

938,800	Christopher Romance, Massapequa Park, NY
---------	--

576,400	Aaron Sotak, Glen Flora, WI
---------	-----------------------------

## TIME BANDIT (MichTron)

102,010	★ Micheal Knight, Yakima, WA
---------	------------------------------

73,660	Mark Boisvert, Burstall, Saskatchewan
--------	---------------------------------------

## TREASURE QUEST (THE RAINBOW, 11/86)

18,295	★ Shaw Muniz, Los Angeles, CA
--------	-------------------------------

14,415	David Bettinger, Caldwell, OH
--------	-------------------------------

## TUT'S TUMB (Mark Data)

45,000	★ Blake Cadmus, Reading, PA
--------	-----------------------------

## VARLOC (Radio Shack)

2,032	★ Tony Harbin, Cullman, AL
-------	----------------------------

2,008	Philip Puffinburger, Winchester, VA
-------	-------------------------------------

1,988	Randall Edwards, Dunlap, KS
-------	-----------------------------

1,975	Bernard Florence, Croydon, Australia
-------	--------------------------------------

1,952	Lynn Shrewsbury, Sunnyside, WA
-------	--------------------------------

## VICIOUS VIC (THE RAINBOW, 7/86)

10,489	★ Karl Gulliford, Summerville, SC
--------	-----------------------------------

6,294	Pat O'Neill, Nepean, Ontario
-------	------------------------------

4,643	Martha James, Swarthmore, PA
-------	------------------------------

3,240	Tony Fortino, Tacoma, WA
-------	--------------------------

2,626	Brad Bansner, Wyomissing, PA
-------	------------------------------

## THE VORTEX FACTOR (Mark Data)

100/276	★ Tommy Crouser, Dunbar, WV
---------	-----------------------------

100/483	Rick & Brenda Stump, Laureldale, PA
---------	-------------------------------------

210	Paul Maxwell, Vancouver, British Columbia
-----	---

## WRESTLE MANIAC (Diecom)

39,086	★ Billy Helmeick, Independence, KY
--------	------------------------------------

5,000	Christian Grenier, Quebec, Canada
-------	-----------------------------------

## ZAXXON (Datasoft)

2,061,000	★ Byron Alford, Raytown, MO
-----------	-----------------------------

1,950,000	Blake Cadmus, Reading, PA
-----------	---------------------------

1,300,500	Dan Brown, Pittsford, NY
-----------	--------------------------

1,100,600	Andrew Urquhart, Metairie, LA
-----------	-------------------------------

253,400	Bob Dewitt, Blue Island, IL
---------	-----------------------------

163,700	Daniel Bradford, Birmingham, AL
---------	---------------------------------

111,400	Jeff Miller, Bronson, MI
---------	--------------------------

72,800	Tom Maccarone, Swampscott, MA
--------	-------------------------------

67,400	Carlos Gameros, El Paso, TX
--------	-----------------------------

59,800	Garrett Stangel, Milwaukee, WI
--------	--------------------------------

— Jody Doyle



# SCOREBOARD POINTERS

In conjunction with THE RAINBOW's Scoreboard, we offer this column of pointers for our game-playing readers' benefit. If you have some interesting hints, tips or responses to questions, or want help yourself, we encourage you to write to the Scoreboard, c/o THE RAINBOW.

## FEEDBACK

### Scoreboard:

Thanks to Maurice MacGarvey for advice on *Bedlam* (March '87). He might also be interested to know that there is an escape through one of Picasso's painted doors.

He also enquired about *Madness and the Minotaur*. LOOK in every pit and every pool of water. When you get to the room with the "strange colored walls," turn your lamp off and LOOK WALLS.

Annette Clear  
San Diego, CA

### Scoreboard:

In response to Ronnie Scott's letter about *Zork I* (March '87): To kill the thief, you must first give him the egg, and then kill him in the treasure room with the axe.

Any help with *Madness and the Minotaur* would be greatly appreciated.

Chris Pond  
Mackinaw, IL

### Scoreboard:

In response to the letter from David Solley (January '87): To find another entrance to the passage in *Blackbeard's Island*, go up the cliff and type MOVE SIGN. Then go in. In *Vortex Factor*, what's the number for the dial? How do you stop the water in the boat in *Dallas Quest*?

Ian Renauld  
St. Eustache, Quebec

### Scoreboard:

In reference to John Riddle's letter concerning *Madness and the Minotaur* (March '87): After revealing the ledge, try climbing it. The gem the packrat likes changes from game to game so try a different one.

Here are a couple of tips on the game *Zork I*: The randomly placed pit in the maze hides a treasure. To get it, first jump it and then look at it.

JoAnne Minter  
Pinellas Park, FL

## Major Stumbling Block

### Scoreboard:

In *Major Istar*, I think I have gotten and done everything I can before the door with radiation, but every time I step in, I die. Also, what do you do in the Casino in the *Interbank Incident*?

David Harris  
Idaho Falls, ID

## Quandic Quandary

### Scoreboard:

I need help on Level 2 of *Preserve Quandic*.

Don Grey  
Austell, GA

## Beyond Level 9

### Scoreboard:

Does anyone know the pokes to jump to the various levels of Novasoft's *Gold Runner*? I would like to see what comes after Level 9.

Bill White  
Live Oak, FL

## Please Pass the Serpent

### Scoreboard:

I have had *Pyramid* for months but haven't been able to get past more than 10 rooms before I meet a serpent that will not let me pass by.

Normand Schafer  
Quesnel, British Columbia

## Foiled by Gargoyle

### Scoreboard:

In *Raaka-Tu*, I have collected the food, the sword, the lamp, the candle, the bejeweled lever and the golden idol — but I can't get past the gargoyle. I tried lighting the candle with the lamp (quickly), but I got killed by the smoke.

Travis Stramer  
Bismarck, NJ

## Pool Your Resources

### Scoreboard:

In *Sands of Egypt*, does the solution have something to do with the rain cover (in the pool)?

Marshall Miller  
Oneonta, NY

## Safe Solution

### Scoreboard:

How do you open the safe in *Vortex Factor*?

Jason Thomas Wyskowski  
Roselle Park, NJ

## THUUDO—Befuddled

### Scoreboard:

I've had a great deal of enjoyment with both RAINBOW Adventure books. Some of the games have been sources of help in my programming experiences. One Adventure has totally befuddled me, though — *THUUDO*. I get stuck right after the shovel (or pickax) is found.

Also, I've got a clue for *Wizard's Castle*. When you reach the cave that is locked and barred, type HELP and follow the hint given.

John Beck  
Suitland, MD

## Banishing Act

### Scoreboard:

In *Zork I*, after you ring the bell and light the candles at the entrance to Hades, what do you do to banish the spirits? How do you open the grating in the forest?

Here's a tip for *Sands of Egypt*: Feed the camel the dates.

John C. Austin  
Clifton, TX

## Lost in the Woods

### Scoreboard:

I have non-graphics versions of *Black Sanctum* and *Calixto Island*. In *Black*



Sanctum, all I can do is go to the cabin, explore it, leave and get lost in the woods.

In *Calixto Island*, I can get to the jungle edge, but no further.

Emilie S. Bruchon  
Belmont, NC

### Token Question

#### Scoreboard:

In *Wishbringer*, how do you keep everything from being lost when met by the spirits after escaping from the prison? Is there any way to keep from being caught by the boots? Is there a token that you can use to play the video game?

In *The Wild West*, how do you get into the hotel room where Black Bart's girlfriend is?

In *The Interbank Incident*, has anyone found where the thieves' hideout is? I have found the codebook, but no crooks.

Chad Johnson  
Benton, AR

### Some Key Points

#### Scoreboard:

A few hints for *The Interbank Incident*: The key will open the door on the train to Germany, and the door in the Louvre Museum. If you examine the mail bag on the train, you will find an invitation to a video game tournament in the guard room of the Louvre museum.

One question — How do you get both keys for the door of the apartment with the Rio poster on it?

Bill Marks  
Brookport, NY

### Hat Hint

#### Scoreboard:

In *The Interbank Incident*: To get into the military base in Seattle, either be "Mick Tarmin" or buy a military hat in Paris. The

EXAMINE feature is useful in a few situations.

I can't get through the bronze doors or get out of the mine shaft in *Dragon Blade*. How do you use the scroll?

Robert Perdock  
Centereach, NY

### Golem Woes

#### Scoreboard:

In *Hall of the King 2*, after I reach the room with the golem in it, I can't figure out how to kill him. I got the sphere, pushed the button and dropped it, only to have it kill me. Can it be done or do you have to go through the mine entrance?

Jason Harder  
E. Hartland, CT

### Not Fond of Anaconda

#### Scoreboard:

I'm having trouble with *Dallas Quest*. When I meet up with the Anaconda, I can't do much or go anywhere with him in my way.

Noel Nelson  
Aurora, CO

### Wheat Defeat

#### Scoreboard:

I am having trouble getting through the wheat field in *Dallas Quest*.

Matthew Lohse  
Camarillo, CA

### CSAVE Survival

#### Scoreboard:

Last year I solved *Dungeons of Daggo-rath*, and let me tell you, it is practically

impossible without a good cassette recorder and tape. When danger arrives, you can CSAVE it at that spot and reload it if you get killed.

Chris Nicholes  
Orem, UT

### Get by the Creepy-Crawlies

#### Scoreboard:

Here's help for *Pitfall II*: When you get the ring, fall down one ledge. Make it by the condors, bats, scorpions, and the one frog. Then go up and you shall find Quick-claw.

Stephen Erickson  
E. Longmeadow, MA

### Slammin' Jammin'

#### Scoreboard:


In *One-on-One* does anyone know how to slam the ball backwards?

Steve Beck  
Ft. Jackson, SC

To respond to other readers' inquiries and requests for assistance, reply to "Scoreboard Pointers," c/o THE RAINBOW, P.O. Box 385, Prospect, KY 40059. We will immediately forward your letter to the original respondent and, just as importantly, we'll share your reply with all "Scoreboard" readers in an upcoming issue.

For greater convenience, "Scoreboard Pointers" and requests for assistance may also be sent to us through the MAIL section of our Delphi CoCo SIG. From the CoCo SIG> prompt, pick MAIL, then type SEND and address to: EDITORS. Be sure to include your complete name and address.

— Jody Doyle






# NEW DISK DRIVES

Starting at

## 89<sup>95</sup>

with case &  
Power Supply  
129.95



### TANDON MPI TEAC


Speed 6ms tk to tk and up  
Capacity 250k unformatted  
Tracks 40  
Warranty *now 1 Year*

**SATISFACTION GUARANTEED!!**

ALL DRIVES FULLY TESTED AND WARRANTED

We carry only the finest quality disk drives  
*no seconds • no surplus*

*New Low Price!*



40 Tks 6Ms  
Double Sided  
Double Density

40 or 80 Tracks  
1/2 Hght. Teac/Panasonic



## Free Software for Drive 0 Systems

CoCo Checker...Test roms, rams, disk drives and & controller printer, keyboard cassette & more.  
Tape/Disk Utility...Transfers disk to tape and tape to disk.

## 169<sup>95</sup>

Drive 0

- Full Ht Drive
- Single Case
- Heavy Duty Power Supply
- 2 Drive Cable
- Gold plated contacts
- Controller & manuals

## 189<sup>95</sup>

Drive 0

- Double Sided Slim Line Drive
- Case holds 2 slim line drives
- Heavy Duty Power Supply
- 2 Drive Cable
- Gold plated contacts
- Controller & Manuals

## 289<sup>95</sup>

Drive 0 & 1

- 2 Double Sided Slim Line Drive
- Case holds 2 slim line drives
- Heavy Duty Power Supply
- 2 Drive Cable
- Gold plated contacts
- Controller & Manuals

## Other Drive Specials

Drives cleaned, aligned & tested, **29<sup>95</sup>**

## 119<sup>95</sup>

2nd Drive  
for new Radio Shack  
includes:


- Slim Line DS/DD Drive
- Cabling & Instructions
- Mounting Hardware

Full Ht Drive .....	<b>89<sup>95</sup></b>
Full Ht Drive Ps/Case.....	<b>129<sup>95</sup></b>
Slim Line Drive.....	<b>99<sup>95</sup></b>
Slim Line Drive Ps/Case...	<b>139<sup>95</sup></b>
2 Slim Drives Ps/Case .....	<b>239<sup>95</sup></b>
Disk Controller .....	<b>59<sup>95</sup></b>

Single Ps & Case .....	<b>44<sup>95</sup></b>
Dual 1/2ht Ps & Case .....	<b>54<sup>95</sup></b>
Dual Full Ht. Ps & Case .....	<b>79<sup>95</sup></b>
Disk Controller .....	<b>59<sup>95</sup></b>
10 Diskettes with free library case .....	<b>9<sup>95</sup></b>

Dealer Inquiries Invited

617-278-6555





## TRUE DATA PRODUCTS

9 South Main Street  
Uxbridge, MA 01569  
617-278-6555

Hours: Mon.-Sat., 9-6 (EST)

We welcome


- Visa/Mastercard  
- Checks (allow 2 weeks for clearing)
- C.O.D. Add \$2.

**Call us today! 617-278-6555**  
**Order Toll Free 1-800-635-0300**



## Software Included

- Pc-Write word processor
- Pc-Calc Spreadsheet
- Pc-File Database
- Print Spooler
- Ram Disk
- Runs all popular software



## IBM XT COMPATIBLE

Complete  
system


only **699<sup>95</sup>**

## Hardware Included


- 4.77 mhz and 8mhz Turbo
- 360k Floppy Disk Drive
- Monochrome or Color Card
- At style Case w/pwr light & key
- Game, Printer and Serial Port
- Real Time Clock
- 150 watt power supply
- 640k memory
- At keyboard optional expanded
- Monochrome Monitor
- Optional Hard Disk Drive

**stair** PRINTERS

PRINTER CABLES AND  
INTERFACES AVAILABLE  
Call for current pricing



NP10 (New 100 CPS NLQ 80 col.)	<b>189<sup>95</sup></b>
NX10 (New 120CPS NLQ 80 col.)	<b>219<sup>95</sup></b>
NX15 (New 120CPS NLQ 132 col.)	<b>379<sup>95</sup></b>
Power Type (18CPS Daisy Wheel)	<b>249<sup>95</sup></b>



## Serial to Parallel Interface for Color Computer I, II, III

- 300-19,200 BAUD rates
- External to printer — No AC plugs
- Built in modem/printer switch —  
No need for Y-cables or plugging/  
unplugging cables

only

**54<sup>95</sup>**

Power supply + 5.00

**64K Upgrades 19<sup>95</sup>**

**Video Driver 29<sup>95</sup>**

Enables your CoCo to operate with a video monitor  
instead of a television!

**Screen Dump Program 19<sup>95</sup>**

The best screen dump program for the Epson &  
Star printers ever!! Have the option of standard  
images reverse w/regular or double sized pictures.

Dealer Inquiries invited

617-278-6555

**Call us today! 617-278-6555**

**Order Toll Free 1-800-635-0300**

## Complete Packages

NP10 **249<sup>95</sup>**


includes:

- Star NP10 Printer
- Interface
- Screen Dump Program

NX10 **279<sup>95</sup>**

includes:

- Star NX10 Printer
- Interface
- Screen Dump Program



TRUE DATA PRODUCTS

9 South Main Street  
Uxbridge, MA 01569  
617-278-6555





# Noisy Fan in Two-Drive System

By Marty Goodman  
Rainbow Contributing Editor

*The Radio Shack service center installed a fan in my Catalog No. 26-3129 disk drive when they added a drive no. 1 (Catalog No. 26-3130). I find now that it makes excessive noise. What do you recommend?*

Fred J. Fratto  
Downers Grove, IL

I'm rather surprised to hear that Radio Shack is using fans in their floppy disk drive systems. A well-designed linear power supply for dual floppy drives — one that has properly beefy voltage regulators mounted on properly beefy heat sinks that are positioned to allow convective cooling — should *never* need a cooling fan.

If you know a local hardware hacker, consider arranging to have the power supply for the drives rebuilt with an externally mounted massive heat sink and TO-3-style case voltage regulators, or at least a TO-3-style regulator on the 12-volt supply line (or two TO-220-style case 12-volt regulators — one for each

drive). I've both built and seen dozens of floppy disk power supplies, and only the most badly designed ones overheated or required a fan.

## Proper Fix for CoCo Controllers

*I'm having trouble with my J&M brand controller when using it with my CoCo 3. Can you help?*

Matt Hazard  
Columbia, OH

In a previous "CoCo Consultations," I advised folks (based on word from J&M systems) that old JFD CoCo controllers could be fixed to work with the CoCo 3 by replacing a 74LS04 chip with a 7404 chip. But more recently, J&M told me that this fix is not proper and will not always work. The last time I spoke to them, they were fixing JFD CoCo controllers that had problems working with the CoCo 3 by substituting the Q clock signal for the E clock signal from the CoCo system bus.

J&M provides a detailed description of exactly how to make the needed modifications in a technical bulletin dated January 5, 1987. Their bulletin takes you step by step through this modification (soldering skill and a solder sucker are required). The bulletin is marred by one mildly confusing

typographical error: They use the phrase "Pin 6" to describe both the E and the Q clock lands, when in fact the E clock is on Land number 6 and the Q clock is to be found on Land number 7. But this is made clear in the diagrams that accompany the bulletin. If you are not comfortable with such hardware hacking, I urge you to return your controller to J&M for repair.

Do make sure the problems are with the hardware of the controller, and not with the Disk ROM in it. For example, JDOS will not work properly with the CoCo 3. You need to have either unmodified Radio Shack Disk BASIC, or use ADOS 3, a set of patches for Disk BASIC specifically made by Spectrosystems to work with the CoCo 3.

## GIME Advice on the Horizontal Scroll

*I've been having problems designing programs that use the horizontal scroll register (\$FF9F) of the GIME chip in the CoCo 3. Often they crash without apparent reason. Do you know of others who have this problem, and what its cause is?*

Bob Lentz  
La Jolla, CA

Thanks very much for alerting me to this matter. I asked around and found

*Martin H. Goodman, M.D., a physician trained in anesthesiology, is a longtime electronics tinkerer and outspoken commentator — sort of the Howard Cosell of the CoCo world. Marty is the database manager of RAINBOW's CoCo and OS-9 Online SIGs on Delphi. His non-computer passions include running, mountaineering and outdoor photography. Marty lives in San Pablo, California.*



**NO EXTRA CHARGE  
FOR DISK VERSIONS!!!**

**NEW LOWER PRICES!!!**

## CALLIGRAPHER

**CoCo Calligrapher** - (Hybrid BASIC/ML) Turn your CoCo and dot-matrix printer into a calligrapher's quill. Make beautiful invitations, flyers, certificates, greeting cards, labels and more. Includes 3 fonts: *Gay Nineties*, *Old English* and *Cartoon*. The letters are 1/2 inch high and variably spaced. Works with many printers including Epson, Gemini, Radio Shack, Okidata 92A, Banana and Prowriter. Additional fonts are available (see below). Tape/Disk; \$24.95.

**OS9 Calligrapher** - (C) Although a different program from the CoCo Calligrapher, the OS9 Calligrapher prints all the same fonts. It reads a standard text file which contains text and formatting directives. You may specify the font to use, change fonts at any time, centering left, right or full justification, line fill, margin, line width, page size, page break and indentation. Similar to *troff* on UNIX (tm) systems. Includes *Gay Nineties*, *Old English* and *Cartoon* fonts. Additional fonts are available (see below). Disk only; OS9; \$24.95.

**Calligrapher Fonts** - Requires Calligrapher above. Each set on tape or disk; specify RSDOS or OS9 version; \$14.95 each. Set #1 - (9 fonts) Reduced, reversed and reduced-reversed versions of *Gay Nineties*, *Old English* and *Cartoon*; Set #2 - (8 fonts) *Old Style* and *Broadway*; Set #3 - (8 fonts) *Antique* and *Business*; Set #4 - (8 fonts) *Wild West* and *Checkers*; Set #5 - (10 fonts) *Stars*, *Hebrew* and *Victorian*; Set #6 - (8 fonts) *Block* and *Computer*;

**Economy Font Packages** on disk; specify RSDOS or OS9; 20.95: **Font Package #1** - Above font sets 1, 2 and 3 (25 fonts) on one disk. **Font Package #2** - Above font sets 4, 5 and 6 (26 fonts) on one disk.

## UTILITIES

**Auto Run 64** - (Hybrid BASIC/ML) Utility to allow your own *tape-based* BASIC or ML programs to display a graphics title screen and then self-start after loading. Includes a graphics editor to create professional looking title screens. Tape only; 16K ECB; \$10.95.

**Pirator** - (100% ML) Utility to allow your own *disk-based* BASIC or ML programs to display a graphics title screen and then self-start after loading. Adds copy protection to your programs but still allows users to create *non-executable* backups! Includes *Semigraf*. Disk only; CoCo I, II, III (except *Semigraf*); \$30.95.

A complete catalog of other sweet Sugar Software products is available.

**Semigraf Graphics Editor** - (100% ML) Use 8 colors and standard text characters to draw graphics pictures and screens in high resolution *semigraf* mode. Includes sample pictures. Tape/Disk; 16K CB; \$10.95.

**Super Screen Machine** - (100% ML) Put your CoCo into high resolution mode for your own BASIC or ML programs. Smooth scroll, key click, lower case with colored characters, many other features. Tape/Disk; 32K CB; CoCo I, II, III (except 64K mode); \$10.95.

**Color Disk Manager** - (100% ML) Disk utility with these features: Disk repair, selective track initialization, verify sectors, backups, tape to disk transfer, ROM Pak execution from disk, much more! Tape/Disk; CoCo I, II, III (except for 64K mode); \$24.95.

**Color Tape Manager** - (100% ML) Tape utility with these features: display start, end and exec address of ML programs, convert ML programs into BASIC DATA statements, append ML to BASIC, load, display/modify and save tape file, handles missing EOF and filename blocks, much more! Tape/Disk; 16K ECB; CoCo I, II, III (except for 64K mode); \$10.95.

## INFORMATION MGT.

**TIMS (The Information Management System)** - (Hybrid BASIC/ML) Tape or disk, fast and simple general data base program. Create files of records that can be quickly sorted, searched, deleted and updated. Powerful printer formatting. Up to 8 user fields, sort on up to 3 fields. Tape/Disk; \$10.95 (see combo pkg below).

**TIMS Mail** - (Hybrid BASIC/ML) Tape or Disk based mailing list management program. Files are compatible with TIMS. Fast and simple to use. Supports labels 1, 2 or 3 across, 2 1/2 to 4 inches wide. Tape/Disk; \$10.95 (see combo pkg below).

**TIMS Utility** - (Hybrid BASIC/ML) Utility companion for TIMS and TIMS Mail to allow multi-term search (AND and OR logic), global change and delete, split large files and more! Tape/Disk; \$14.95 (see combo pkg below).

**TIMS Combo Package** - All three of the above programs: TIMS, TIMS Mail and TIMS Utility on one disk - \$34.95.

## SPORTS STATISTICS

Statistics programs for the coach, team manager or avid fan who wants to keep accurate team and opponent records. Printer output supported. The following are available: Baseball, Basketball, Football and Soccer. Disk only; \$10.95 each.

## EDUCATIONAL

**Silly Syntax** - (Hybrid BASIC/ML) Ages 5 and up. Story creation game; output to screen or printer; includes 2 stories or create your own. Tape/Disk; \$10.95 or disk with 62 stories for \$20.95. Sets of 10 stories on tape/disk for \$4.95: *Fairy Tales*, *Current Events*, *X-Rated*, *Sing-Along*, *Adventure*, *Potpourri*.

**Bible Stories Adventure** - (Hybrid BASIC/ML) Ages 4 and up. A simple graphics adventure game for young children and their families. Old testament. Tape/Disk; \$10.95.

**The Presidents of the USA** - (100% ML) Ages 10 and up. Two trivia games, user modifiable, printer output supported. Tape/Disk; 16K ECB; \$10.95.

**The Great USA** - Ages 9 and up. Sharpen your knowledge of the 50 states. Capitals, nicknames, abbreviations, flowers, trees, birds. Trivia! Tape/Disk; 16K ECB; \$10.95.

**Galactic Hangman** - Ages 7 and up. Exciting new twist to the popular word game. Outstanding graphics; 700 word vocabulary. Tape/Disk; 16K ECB; \$10.95.

**PreReader** - (Hybrid BASIC/ML) Ages 3-5 (level 1); Ages 5-7 (level 2); Great graphics and music. Level 1: matching colors, shapes, letters and numbers; Level 2: association of letters and consonant blends with their sounds. Tape/Disk; Joystick; \$10.95.

**Statgraf** - High school and college level; Linear regression analysis program combined with a plotting and line graphing system. Enter up to 250 x/y pairs; data transformation; residuals; regression line; print graph with screen print program (not supplied); much more! Tape/Disk; \$10.95.

## SPECIAL INTEREST

**Rental Property Income and Expense Management Package** - Maintain your rental property income and expense records. Print output supported. 28 expense categories. This program may be tax deductible. Disk only; \$20.95.

**Radio Systems Design Calculations** - Performs 14 different calculations commonly used in design or evaluation of land mobile radio systems, satellite TV, etc. Tape/Disk; \$10.95.

**CoCo Knitter** - Easy to use program to display or print instructions to knit a sweater: Cardigan or Pullover; Round or V-neck; Raglan or Set-in Sleeve; 3 weights or yarn; 8 sizes from baby to man. Tape/Disk; \$10.95.

**Flying Tigers** - (100% ML) Fast *Defenders* style arcade game. 5 levels of difficulty; Great graphics and sound effects. Tape/Disk; Joystick; \$10.95.



**SUGAR SOFTWARE**  
P.O. Box 7446  
Hollywood, Florida 33081  
(305) 981-1241

All programs run on the CoCo I, II and III, 32K Extended Basic, unless otherwise noted. Add \$1.50 per tape or disk for postage and handling. Florida residents add 5% sales tax. COD orders add \$4. Dealer inquiries invited.



that in most CoCo 3s owned by my friends, the horizontal scroll appears to have a serious problem. I have reason to believe that an inexpensive fix will eventually be available from Tandy. For now I recommend to software developers that they not use the horizontal scroll features of the GIME. At least, not until the required fix is announced officially by Tandy, which should be within a couple of months. Look for further word on this in RAINBOW.

### Monitor Adapter for CoCo 3

*I have an RGB-capable monitor (JVC TM 90PSN), but its inputs are of the RGB TTL (digital) variety only. No provisions for analog RGB input are present. Can I use this with my CoCo 3?*

Alexandre Maggiain  
Lausanne, Switzerland

If you want to get all 64 of the CoCo 3's colors visible on your TTL RGB (sometimes called RGB 1 in IBM circles) capable monitor, the answer to

### Color Computer Burn Out?

*I want to leave my CoCo 2 on for 24 hours a day running DeskMate. Will this burn it out?*

James Mc Dowell  
Wilmington, DE

The CoCo is a remarkably rugged and reliable computer, and it should be able to withstand being on continuously, for a very long time. I have friends who use their systems this way, both to run bulletin board systems and to keep the power on in their 512K RAM disk cards. In general, their systems have survived quite well. Do note, however, that if your computer has any slight flaws in its power supply (particularly any tendency to overheat, which sometimes does plague CoCos) running it 24 hours a day will accentuate such flaws and possibly cause the machine to fail. Also, in theory, such use of the machine might somewhat decrease its overall life.

***"The CoCo is a remarkably rugged and reliable computer, and it should be able to withstand being on continuously, for a very long time."***

### Slot Select Switch

*Why can't I switch my Multi-Pak from Slot 4 (disk drive) to Slot 3 (R/S Speech/Sound Pak) under program control?*

Johnathon S. Beal  
Addison, ME

The Sound/Speech Program Pak from Radio Shack has its addresses fully decoded via the address bus. Access to its ports is unaffected by the slot select switch (either the hardware or the software select switch). Because the interrupt handling routine of CoCo BASIC uses the Disk ROM (which is selected via the Multi-Pak selector switch), changing the slot selection (using either the slot selector switch or the software switch at \$FF7F) while in Disk BASIC will usually cause the system to crash, though occasionally it will recover and reboot in Extended BASIC.

To use the Sound/Speech cartridge from Disk BASIC, just keep the slot selector pointing at the disk controller cartridge. You need to carefully study the documentation that comes with the Sound/Speech Pak and learn about its ports and how they function.

your question is that it is impossible to use the monitor you describe with the CoCo 3 without some delicate custom modifications to its circuit. There is a commercial device just introduced by J&M systems that may be of some help to you. This device plugs in to the CoCo 3's RGB connector and conditions the signal so that it can drive IBM-type RGB TTL monitors. The catch is that this system will only let you get six colors and black and white on such a monitor. Thus, this commercial adapter is of little use to those who want to use the many-colored graphics capabilities of the CoCo 3. However, the adapters are of considerable value to those who have an IBM-type RGB TTL monitor and want to use it for display of 80-column color text using their CoCo 3.

I have viewed this adapter hooked to a TTL RGB monitor and a CoCo 3, and can report it worked very nicely. This adapter also has a jumper that is supposed to allow it to drive an IBM TTL type monochrome monitor. I personally did not get a chance to evaluate this option; however, the folks at J&M told me that, in such a mode, the image on the TTL IBM monochrome monitor does not quite fill the screen, but is readable. The adapter sells for \$35 from J&M systems (see their ad in this issue of RAINBOW for their address).

### Four-Drive Systems

*I have four TEC half-height drives, but can't seem to get Drive 3 (the fourth drive in the system) to operate. Can you help?*

John Kenziora  
(WIRES)  
Whitehouse, OH

I once built several four-drive systems using TEC 501 half-height, single-sided drives, for use by a couple of major CoCo software publishers as mass disk production systems. The problem you face is common to all four-drive CoCo systems not made by Tandy. Tandy uses Pin 32 as the select line for Drive 3 on its disk controller. But most drives use Trace Number 6 as the Drive 3 select line.

On the drive you are using as Drive 3, you must cut Land 32 where it becomes a PC board trace and jumper the incoming signal that goes to that land over to Land 6 on the drive. Finally, you must also jumper a source of +5 volts to the trace that used to be fed by Land 32. You see, Land 32 is the side select line on most drives. And even on single-sided drives, circuitry is present for side selection. So if the trace that was fed by Land 32 is not pulled high, your drive may occasionally "float" between access of its (existing) Side 0 and of its (non-



existent) Side 1. This would be disastrous! Note also that I am assuming you have single-sided drives, because the CoCo's disk controller is not equipped to access more than three physical double-sided drives.

### Speeding Up the DMP-200

*I am using a DMP-200 printer at 1200 baud via the bit-banger port and find it hideously slow. How can I speed matters up? Will a parallel interface help?*

Paul J. Burke  
(PJB)  
Palmdale, CA

The DMP-200 printer is slow due to an unfortunate design: It first fills its line buffer, then prints the line in question. While it is printing, it is busy and cannot accept further data. When it finishes printing the line, it opens its buffer and waits until the whole next line has been received. This, of course, takes significant time when the data is being sent at 1200 baud. The result is what you observe — the printer twiddling its thumbs after printing each line.

If you fed it via a parallel port (such as the one provided on a J&M Disk Controller) it would fill its line buffer a great deal faster than it does with 1200 baud serial data transfer, and thus the waits between lines would be minimized. But unless you are using OS-9, you may find that many applications programs cannot access the printer via an add-on parallel port.

An alternative solution is to get a serial-to-parallel buffer/converter. I have seen old Microfazer units of this sort, with a 64K buffer, selling at swap meets here for as little as \$50. This approach would preserve use of the standard bit-banger port, but would

allow you to blast data into the buffer at 9600 baud and serve it up to the DMP-200 via its parallel port, allowing it to print as fast as it is capable of doing.

### Bit-Banger Cables

*When hooking a printer to the CoCo bit-banger port, can you remind me what line is used for handshaking, and why?*

Rick Adams  
(RICKADAMS)  
Rohnert Park, CA

Though some find it surprising, the CoCo (under BASIC and under most application programs I have seen) uses the Data In Line (Pin 2 of the DIN connector) as the printer busy detect line. You might have expected them to use the Carrier Detect (Pin 1) Line for this. But the Carrier Detect Line on the CoCo's bit-banger port is hooked internally to that weird CA1 pin on the PIA. Because of this, the Carrier Detect Line can only be used to detect a *change* in the status of the signal it sees. As you know, the CA1 line is totally unable to detect the actual state of its input (high versus low). This makes it a lot less convenient to use.

Now, in sending data to the printer, you never need to use the Data In Line to receive RS-232 serial data from the printer, so that Data In Line is free for use as a handshake signal detect line. It seems Tandy or Motorola ran out of available "normal" data port pins on the PIA when it came to finding a line for the carrier detect and so was forced to use the CA1 line of the PIA. The end result of all this is that CoCo bit-banger printer cables are fundamentally different in the way they are wired from CoCo bit-banger modem cables.

Normally, on the printer side, the CoCo Pin 2 is connected to the printer's Pin 20 of its DB 25 connector. Typically, Pin 20 (DTR) is used by most printers or parallel-to-serial converters as the handshake line. Do note that on some printers you must select Pin 20 as the handshake line via DIP switches, and on some you must even tell the printer (using other DIP switches) whether to use a high or low signal to tell the computer that the printer is busy. (The CoCo under BASIC wants you to use a low signal to tell it that the printer is busy.)

Finally, note that the CoCo 3 has a curious addition to its circuit for the Data In Line. That line is pulled high internally by an R66, a 7.5K-ohm resistor. The effect is, if nothing is hooked to that line, it will see a "high," and data will be sent out (into the air, if nothing is hooked up). Recall how this is different from the behavior of the CoCo 1 and 2, which lack this pull-up resistor. On those machines, if nothing was hooked to the port, the computer would hang if you tried to print anything via BASIC, waiting for the Data In Line to register a high (printer not busy) signal.

Your technical questions are welcomed. Please address them to CoCo Consultations, THE RAINBOW, P.O. Box 385, Prospect, KY 40059.

We reserve the right to publish only questions of general interest and to edit for brevity and clarity. Due to the large volume of mail we receive, we are unable to answer letters individually.

Questions can also be sent to Marty through the Delphi CoCo SIG. From the CoCo SIG> prompt, pick Rainbow Magazine Services, then, at the RAINBOW> prompt, type ASK (for Ask the Experts) to arrive at the EXPERTS> prompt, where you can select the "CoCo Consultations" online form which has complete instructions.



## Clearbrook Software Group

### Information Management System

CSG-IMS is The full-featured relational database manager for the Color Computer and OS9. The comprehensive structured application language makes CSG-IMS the ideal development tool for file-intensive applications. Sophisticated applications can be developed in a small fraction of the time required for traditional languages.

- Interactive access to databases and quick ad hoc queries.
- CSG-IMS includes a recursive compiled language supporting program modules with full parameter passing.
- User defined screen and report formats.

- Record, index and file size almost unlimited.
- Text, BCD floating point (14 digit), short and long integer and date types.
- Run-time interpreter available.
- Comprehensive 320 page manual/tutorial.

CSG-IMS/CoCo (OS9- LI)	\$150
CSG-IMS/CoCo3 OS9 LII (single user)	\$200
CSG-IMS/OS9 LII (multiuser)	\$495
CSG-IMS/OS9 68K	\$495
CSG-IMS Demo with manual	\$30

Shipping: N. America - \$5., Overseas - \$10



Clearbrook Software Group  
P.O. Box 8000-499  
Sumas, Wa 98295  
Phone: (604) 853-9118  
BBS: (604) 859-1266

Available in Canada from:  
Kelly Software Distributors Ltd.  
Phone: (403) 236-2161

OS9 is a trademark of Microware and Motorola Inc.





# Pretty Little Listings, All in a Row

By George Quellhorst

The idea for *Two Column Lister* originated with an article in the May 1985 issue by Mr. Stehan Lai called 2-COLUMN. All that remains of the original program are lines 49 to 52.

Although this program was specifically written to be used with a DMP-130 printer, changing it for use with other printers is simple. All the printer codes are contained in a "printer-code select" GOSUB that lets you select from eight different character styles for printing your newly generated printout (lines 94-101). By changing the printer codes in these lines, printer compatibility does not present any particular problems.

*Two Column Lister* generates both 32- and 40-wide two-column listings, and some of its other features make this a very user-friendly utility. The capability to save a newly generated listing to disk comes in very handy, especially when more than one listing is needed. Also included is an automatic page-numbering system that lets you set the value of the first page number of the listing. A rather annoying bug, that printed a line filled with spaces whenever the line preceeding it was exactly 32 characters long, has been exterminated.

You may need to make one or two changes in Line 1. If you do not have a CM-8 or some other RGB monitor, change the command PALETTERGB to PALETTECMP. The POKE150,18 sets the

baud rate of the Color Computer to 2400. The baud rate is the speed at which CoCo 3 sends its information to the printer. If your printer cannot handle this speed, change it to POKE150,41 for 1200 or to POKE150,87 for a baud rate of 600. The baud rate does not affect the speed at which the printer does its printing. A higher or lower baud rate shortens or lengthens the time your printer needs to fill its buffer. The only time you actually save is in the shorter intervals between the printing of each line.

Because the designers of the Color Computer 3's ROM left the cursor on the Hi-Res screen while the computer's executing a program, I had two options while writing this program. I could either have cursors flashing all over the screen while the listing was being loaded into memory, or I could put an ATTR 1, 0 and a LOCATE command after each PRINT statement, in order to make the cursor invisible. I chose the latter; although the big drawback is that whenever an error occurs while the computer is in the ATTR1, 0 mode, you'll end up with an empty screen and absolutely no idea what sort of error occurred where. In the future, when writing a program for the CoCo 3, I am going to put the values in this ATTR command into variables, thereby eliminating the blind search for an error and the need to change all the ATTR commands. What we need here is a new ROM, without fancy pictures embedded in it, and a cursor that knows how to behave itself. The syntax for a PRINT statement without a cursor printed behind it is LOCATE B, 4:ATTR3,2:PRINT "HELLO";:ATTR1,

0:LOCATE18,6. Please note the sequence:

- 1) LOCATE the cursor.
- 2) The ATTR for your print statement.
- 3) Make your PRINT statement.
- 4) Set foreground and background to the same color (ATTR1, 0)
- 5) LOCATE cursor at the next print location.

Because of all this, I have designed a rather elaborate input section, making it almost impossible to get any kind of error that would halt the execution of the program. In the words of my son, "It is almost, but not quite, idiot-proof."

The program is divided into three parts. First comes input section, followed by the actual listing generator (coupled with an output section that will write the generated listing either to your printer or disk). The last part retrieves a previously generated listing, writing it directly to the printer one page at a time.

A word of caution before we take a look at the program. If you type in the listing, pay close attention to the number of spaces needed in lines 70 and 71. Those spaces center the listings on your paper when they are printed and formats them before they are saved.

Starting with the main menu, the first item we will look at is the creation of a two-column listing. The program you are going to LLIST has to be saved in ASCII code on your disk. Seven pieces of information are required before a new listing can be generated. First, of course, is the filename of the listing. The extension has to be ".BAS." The error-trapping routine will not allow you to enter a filename longer than eight characters. It also won't accept the name of a file that does not exist on your disk, or any file that does not have ".BAS" as an extension. Neither will it accept a CHR\$(13), ENTER. All this is accomplished in lines 16 to 18. Line 16 is a LINEINPUT, which adds ".BAS" to your input. It then checks to see if DN\$=".BAS". If it does, it means you pressed ENTER only, and the program

*George Quellhorst lives in Painesville, Ohio, and has had a CoCo since the 4K days. He enjoys writing programs on his two CoCo 2s and a CoCo 3 with RGB monitor.*



If you pressed enter at the Filename prompt, the program skips the Disk or Printer prompt and displays "printer." Otherwise, press D for disk or P for printer.

If you are sending the listing directly to the printer, the next order of business is the selection of the character style you want. With a listing that is 32 columns wide, you may select one of the eight styles. In a 40-column listing, you are restricted to the last four (12 cpi). The program will not allow you to select a 10 cpi width when you're formatting a 40-column listing. It gives a warning and waits for another input. When selecting printer codes, the printer has to be on; printer codes are sent directly

Line 50 opens a second FOR-NEXT loop for each line. CN keeps a running

# Sample Printout



count of all characters, including spaces, taken from the disk. The variable LF equals LDF(1). Therefore, IF CN>LF, the end of our file has been reached. ST is a flag, which we will use later to let the computer know all the information has been retrieved from the disk. Line 51 gets the first character, RD\$, from the disk and checks to see if it's a CHR\$(13) which, since you press ENTER after typing in each program line, indicates that the end of a program line has been reached. Presuming our character is not a CHR\$(13), Line 51 takes the first empty space in PL\$(F), our first line, and replaces it with RD\$. The next F1 gets the second character and so on, until either a CHR\$(13) is found or W is reached. Since we are replacing spaces in an existing line, it does not matter if the line is only nine characters long; the remaining spaces fill out the rest, and the length of the line will always equal W.

Since a program line exactly 32 or 40 characters long is really 33 or 41 characters long because of the CHR\$(13) on the end, the program would put the CHR\$(13) on the next line, leaving you with a line of unprinted material. Therefore, whenever we find a CHR\$(13), the program is routed to Line 53 which checks for such an occurrence and deletes the empty line. After we have reached W or a CHR\$(13), the first line is completed and we go back to 50 to start on the second line of the listing. This continues until CN=LDF(1) or until 114 lines have been generated.

When the first page of material is in memory, we have to dump it either to the printer or the disk in order to make room for the next page. Take a look at Line 41; it reads CO=(8\*X) and A\$(0)=STR\$(X)+W\$+"\*"+NM\$. X is the variable for the cpi you selected. We

have multiplied X by 8 to give us the total characters for each line, took the name of our new listing (NM\$), the width of our listing (W\$), and we have placed the whole thing into a new variable called A\$(0). The \* is being used for later reconstitution of the original variables with the use of an INSTR command. If you have decided to list directly to the printer, A\$(0) will not be used. However, when you are saving the listing to your disk, A\$(0) will be the first thing that is placed on your disk. It will be retrieved whenever you are printing a saved listing from the disk to inform you what kind of listing you are dealing with.

We now have 114 lines of text in memory, each line either 32 or 40 characters wide. In order to format this for printing or saving, we must first determine if we indeed have 114 lines. It may have been a very short listing, or it may be the last page of a longer listing. We do this in Line 65. First, we determine if F, the number of program lines, is smaller than 114. If so, and if ST=1, F is divided by two to set the value of Q. Line 69 opens a FOR-NEXT loop: FORG=1 TO Q. By looking at the next line, and presuming we have a listing that is 40 characters wide, Line 70 creates 57 lines of two-column text by combining the first and the 58th line into A\$, adding margins and spaces in between columns as it does so. We print or save A\$ in Line 72. Then the NEXTG gets lines 2 and 59, and so on, until the whole page is either printed or saved to disk.

Line 75 prints the page number, and IF ST=1 Line 77 either ends the program or returns to get page two from the disk. In case we have a partially filled page after the whole listing is printed or saved, lines 74, 78 and 80 compute the amount of line feeds to be printed, so

that we are able to print the page number in the correct position. A line of 40 asterisks will be printed underneath the listing by Line 79.


### Printing A Saved Listing

This is a straightforward program. After you press the number two on the main menu, a directory of your disk appears. After entering the filename, the computer gets the first page of the listing from the disk and prints the name of your program, the character width and the width, either 32 or 40, of your listing on the screen and prompts you to make a character style selection. Again, the error-trapping routines will not allow you to make an error when you're in the process of selecting the printer codes.

The program will retrieve your listing from the disk one page at a time, print the page, erase memory and return to get the next page. You have the option to have the computer wait for your command before it prints the second page or to print the entire listing at once. There is really no reason to have the computer stop between sheets, because it will skip the perforations and produce a listing centered on your paper. However, the option is there.

Last, but not least, the computer keeps you informed as to what is going on, by printing little messages on the screen. For example, "now loading page one" or "now printing page one." As a result, you will find *Two-Column Lister* a very user-friendly piece of software that is simple to use.

(Questions about this program may be directed to Mr. Quellhorst at 1572 Mentor Ave., Painesville, OH 44077; 216-352-2977. Please enclose an SASE for a reply when writing.) □



6.....86	78.....19
16.....154	89.....162
24.....94	100.....201
30.....84	112.....35
40.....168	125.....234
50.....152	133.....81
65.....162	END.....224

The listing: LLISTER

```
1 UNLOAD:POKE65497,0: CLEAR7000:P
OKE150,18:WIDTH40:PALETTE:RGB=5
```

```
7:DIMA$(67),PL$(114):ST$=STRING$(
35,32)
2 CLS:LOCATE7,2:ATTR4,5:PRINT"32
/ 40 TWO COLUMN LLISTER":ATTR1
,0:LOCATE8,4:ATTR3,2:PRINT"FOR T
HE COLOR COMPUTER 3":ATTR1,0:LO
CATE10,6:ATTR3,3:PRINT"BY:GEORGE
QUELLHORST":ATTR1,0:LOCATE38,8
:ATTR0,0
3 FORT=1TO8:LOCATE2,T:ATTR3,3,B:
PRINT"*":ATTR1,0:NEXT:FORT=0TO8
:LOCATE37,T:ATTR3,3,B:PRINT"*":
ATTR1,0:NEXT:ATTR1,0:L$=STRING$(
36,42):LOCATE2,0:ATTR3,3,B:PRINT
L$:ATTR1,0:LOCATE2,8:ATTR3,3,B:
```



```

PRINTL$;:ATTR1,0:LOCATE2,9
4 L$=STRING$(20,45):ATTR0,0:LOCA
TE10,11:PRINT"YOU HAVE TWO OPTIO
NS":LOCATE10,12:PRINTL$:LOCATE7,
14:PRINT"1. GENERATE A 32 OR 40"
:LOCATE10,15:PRINT"TWO COLUMN LL
ISTING"
5 LOCATE7,18:PRINT"2. PRINT A PR
EVIOUSLY":LOCATE10,19:PRINT"GENE
RATED LLISTING":LOCATE10,20:PRIN
T"SAVED ON YOUR DISK":LOCATE8,23
:PRINT"PRESS EITHER <1> OR <2>";
:ATTR1,0:LOCATE38,22:POKE65496,0
6 ATTR0,0:IN$=INKEY$:IN=INSTR(1,
"12",IN$):IFIN=0ORIN$=""THEN6
7 ON IN GOTO 8,102
8 CLS:LOCATE3,0:ATTR3,2:PRINT"32
/40 COLUMN LLISTER FOR COCO III"
;:ATTR1,0:LOCATE38,0:ATTR0,0
9 LOCATE1,3:PRINT"PROGRAMS NAME.
....."
10 LOCATE1,5:PRINT"LLISTINGS HEA
DER...."
11 LOCATE1,7:PRINT"LLISTINGS FIL
E NAME:"
12 LOCATE1,9:PRINT"FIRST PAGE NU
MBER...":LOCATE1,11:PRINT"DISK O

```

```

R PRINTER....."
13 LOCATE1,13:PRINT"32 OR 40 LLI
STING...":LOCATE1,15:PRINT"10 OR
12 CPI....."
14 S$=STRING$(39,61):LOCATE0,17:
PRINTS$;:FORT=18TO23:LOCATE0,T:P
RINT"=";:NEXT:FORT=18TO23:LOCATE
38,T:PRINT"=";:NEXT:LOCATE0,23:P
RINTS$;
15 LOCATE2,19:ATTR3,2:PRINT"PROG
RAM MUST BE SAVED IN ASCII CODE"
;:ATTR1,0:LOCATE7,21:ATTR3,2:PRI
NT"EXTENTION /BAS IS ASSUMED";:A
TTR1,0
16 ATTR0,0:LPOKE442671,170:LPOKE
442670,95:LOCATE21,3:LINEINPUT">
";DN$:DN$=DN$+"/BAS":IFDN$="/BA
S"THEN16
17 IFLEN(DN$)>12THENLOCATE21,3:P
RINT" ":GOSUB81:GOSUB83:GOTO16EL
SEL8
18 OPEN"D",#1,DN$,1:IFLOF(1)=0TH
ENGOSUB81:GOSUB139:LOCATE6,20:AT
TR0,0,B:PRINT"FILE DOES NOT EXIS
T TRY AGAIN";:ATTR0,0:LOCATE21,3
:PRINT" ":CLOSE#1:KILLDN$:GOTO16
ELSELOCATE23,3:PRINTDN$:LOCATE36

```

## About Your Subscription

Your copy of THE RAINBOW is sent second class mail. You must notify us of a new address when you move. Notification should reach us no later than the 15th of the month prior to the month in which you change your address. Sorry, we cannot be responsible for sending another copy when you fail to notify us.

Your mailing label also shows an account number and the subscription expiration date. Please indicate this account number when renewing or corresponding with us. It will help us help you better and faster.

For Canadian and other non-U.S. subscribers, there may be a mailing address shown that is different from our editorial office address. Do not send any correspondence to that mailing address. Send it to our editorial offices at Falsoft, Inc., The Falsoft Building, P.O. Box 385, Prospect, KY 40059. This applies to everyone except those whose subscriptions are through our distributor in Australia.

## EACH PROGRAM COMES WITH

**\*\* 10 FREE DISKS \*\***

CHECKBOOK III - \$19.98 COCO 3 Only  
 PUZZLE MATH - \$19.98 Grades 2-5  
 WORD MEANINGS - \$24.98 Grades 2-Adult  
 VCR DATABASE & MINI TITLE SCREEN MAKER - \$20.98  
 DIRECTORY VIEWER - \$19.98  
 S.T.A.G. - A GRADEBOOK - \$35.00  
 COUPON FILER - \$19.98 COCO 1 & 2 Only  
 S.B. INVENTORY III - \$24.98 COCO 3 Only

Small business inventory control. Includes catalog & page no., item & packing descriptions, cost per pack, markup & retail cost, number in stock + reorder point. Holds over 500 records at one time.

**SUPERTHELLO - \$21.98**

Like the great board game, but played like it's never been played before. Two versions provided. 2 joysticks required.

**FILE VIEWER - \$19.98**

Single key program loading. View all disks files at one time. Move the file pointer to the file you wish to load, kill, rename, etc. and press 1 key. Even copies itself to other disks with one key.

PROGRAMS FOR 64K COCO 1,2,3, 1 DISK. ADD \$3 S/H. C.O.D. \$2 EXTRA. MS RES 6% SALES TAX. CALL/WRITE FOR FREE CATALOG.

EXCITING OPPORTUNITY FOR NEW PROGRAMMERS TO MARKET THEIR PROGRAMS. WRITE FOR DETAILS. DEALERS WELCOME.

SECA - P.O. BOX 3134  
 GULFPORT, MS 39505  
 (601) 832-8236





```

,3:ATTR3,3,B:PRINT"OPEN";:ATTR1,
Ø:LOCATE3,1
19 GOSUB81:LOCATE3,19:ATTR3,2:PR
INT"TITLE FOR YOUR LISTING MAXIM
UM 16";:ATTR1,Ø:LOCATE4,21:ATTR3
,2:PRINT"PRESS ENTER IF NO TITLE
DESIRED";:ATTR1,Ø:LOCATE21,5
2Ø ATTRØ,Ø:LPOKE442847,17Ø:LPOKE
442846,95:LOCATE21,5:LINEINPUT">
";HE$:ATTR1,Ø
21 ATTRØ,Ø:IFLEN(HE$)>16THEN22EL
SE23
22 LOCATE21,5:PRINTSTRING$(17,32
);:LOCATEØ,6:PRINTSTRING$(1Ø,32)
;:GOSUB81:GOSUB82:ATTR1,Ø:GOTO2Ø
23 LE=LEN(HE$):IFHE$=""THENOT=1:
LOCATE23,5:PRINT"NO HEADER";:ATT
R1,Ø:LOCATE35,7
24 GOSUB81:LOCATE6,18:ATTR3,2:PR
INT"FILENAME FOR YOUR LLISTING";
:ATTR1,Ø:LOCATE2,2Ø:ATTR3,3,B:PR
INT"WHEN LISTING TO PRINTER PRES
S ENTER";:ATTRØ,Ø:LOCATE7,22:ATT
R3,2:PRINT"EXTENTION /DAT IS ASS
UMED";:ATTR1,Ø
25 ATTRØ,Ø:LPOKE442991,17Ø:LPOKE
44299Ø,95:LOCATE21,7:LINEINPUT">
";NM$
26 IFLEN(NM$)>8THENLOCATE21,7:PR
INT" ":GOSUB81:GOSUB83:GOTO25ELS
E27
27 IFNM$=""THENNM$="N":LOCATE23,
7:PRINT"PRINTER";:L$="P":ATTR1,Ø
:LOCATE38,7:ELSENM$=NM$+"/DAT"
28 GOSUB81:LOCATE4,18:ATTR3,2:PR
INT"ENTER THE STARTING PAGE NUMB
ER";:ATTR1,Ø:LOCATE3,2Ø:ATTR3,2:
PRINT"OF YOUR 32 OR 40 COLUMN LL
ISTING";:ATTR1,Ø:LOCATE1,22:ATTR
3,2:PRINT"2 DIGITS MAX. ENTER ST
ARTS AT PAGE 1";:ATTR1,Ø
29 LPOKE443139,17Ø:LPOKE443138,9
5:LOCATE21,9:ATTRØ,Ø:LINEINPUT">
";PG$:IFPG$=""THENPG$="1":LOCAT
E23,9:PRINT"1"
3Ø IFLEN(PG$)>3THENLOCATE21,9:PR
INT" ":GOSUB81:GOSUB82:GOTO29ELS
EPG=VAL(PG$)
31 IFL$="P"THENU=-2:LOCATE21,11:
PRINT"> PRINTER";:GOTO34ELSEGOSU
B81:LOCATE1Ø,19:ATTR3,2:PRINT"EN
TER <D> FOR DISK";:ATTR1,Ø:LOCAT
E9,21:ATTR3,2:PRINT"ENTER <P> FO
R PRINTER";:ATTR1,Ø
32 LPOKE443297,17Ø:LPOKE443296,9
5:LOCATE21,11:ATTRØ,Ø:LINEINPUT"
> ";L$:IFL$=""THEN32
33 A1=INSTR(1,"PD",L$):IFA1=1THE

```

```

NU=-2ELSEIFA1=2THENU=2ELSEGOSUB1
39:LOCATE21,11:PRINT" ":GOTO32
34 GOSUB81:LOCATE13,2Ø:ATTR3,2:P
RINT"ENTER 32 OR 4Ø";:ATTR1,Ø
35 LPOKE443459,17Ø:LPOKE443458,9
5:LOCATE21,13:ATTRØ,Ø:LINEINPUT"
> ";W$
36 W=VAL(W$):IFW=32ORW=4ØTHEN37E
LSEGOSUB139:LOCATE21,13:ATTRØ,Ø:
PRINT" ":GOTO35
37 GOSUB81:LOCATE14,18:ATTR3,2:P
RINT"PLEASE NOTE";:ATTR1,Ø:LOCAT
E5,2Ø:ATTR3,2:PRINT"4Ø COLUMNS C
AN ONLY BE LISTED";:ATTR1,Ø:LOCA
TE9,22:ATTR3,2:PRINT"IN THE 12 C
.P.I. MODE";:ATTR1,Ø
38 LPOKE443619,17Ø:LPOKE443618,9
5:LOCATE21,15:ATTRØ,Ø:LINEINPUT"
> ";X$:X=VAL(X$)
39 IFX=1ØORX=12THEN4ØELSEGOSUB13
9:LOCATE21,15:PRINT" ":GOTO38
4Ø IFW=4ØANDX=1ØTHENGOSUB139:LOC
ATE21,15:PRINT" ":GOTO38
41 AL=Ø:CN=1:CO=(8*X):PN=INT((CO
-LE)/2):A$(Ø)=STR$(X)+W$+"*"+NM$
42 CLS:IF L$="P"THEN GOSUB84
43 CLS:LOCATE1Ø,6:PRINT"INSERT P
ROGRAM DISK":LOCATE12,8:PRINT"AN
D PRESS ENTER":LOCATE18,1Ø:LINEI
NPUT">";A$
44 BL$=STRING$(W,32):OPEN "O",#2
,NM$
45 FIELD#1,1 AS RD$:LF=LOF(1)
46 CLS:LOCATE9,1:ATTR3,2,B:PRINT
"N O W      L O A D I N G";:ATTRØ,
Ø:LOCATE8,4:PRINT"LOADING WILL B
E FINISHED":LOCATE7,6:PRINT"BEFO
RE THIS NUMBER REACHES":LOCATE17
,9:PRINT"< 114 >":ATTR1,Ø:LOCATE
38,9
47 PG$=STR$(PG):IFVAL(PG$)<1ØTHE
NPG$="ØØ"+RIGHT$(PG$,1)ELSEPG$="
Ø"+RIGHT$(PG$,2)
48 LOCATE1Ø,16:ATTRØ,Ø:PRINT"NOW
LOADING PAGE NUMBER":LOCATE17,1
9:PRINT"< ";PG$;:LOCATE23,19:PRI
NT">":ATTR1,Ø:LOCATE38,9
49 FORF=1TO114:PL$(F)=BL$
5Ø FORF1=1TOW:CN=CN+1:IFCN>=LF T
HENST=1:GOTO58
51 GET#1,CN:IFRD$=CHR$(13)THEN53
52 MID$(PL$(F),F1,1)=RD$:NEXTF1
53 IF PL$(F)<>STRING$(W,32)ANDPL
$(F-1)=STRING$(W,32)THENPL$(F-1)
=PL$(F):PL$(F)=BL$:CN=CN-INSTR(1
,PL$(F-1),CHR$(13)):GOTO5Ø
54 F$=STR$(F):F$=RIGHT$(F$,LEN(F
$)-1):IFVAL(F$)<1ØTHENF$="Ø"+RIG

```



```

HT$(F$,1)
55 IF VAL(F$)<100 THEN F$="0"+RIGHT$(F$,2)
56 ATTR0,0:A$=LEFT$(F$,1):B$=MID$(F$,2,1):C$=RIGHT$(F$,1)
57 S=443362:LPOKES,60:LPOKE(S+4),ASC(A$):LPOKE(S+6),ASC(B$):LPOKE(S+8),ASC(C$):LPOKE(S+12),62:NEXTF
58 CLS:GOSUB61
59 IF ST=1 THEN L01
60 OT=1:GOTO 46
61 CLS:IFU=-2 THEN LOCATE 7,6:ATTR0,0:PRINT"POSITION PAPER IN PRINTER":LOCATE 11,8:PRINT"AND PRESS <ENTER>":GOSUB139:LOCATE 18,10:LINE INPUT">";I$
62 IF AL=0 AND U=2 THEN PRINT#2,A$(0) ELSE IF U=2 THEN PRINT#2
63 IF OT=1 THEN FORT=1 TO 5:PRINT#U:NEXT:GOTO65
64 FORT=1 TO 2:PRINT#U:NEXT:PRINT#U,STRING$(PN,32)+HE$:PRINT#U,STRING$(PN,32)+STRING$(LE,61):PRINT#U
65 IFF<114 AND ST=1 THEN Q=INT(((F)/2)+.5):Z=1
66 IFL$="D" OR U=2 THEN 68
67 CLS:LOCATE 14,10:ATTR3,2,B:PRINT"NOW PRINTING";:ATTR1,0:LOCATE 35,10:ATTR0,0:GOTO69
68 CLS:LOCATE 11,10:ATTR3,2,B:PRINT"NOW SAVING TO DISK";:ATTR1,0:LOCATE 35,10:ATTR0,0
69 FORG=1 TO Q
70 IFW=40 THEN A$=" "+PL$(G)+" "+PL$(G+Q):GOTO72
71 IF CO=96 THEN A$=" "+PL$(G)+" "+PL$(G+Q) ELSE IF CO=80 THEN A$=" "+PL$(G)+" "+PL$(G+Q)
72 PRINT#U,A$:NEXTG
73 PRINT#U
74 IF Z=1 THEN 78
75 IF CO=80 THEN PRINT#U,STRING$(70,32);:PRINT#U,"Page";PG ELSE IF CO=96 THEN PRINT#U,STRING$(86,32);:PRINT#U,"Page";PG
76 PRINT#U:PRINT#U
77 IF ST=1 THEN L01 ELSE PG=PG+1:AL=1:RETURN
78 W=(63-(Q+6)):IF W=0 THEN 75
79 RN=INT((CO-40)/2):PRINT#U,STRING$(RN,32);STRING$(40,42)
80 W=(W-2):IFW=<0 THEN 75 ELSE PRINT#U,STRING$(W,13):GOTO75
81 ATTR1,0:FORT=18 TO 22:LOCATE 1,T:PRINTST$;:NEXTT:RETURN

```

```

82 LOCATE 1,20:ATTR0,0,B:PRINT"YOU HAVE ENTERED TOO MANY CHARACTERS";:ATTR1,0:LOCATE 11,2:GOSUB139:RETURN
83 LOCATE 2,20:ATTR0,0,B:PRINT"FILENAME CAN'T EXCEED 8 CHARACTERS";:ATTR1,0:GOSUB139:RETURN
84 CLS:LOCATE 10,0:PRINT"PRINT OPTION SELECT":LOCATE 10,1:PRINTSTRING$(19,"=")
85 LOCATE 0,3:PRINT"1. STANDARD / NORMAL .....<10 CPI>":LOCATE 0,5:PRINT"2. STANDARD / ITALIC .....<10 CPI>"
86 LOCATE 0,7:PRINT"3. STANDARD / N.L.Q.....<10 CPI>":LOCATE 0,9:PRINT"4. STANDARD / N.L.Q. / ITALIC..<10 CPI>"
87 LOCATE 0,13:PRINT"5. ELITE / NORMAL.....<12 CPI>":LOCATE 0,15:PRINT"6. ELITE / ITALIC.....<12 CPI>"
88 LOCATE 0,17:PRINT"7. ELITE / N.L.Q.....<12 CPI>":LOCATE 0,19:PRINT"8. ELITE / NORMAL / ITALIC.....<12 CPI>"
89 LOCATE 10,21:ATTR3,2,B:PRINT"[PRESS KEY DESIRED]";:ATTR1,0:LOCATE 39,22
90 IN$=INKEY$:ATTR0,0:IN=INSTR(1,"12345678",IN$):IF IN=0 OR IN$="" THEN 90
91 IFW=40 AND IN<=4 THEN GOSUB139:LOCATE 0,23:ATTR3,2:PRINT"40 COLUMNS CAN ONLY BE LISTED IN 12 CPI";:ATTR1,0:LOCATE 39,23:GOTO90
92 ON IN GOTO 93,94,95,96,97,98,99,100
93 PRINT#-2,CHR$(27);CHR$(19);:RETURN
94 PRINT#-2,CHR$(27);CHR$(19);CHR$(27);CHR$(66);CHR$(1);:RETURN
95 PRINT#-2,CHR$(27);CHR$(18);:RETURN
96 PRINT#-2,CHR$(27);CHR$(18);CHR$(27);CHR$(66);CHR$(1);:RETURN
97 PRINT#-2,CHR$(27);CHR$(23);:RETURN
98 PRINT#-2,CHR$(27);CHR$(23);CHR$(27);CHR$(66);CHR$(1);:RETURN
99 PRINT#-2,CHR$(27);CHR$(29);:RETURN
100 PRINT#-2,CHR$(27);CHR$(29);CHR$(27);CHR$(66);CHR$(1);:RETURN
101 CLS:UNLOAD:GOSUB139:LOCATE 6,10:ATTR3,2,B:PRINT"DONE. RETURNING TO MAIN MENU";:ATTR1,0:LOCATE 35,10:FORT=1 TO 2000:NEXTT:IFU=-2

```



```

HENKILL"N/DAT":RUNELSERUN
102 CLS:LOCATE11,0:ATTR3,2:PRINT
"D I R E C T O R Y :";ATTR1,0:LO
CATE38,0:PRINT:PRINT:FORD=3TO11
:DSKI$ 0,17,D,E$,F$:FORG=1TO8:IF
G<5THENI=(G-1)*32ELSEI=(G-5)*32
103 IFG=5THENE$=F$
104 PL$=MID$(E$,I+1,8)
105 IFASC(LEFT$(PL$,1))=255THEN1
08
106 IFASC(LEFT$(PL$,1))=0THENNEX
TG,D
107 H$=MID$(E$,I+9,3):PL$(R)=PL$
+ "/" + H$:R=R+1:NEXTG,D
108 O=2:LOCATE0,O:FORD=1TOR-1
109 ATTR0,0:IFD/3<>INT(D/3)THENP
RINTPL$(D);" ";ELSEPRINTPL$(D);
:O=O+1
110 NEXTD:HSTAT Z$,Z1,Z2,Y:IFZ2=
0THENY=Y+1ELSEY=Y+2
111 LOCATE10,Y:PRINTSTRING$(20,4
2):Y1=Y+2:Y2=Y1+1:Y3=Y2+1:LOCATE
0,Y1:PRINT"LOAD A FILE, ENTER FI
LE NAME":LOCATE0,Y2:PRINT"PRESS
<ENTER> TO ABORT.";
112 LOCATE24,Y3:ATTR3,2:PRINT"/D
AT IS ASSUMED";ATTR1,0:LOCATE0,
Y3:ATTR0,0:LINEINPUT"ENTER FILEN
AME:";F$
113 IFLEN(F$)>8THENLOCATE0,Y3:PR
INT" ":GOTO112ELSEIFF$=""THEN8
114 GOSUB140
115 OPEN "I",#1,F$+".DAT":V=0
116 LINE INPUT #1,A$:A$(V)=A$:V=
V+1
117 M$=MID$(A$(0),6,1):IFM$=""*T
HENM=1
118 IFEOF(1)=-1 AND M<>1 THEN 12
1
119 IFEOF(1)<>-1THEN124
120 IF V=67 AND M<>1 THEN121ELSE
124
121 GJ=1:CLS:GOSUB139:LOCATE6,10
:ATTR3,3:PRINT"THIS IS NOT A STA
NDARD FILE";ATTR1,0:LOCATE4,12:
ATTR3,3:PRINT"PRINT IT ANYWAY ?
<Y>ES OR <N>0";ATTR1,0:LOCATE38
,12:ATTR0,0
122 IN$=INKEY$:IN=INSTR(1,"YN",I
N$):IFIN=0ORIN$=""THEN122ELSEIFI
N=1THENGOSUB84ELSEIFIN=2THEN1
123 IFGJ=1THEN133
124 IFV2=0 ANDV=67THENGOSUB126EL
SEIFV=67 ANDV2=1 THENGOSUB135ELS
EIFV=67 ANDV2=2 THENGOSUB133
125 GOTO116
126 X$=MID$(A$(0),2,2):W$=MID$(A
$(0),4,2):N=INSTR(1,A$(0),"/"):N

```

```

M$=MID$(A$(0),7,(N-1)):W=VAL(W$)
:X=VAL(X$):GOSUB139:CLS:LOCATE8,
0:ATTR3,2:PRINT"PRINT A FILE FRO
M DISK";ATTR1,0:LOCATE38,0
127 LOCATE3,3:ATTR0,0:PRINT"THE
FOLLOWING FILE HAS BEEN LOADED":
LOCATE7,5:PRINT"INTO THE COMPUTE
RS MEMORY":LOCATE14,9:ATTR3,2:PR
INTNM$;ATTR1,0:LOCATE38,7
128 LOCATE7,11:ATTR3,2:PRINT"IT
IS A ";PRINTW$;PRINT" COLUMN L
ISTING";ATTR1,0:LOCATE38,10:IFW
=40THEN129ELSE130
129 LOCATE8,15:ATTR4,5:PRINT"YOU
MUST USE 12 C.P.I.";ATTR1,0:LO
CATE10,17:ATTR4,5:PRINT"TO PRINT
THIS FILE";ATTR1,0:LOCATE38,17
:GOTO131
130 LOCATE10,15:ATTR4,5:PRINT"IT
IS FORMATTED FOR";ATTR1,0:LOCA
TE9,17:ATTR4,5:PRINT"PRINTOUT AT
";X;PRINT"C.P.I.";ATTR1,0:LOCA
TE38,17
131 ATTR0,0:LOCATE1,22:PRINT"PRE
SS ANY KEY TO SELECT PRINTER COD
ES":ATTR1,0:LOCATE38,22
132 ATTR0,0:IFINKEY$=""THEN 132
ELSE GOSUB 84
133 CLS:LOCATE7,5:PRINT"POSITION
PAPER IN PRINTER":LOCATE13,7:PR
INT"PRESS <ENTER>";LOCATE6,9:PR
INT"TO PRINT THE ENTIRE LISTING"
;LOCATE14,17:PRINT"<SPACEBAR>";
:LOCATE5,19:PRINT"FOR A PAUSE AF
TER EACH SHEET";GOSUB139:ATTR1,
0:LOCATE38,19
134 ATTR0,0:ID$=INKEY$:IFID$=CHR
$(13)THENV2=1ELSEIFID$="" THENV2
=2ELSEIFID$=""THEN134ELSE135
135 CLS:LOCATE14,10:ATTR3,2,B:PR
INT"NOW PRINTING";ATTR1,0:LOCAT
E35,10:ATTR0,0
136 ATTR0,0:U=U+1:V=0:V4=1:FORT=
1TO66:PRINT#-2,A$(T):NEXTT:IFEOF
(1)=-1THEN137ELSEGOSUB140:RETURN
137 UNLOAD:CLS:LOCATE10,10:ATTR3
,2:PRINT"PRINTING IS FINISHED";
ATTR1,0:LOCATE6,20:ATTR0,0,B:PRI
NT"PRESS ANY KEY FOR MAIN MENU";
ATTR1,0:LOCATE38,22:GOSUB139
138 ATTR0,0:IFINKEY$=""THEN138EL
SERUN
139 FORS=1TO10:SOUND180,1:NEXT:R
ETURN
140 CLS:LOCATE5,10:ATTR3,2,B:PRI
NT"NOW LOADING PAGE";PRINT(U+1)
;PRINT"INTO MEMORY";ATTR1,0:LO
CATE38,10:ATTR0,0:RETURN

```



# Protect and highlight your important magazine collection with sturdy RAINBOW binders



## Distinctive, Durable RAINBOW Binders

THE RAINBOW is a vital resource to be referred to again and again. Keep your copies of THE RAINBOW safe in our quality, distinctive binders that provide complete protection.

These **attractive red vinyl binders** showcase your collection and ensure your RAINBOWs are in mint condition for future use. Each binder is **richly embossed with the magazine's name in gold** on the front and spine. They make a handsome addition to any room.

## Put an End to Clutter

Organize your workspace with these tasteful binders. Spend more time with your CoCo and eliminate those frustrating searches for misplaced magazines.

A set of two binders, which holds a full 12 issues of THE RAINBOW, is only \$13.50 (plus \$2.50 shipping and handling).

## Special Discounts on Past Issues

To help you complete your collection of THE RAINBOW, we're offering a **special discount on past issues** of the magazine.

When you place an order for six or more back issues of THE RAINBOW at the same time you order binders, you are entitled to \$1 off the regular back issue price. To order, please see the "Back Issue Information" page in this issue.

## Know Where to Look

You may purchase the "Official And Compleat Index To THE RAINBOW" for \$1 when you purchase a set of binders. This comprehensive index of RAINBOW's first three years (July 1981 through July 1984) is usually priced at \$2.50.

For greater  
convenience, order  
RAINBOW Binders  
through the  
shopping area of the  
CoCo SIG of Delphi!

\_\_\_\_ **YES.** Please send me \_\_\_\_\_ set(s) of RAINBOW binders

**Take advantage of these special offers with your binder purchase:**

\_\_\_\_ Save \$1 off the single issue cover price for back issues. Minimum order of 6 magazines. Please enclose a back issue order form from a recent issue indicating magazines wanted.

\_\_\_\_ Purchase the "Official and Compleat Index to THE RAINBOW" for \$1. (Regular price \$2.50.)

(These offers good only with the purchase of a RAINBOW binder set)

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

☐ My check in the amount of \_\_\_\_\_ is enclosed. (In order to hold down costs, we do not bill.)

Charge to: ☐ VISA ☐ MasterCard ☐ American Express

Account Number \_\_\_\_\_ Expiration Date \_\_\_\_\_

Signature \_\_\_\_\_

**Mail to: Rainbow Binders, The Falsoft Building, P.O. Box 385, Prospect, KY 40059.**

Binders are \$13.50 per two-binder set plus \$2.50 shipping and handling. If your order is to be sent via U.S. mail to a post office box or foreign country, please add \$2. Kentucky residents add 5% sales tax. U.S. currency only, please. In order to hold down non-editorial costs, we do not bill.

For credit card orders call (800) 847-0309, 8 a.m. to 5 p.m. EST

All other inquiries call (502) 228-4492.





# Thanks for the Memory

By Thomas Kocourek and  
Kenneth Rockwell

**M**any programs have been written to use the full 64K of the CoCo. These programs are often clumsy to use or have dubious value. *NewBoots* is a utility program written for the 64K CoCo. It is easy to use and will work on either disk or cassette systems.

"Why," you might ask, "do we need another 64K program?" Because there are times when you need maximum memory. A good example is *Colorkit* by Prickly-Pear Software. This machine language utility usually occupies the upper 5K of memory in a 32K CoCo. The memory is normally lost to you. But if you use *NewBoots* to load *Colorkit* with an offset to &HE000, you gain the memory back, along with an additional bonus. You can run your BASIC program and not worry about scrambling *Colorkit*. Other position-independent-coded, machine language programs can be loaded in a similar manner. How do you know if an ML program is position-independent? Load it with a small offset and execute it (i.e., type `LOADM` or `CLOADM "program name",512`). If the program works, it is position-independent.

Upon pressing the reset button, you will lose the 64K mode. To remedy this annoyance, we've written an automatic re-boot to 64K routine and incorporated it into *NewBoots*. To disable this feature, you must cold start the CoCo (via `POKE113,0` and pressing `ENTER`

and reset, or shutting off the power).

## How It Works

The first thing *NewBoots* does is copy the BASIC ROMs into the high RAM bank. This is achieved by the short ML routine in lines 26 to 31, which is no longer needed once BASIC has been copied.

Lines 35, 39, 43 and 48 poke new values into parts of the Color BASIC ROM area. Line 35 changes the cursor to a "checkerboard" pattern instead of a solid block; you can substitute a code between 128 and 143 to change the cursor pattern. Line 39 changes the cursor flashing rate; Line 43 sets the system to cycle through each available cursor pattern. Line 48 changes the prompt message from "OK" to "go" by poking the ASCII codes for 'g' and 'o' into the BASIC prompt location.

Lines 56 to 79 let you change the start-up message that appears when a cold start is performed. Line 56 checks to see if Disk BASIC 1.0, 1.1 or JDOS 1.11 are present (or if there is no disk ROM); lines 58, 61, 64 and 67 set the appropriate start address for the start-up message in each version. Line 72 puts the new message in A\$. Lines 76 to 79 poke the new message into the proper place in the disk (or Extended BASIC) ROM area.

The last step is to insert a patch in the lower 32K area, to switch the high RAM bank back in when the reset button is pressed (which usually switches the ROMs back in). This way the patches will still be effective. Lines 84 to 87 poke in and execute a short ML routine to do just that. Finally, Line 93 executes a ROM routine to clear the screen and then performs a warm start of BASIC to put the patches into effect. □

*Thomas Kocourek is an electronics technician who enjoys sharing his two CoCos with his family. Kenneth Rockwell bought his first Color Computer five years ago to use in his heating and air conditioning business, and he's been a CoCo nut ever since.*









## DOWNLOADS

# Avoiding Hang-Ups in the All-RAM Mode

By Dan Downard  
Rainbow Contributing Editor

Using Auto-Start on DOS [RAINBOW, November '84], I boot up Track 40 and Disk Menu. A problem exists with ML programs that exit by jumping to address \$FFFE. Under normal conditions, this address should be a reset vector but, since I am operating in the all-RAM mode, jumping to this address prints garbage on the screen and hangs up the computer. Where would this address be placed, and what does the memory map look like in the all-RAM mode?

Wayne C. Bell  
Bangor, PA

Wayne, if you look at address \$FFFE in memory, you will notice that it contains \$A027. This is the warm start address for BASIC. There is one catch, though. You must first clear \$71, the warm start flag. Try something like this:

```
CLR $71
JMP $A027
```

In BASIC this is where the infamous POKE113,0:EXEC40999 comes from. Unfortunately, on the CoCo 3 this trick does not do a true cold start.

---

Dan Downard is an electrical engineer and has been involved in electronics for 27 years through Ham radio (K4KWT). His interest in computers began about eight years ago, and he has built several 68XX systems.

### Telecommunications Help

I currently have a CoCo 3, FD 501 Disk Drive, DMP-105 Printer and a DCM-3 Direct Connect Modem. I have asked my local Radio Shack dealer what else I need in order to upload/download programs via telecommunications, and they could not give me a solid answer. Can you help?

Chuck Katsekas  
Newport, NC

Besides a cable between your modem and CoCo, all you need is a terminal (communications) program. If you buy the RS-232 pack, there is a terminal program built in, but it's not very good. I would recommend a terminal program with Xmodem protocol for reliable downloading.

a place for the monitor to connect to and a place for a TV to connect to, can I hook both of them up at the same time and then just turn on whichever one I want to use? Or will there be a problem, such as one cutting the other out or perhaps the hookup damaging the CoCo?

William Colton Jr.  
Malad, ID

It won't hurt your computer to use all three of the video outputs at one time, William. However, a program has been developed to simulate artifacted colors on your CM-8. Check the Spectrum Projects ad for RGB Patch.

---

### Disk Run-On

I own a CoCo 2 with 'F' board and recently purchased a disk drive from True Data Products. The drive is a Teac 55B with hard drive controller, Disk Extended Color BASIC 1.0. The two sides are accessed as Drive 0 and Drive 1. The problem is that when I either insert or extract the disk, the motor runs for about 10 seconds on its own before the lever is engaged. Is this normal? Will it harm the drive if I engage with the motor running?

Richard Christenson  
Ellendale, ND

### Artifact Colors on CoCo 3

At Christmas time I upgraded from a CoCo 2 system to CoCo 3 with an RGB CM-8 monitor I like very much. However, to my disappointment, many of the games I liked on the CoCo 2 won't run right on my new system. Some won't load at all and others load and run, but without color.

Since the reason I don't have color on some of the games is the RGB monitor and since I have the TV from my CoCo 2 system and since the CoCo 3 has both



Richard, this is the normal way your disk should operate. The disk motor is turned on for a few seconds to allow the drive to get up to speed before any operation takes place. It is again delayed after each operation to prevent it from being turned off in case another operation follows. It will not hurt your drive; in fact, it helps by not turning it on and off so much.

### VIP Underlining

*I have an unusual problem with my word processing program (VIP Writer). It's a very good software program for word processing but, when I print any output to my printer (Smith-Corona L-1000 daisy wheel), I cannot get any words underlined. I've tried all of the program's underlining procedures and changing the printer's ASC formats, all to no avail. Any ideas?*

*Randall E. Berkland  
Yokota Air Base, Japan*

To get the underline, you have to use embedded commands depending on the printer being used. See the next letter, Randall.

### Underlines for Spaces

*Following the instructions in my 64K CoCo, Telewriter 64, and Tandy DWP-220 printer manuals, and pursuant to a telephone call to Telewriter's office in California, I have inserted the suggested embedded format commands in my CoCo (at 600 baud) and have obtained underlining; however, my underlining is only printed directly under each word. What I am getting now is:*

underlines under each word  
*when, in fact, what I want is:*

underlines including the spaces between words.

*The embedded commands are "caret D1 15" followed by "caret D2 14." Can you give me a new embedded command that will allow me to underline the spaces between words also? Other than this fault, I am highly pleased with the power of the Telewriter 64, CoCo, and Tandy DWP-220 combination, and I use them in my business as well as home as our prime word processor.*

*Bill Hodges  
Columbia, SC*

Thanks for the tip, Bill. We have had several people ask this question. I'm sorry, but I don't have the answer. We'll see if any of our other readers have solved your problem! At the same time, keep in mind that the majority of printers use different control codes.

### Variable Passing

*I think I can help with your answer to Warren Cole [February '87]. I recently did a review of a new utility that would give Warren exactly what he asked for without OS-9. I tested Varisave on an 'F' board CoCo 1, CoCo 2 and CoCo 3. It works on all three and allows you to run a new program while saving variables (names and data — string and numeric — arrays or not) from a previous program. It simulates the CHAIN command.*

*Larry Elman  
Port Jefferson Station, NY*

Thanks for the help, Larry. I have since read the review, and you are correct. Varisave will indeed allow the passing of variables.

Several other readers suggested using the unused graphics pages with peeks and pokes to save variables. Where there's a will, there's a way.

### A Question Trio

*I am having a problem with disk labels. After several weeks, sometimes sooner, the labels begin peeling off the disk, at the edges. This causes some further peeling when the disk is inserted into the disk drive. I tried pressing on the label more ardently, holding my hand against the label (so the body heat might set the label better), and don't know what else to do to keep them on the disks.*

*Another problem is that I have recently entered the field of OS-9 programs and have several disks with these on them. I would like to have a printed "disk-list," or inventory, of these programs, but all I get when I try to make*

*one is a series of blue lines on the screen, and garbage if I try to print the list of programs.*

*Now, my third and last question. I try to keep the CoCo clean and covered when not in use. When I first turn it on, I also have the DMP-130 printer and the two disk drives turned on. I am using a color television as a monitor. When the CoCo is turned on, the screen is supposed to be green, but shows a white screen instead. Hitting the reset button several times, or turning the CoCo off and back on, usually gets the screen green. I have opened the CoCo case and cleaned the interior of the unit several times, so that does not appear to be the problem. I also removed the disk drives and the printer, in order to track down the culprit, but still have the same problem.*

*M.L. Braun  
Bellevue, OH*

I have finally found a solution to your disk label problems. Find a felt-tip pen with a light colored ink. Write directly on the disk jacket. We use this method here at the RAINBOW, and it seems to work fine. Needless to say, don't press too hard!

You must have OS-9 to list these directories, M.L. After booting OS-9, just enter the command DIR <DD> <P> and you will get a printed disk directory of your working directory.

As far as your white screen is concerned, it sounds to me like your color burst signal is a little out of tolerance. There is a trimmer capacitor next to the crystal that can be adjusted, along with a few coils in the RF compartment.

**Your technical questions are welcomed. Please address them to: Downloads, THE RAINBOW, P.O. Box 385, Prospect, KY 40059. We reserve the right to publish only questions of general interest and to edit for space and clarity. Due to the large volume of mail we receive, we are unable to answer letters individually.**

**Your technical questions may also be sent to us through our Delphi CoCo SIG. From the CoCo SIG> prompt, pick Rainbow Magazine Services, then, at the RAINBOW> prompt, type ASK (for Ask the Experts) to arrive at the EXPERTS> prompt, where you can select the "Downloads" online form which has complete instructions.**



# RAINBOW ON TAPE

## Those Great RAINBOW Programs Without All the Fuss! Subscribe to RAINBOW ON TAPE!

Every month, RAINBOW ON TAPE brings as many as two dozen ready-to-run programs right to you. Using the current issue of THE RAINBOW as documentation, all you have to do is load and run them. Just a one-year subscription gives you more than 230 new programs! The typing time saved is time that can be spent with the CoCo. (RAINBOW ON TAPE does not include OS-9 programs or those less than 20 lines.)

**Need a back issue of RAINBOW ON TAPE?**  
Issues available beginning with April 1982

**Subscribe to RAINBOW ON TAPE Today!**

**LOOK FOR OUR ORDER CARD  
BETWEEN PAGES 34 AND 35**

The cost for a single copy of RAINBOW ON TAPE is \$10 within the United States; U.S. \$12 in all other countries. The annual subscription rate for RAINBOW ON TAPE is \$80 within the U.S.; U.S. \$90 in Canada; and U.S. \$105 for all other countries. **U.S. currency only, please.** In order to hold down non-editorial costs, we do not bill.

### **DISK USERS: RAINBOW ON DISK IS NOW AVAILABLE!**

All the programs from THE RAINBOW — including OS-9 — are now available on disk. For more information, see Page 158 of this issue.


### **NOW AVAILABLE ON DELPHI!**

For your convenience, RAINBOW ON TAPE can also be ordered via the Delphi Information Network, in our Shopping Service area of THE RAINBOW's Color Computer SIG (Special Interest Group).

The individual programs from our past May issues are also available for immediate download in the RAINBOW ON TAPE Database area in THE RAINBOW's Color Computer SIG on Delphi. There is a \$3.50 per program surcharge.

RAINBOW ON TAPE is not a stand-alone product, but is intended as an adjunct and complement to the magazine. Even if you purchase RAINBOW ON TAPE, you will still need the magazine for loading and operating instructions.

**To order by phone, (credit card orders only) call  
(800) 847-0309, 8 a.m. - 5 p.m. EST. All other  
inquiries call (502) 228-4492**



### **Programs From Our Past Printer Issues:**

**May 1986** — *Home Sweet Home*, a program that demonstrates PRINT @ statements; *Message Maker*, a printer utility to post a bulletin; *Word+*, a game to aid in designing your own crossword puzzles; *Flags*, a graphics program that displays five anthems and flags of the world; *Picture Calendar*, a graphics program to design your own calendar pin-up; *Card File*, organizes baseball cards by teams or players; *Picprt*, a graphics utility that prints out graphics pictures, charts or graphs in various different sizes; *64K Custom Setup*, an aid for LLISTing programs; *Print Stylist*, a utility that sets print style combinations available on the Epson printer; *Delights*, six short utilities to make printing easier; *Label Maker*, a program to organize any disk collection; *Rotate*, prints wide documents on narrow printers; and *Banner*, a utility to print old-fashioned lettering for exciting banners. Plus seven additional programs.

**May 1985** — *Pictures Perfect*, two screen dumps for small and large printed images; *Numberjack*, a memory game for preschoolers to adults; *DIRECT*, organizes your tape collection; *Two-Column*, prints program listings in two columns; *Gemini Screen Print*, a screen dump that puts graphics onto paper; *KwikDraw*, a graphics program to incorporate pictures created with drawing utilities into BASIC programs; *Script*, a graphics printer utility that prints in script; *Putting the Okidata ML92 to Work*, printer utilities to provide a simple interface with the CoCo; *Rat Maze*, a two-dimensional maze game; *Formatter*, helps debug and make nice-looking listings; *Eye Q*, game to test IQ by solving clues; and *Purchase Order*, a printer utility that sets up purchase orders and records mail orders. Plus seven additional programs.

Plus 18 programs from our **May 1984** issue of THE RAINBOW.





## OS-9 MEMORY

# The Advantage of Processes

By Peter Dibble

**Y**ou've squeezed as hard as you can and your program still needs 200K. You have your CoCo 3 stuffed with memory all the way up to 512K, so there's plenty of memory there, but you can only apply 64K of it to your problem. What can you do?

You need more than one process to solve your problem. Each process gets its own address space. You need 200K? You might be able to divide your program among five 40K address spaces.

It isn't too hard to slice a program into several processes. The trick is communication among the processes. The more restricted the communication, the better the resulting system will work. In this article I'll discuss cases that require simple one-way communication.

## Passing Parameters Through the Shell

If you can cut out part of the program that does a piece of work but doesn't have any effect on the rest of the program, you can easily make a process of it. Write it as a separate program and pass it any data it needs as parameters.

Be sure not to pass any pointers between processes. Remember that each process gets its own address space. Any pointers you pass will have no meaning in another address space.

A text editor or terminal program might want to start a process to do printing. By starting a separate process, you save space. You can also get printing in the background while you continue to work. I've included a set of BASIC09 programs that print a buffer. They're simple, but you can probably imagine more complicated versions.

If you want to try the demonstration program, type in the two procedures, save them, and pack the program `printer`. When you run `editor`, it sends the

text buffer to the shell. This sends it to the program called `printer`, which displays it on your screen.

You might want to experiment with adding an ampersand (&) at the end of `cmd_line` before you invoke shell in the editor procedure.

Passing parameters through the BASIC09 shell command doesn't work very well. The problem is that the OS-9 shell gets into the act. You can only pass very ordinary text through the shell. In the example program, I had to replace carriage returns and exclamation points with alternate characters to prevent the shell from seeing them and getting excited. There is no such problem if you use the OS-9 `F$Fork` system call from assembler or C.

## Simple Pipes

You can get as many processes as you like involved with a problem without writing any special code if you use pipes through the shell. There is no popular example of this technique, but I have seen the Microware C compiler run with pipes between its phases. It is fast! Let's look at the C compiler in more detail.

Programs in C are converted to program modules by a sequence of operations:

- The preprocessor includes files and expands macros.
- The compiler itself converts the output of the preprocessor to assembly language in one or two passes (depending on whether you use the Level I or II version).
- The optimizer does some simple improvements on the assembly language.
- The assembler takes the output of the optimizer and converts it to a relocatable object file.
- The linker converts that to an executable module.

What you really want is something that makes an executable module from a C program. The five or six steps are there for Microware's convenience, not for yours. There are various reasons for cutting the process into pieces, but on a 6809 there is a compelling reason. A C compiler in one piece would not fit in 64K.

Pipes through the shell work for the C compiler, because data flows through the program in one

---

*Peter Dibble has a bachelor's degree in chemistry and is currently a graduate student in computer science. He has worked as an applications programmer, systems programmer and as the user services assistant director for the University of Rochester Computing Center. With Dale Puckett, he is the co-author of The Complete Rainbow Guide to OS-9.*



direction. If the linker had to feed data to the preprocessor, hooking the C compiler together would have been difficult.

A spelling checker is another example of something that can be broken into pieces connected by pipes. The input is the file you want to check. The output is a list of misspelled words. The steps are:

- Break the file into words
- Sort the words
- Remove redundant copies of words
- Merge the words with a dictionary keeping only words that don't match

The output is a list of words that weren't in the dictionary.

Any number of business problems break into pieces that can be joined with pipes. Text processors are also good candidates.

That's about all we can do without leaving BASIC09. Next time I'll show you some tricks that use assembly language. I'll do them as subroutines you can call from BASIC09 so you don't need to be an assembly language programmer to use them. □

#### Listing 1: editor

##### PROCEDURE editor

```

00000      (* -----*)
0003B      (* This program pretends to be part of a text editor that*)
00076      (* starts a process to print a buffer. *)
000B1      (* -----*)
000EC      DIM cmd_line:STRING[500] \(* Build the print buffer here *)
00119      DIM i:INTEGER
00120      DIM InStr:STRING[40] \(* For reading data statements *)
00152      DIM DataLength:INTEGER \(* A constant *)
00169      DataLength=11 \(* Number of strings in DATA *)
00193      cmd_line="" \(* Initialize the print buffer *)
001BB      (* -----*)
001F6      (* Read the text from data statements. Of course, a *)
00231      (* real editor wouldn't do this. *)
0026C      (* -----*)
002A7      FOR i=1 TO DataLength
002B8          READ InStr
002BD          cmd_line=cmd_line+InStr
002C9      NEXT i
002D4      (* -----*)
0030F      (* Finish off the command line. It will look something *)
0034A      (* like: printer (50, "...") *)
00385      (* -----*)
003C0      cmd_line="printer "+(STR$(LEN(cmd_line)+1)+" ", ""
          +cmd_line+"")"
003EB      SHELL cmd_line
003F0      DATA "Allas, poor Yorick|",CHR$(6)
0040E      DATA "I knew him, Horatio|", "a fellow of infinite jest,"
00447      DATA CHR$(6)," of most excellent fancy."
0046C      DATA CHR$(6),"He hath bore me on his back "
00493      DATA "a thousand times",CHR$(6)
004AE      DATA "          From Hamlet by Shakespeare"

```

#### Listing 2: printer

##### PROCEDURE Printer

```

00000      (* -----*)
0003B      (* This demonstrates the form of a program that would *)
00076      (* print a buffer. It should be called with a command *)
000B1      (* line of the form: printer (length, buffer) *)

```



```

00EC      (* -----*)
0127      PARAM Length:INTEGER
012E      (* -----*)
0169      (* It is easier to work with an array of bytes than a *)
01A4      (* string so lie to OS-9. Declare the second parameter *)
01DF      (* as an array. *)
021A      (* -----*)
0255      PARAM buffer(501):BYTE
0261      DIM i:INTEGER
0268      FOR i=1 TO Length \(* Print each character from buffer *)
029F      (* -----*)
02D8      (* Carriage returns and exclamation points don't pass *)
0311      (* through SHELL well, so they come in as | and chr 6 *)
034A      (* This loop converts them back to <cr> and ! before *)
0383      (* printing them. *)
03BC      (* -----*)
03F5      IF buffer(i)=6 THEN
0404         buffer(i)=13
040F      ENDIF
0411      IF buffer(i)=ASC("|") THEN
0422         buffer(i)=ASC("!")
042F      ENDIF
0431      PRINT CHR$(buffer(i)); \(* Print one character *)
043B      NEXT i
0446      PRINT \(* Close with a new line *)
0463      BYE

```



"COULDN'T YOU HAVE BOUGHT A QUIETER PRINTER, DAD? I CAN'T HEAR MY 'TWISTED SISTER' ALBUM!"

It's here  
at last:

## Our Fourth Rainbow Adventure Contest

For details,  
see Page 159





# A Pause for Thought

By Paul Ladouceur

# M

any times I have been working away with my OS-9 system only to make a mistake that locks up my computer. This could have been avoided if I had had the chance to catch my breath and think about what I should do next. Thus was born the idea for *Pause*, a command that allows pausing between job steps in a procedure file until a key is pressed. It is similar to the MS-DOS *Pause* command used in batch files. It is handy for putting a message on the screen to stop that headlong flight into lock-up.

The syntax is *pause "message"* or just *pause*, where *message* is any notes you want displayed before the "press any key when ready" prompt. The message can be as long as 52 characters and must contain only letters, not numbers. Pressing any key (except *BREAK*) continues the procedure, and pressing *BREAK* will, as usual, abort the procedure file.

*Pause* was written using assembly language and should work on any OS-9 Level I system. It is well-commented, and I hope you find it as useful as I have.

(Questions about this utility may be directed to the author at 75 Schoolhouse Road, Levittown, NY 11756. Please enclose an SASE for a reply when writing.) □

Paul Ladouceur lives in Levittown, New York, and holds a bachelor's degree in computer science. A programmer for an insurance company, he enjoys working with his CoCo.


## The listing: pause

- \* Pause command : used for pausing Proc files
- \* 6809 Assembly Language
- \* for Color Computer
- \* Should work on any 6809 Machine
- \* Written by Paul Ladouceur (c) July 1986

```
* ex OS9:Pause
* OS9:Pause "message"
```

```
nam PAUSE
```

```
ifpl
```





```

use /d0/defs/Os9DEfs
endc

Type      mod  Prglen, Prgnam, Type, Revs, Prstart, Size
Revs      set  Prgm+Objct
Prgram    set  ReEnt+1
           fcs  /Pause/

Buf        org  0
Count     rmb  2
           rmb  1
           rmb  200  stack
           rmb  52  parm  message characters
Size      equ  .

* open path
Prstart   TFR  X,Y          store parm addr
           leax filnam,pcr   device terminal
           lda  #Updat.      read from term not proc
           Os9  I$Open       open to terminal
           bcs  error
*          sta  Ipach        output path in A register

*Test for special message
TFR  Y,X          get back parm addr
ldb  0,x          get 1st char
cmpb #'"'        something in quotes
bne stdmes       ?no
clrb             initialize b
stb Count,u      initialize count
ldy #1          # of char to write
leax 1,x         addr of 1st char
Loopwt  ldb ,x    get char
         cmpb #'"' end quote yet?
         beq LF    ?yes
         ldb Count,u get char count
         incb     add 1 to count
         cmpb #52 52 char max
         bhl LF    ?yes
         stb Count,u store count
         Os9 I$Write write message
         bcs  error
         leax 1,x    add 1 to parm addr
         bra  Loopwt
LF        Bsr  Linefeed

* Write to /Term
stdmes    leax Mes1,pcr   get addr of mes1
           ldy  #Mlen1     get len of mes1
           Os9  I$Write    write message to screen
           bcs  error

* Read from /Term till there is a character
           leax Buf,u     keyboard buffer
           ldy  #1        get 1 char
           Os9  I$Read     read keyboard wait for char
           bcs  error
           bsr  Linefeed

* Close /Term and go back to stdin/stdout
           Os9  I$Close
           bcs  error

* NO ERROR
           clrb ** no error **
           bra  noerror
error      ldb  #203
noerror   Os9  F$Exit

* SUBROUTINES
Linefeed  leax Lfdata,pcr
           ldy  #2        2 character to write
           Os9  I$Write    linefeed screen line
           bcs  error
           rts


**** CONSTANTS *****

* MESSAGE
Mes1      fcc  /Press any key when ready /
Mlen1     equ  *-Mes1

* FILE NAME
filnam    fcs  "/TERM"
* SCREEN Cntrol
Lfdata    fcb  $0d,$0a

           emod
Prglen    equ  *
           End

```



## PRICKLY-PEAR SOFTWARE

### QUALITY PROGRAMS FOR YOUR COCO I, II & III

#### HALL OF THE KING TRILOGY

**HALL OF THE KING III** is finally here to complete the most extensive trio of two disk adventures ever available for the color computer. Amazing hi-res graphics fill your screen as you follow your quest for the Earthstone. **HALL OF THE KING I, II, & III** may be played separately for a great challenge and wonderful entertainment. The Rainbow review of 9/86 called Hall of the King II a "Winner" while 6/86 Rainbow review called Hall of the King I "one of the best adventure programs I have experienced to date". Try one or all of the Hall of the King series. Each adventure is priced at **\$39.95** if purchased separately. You may order all three for a package price of **\$99.95**. If you are one of the lucky adventurers who has already purchased Hall I & II, send proof of purchase (invoice, cancelled check, etc.) and receive a \$10.00 discount on the new **HALL OF THE KING III**. The Hall of the King series is compatible with all versions of the Color Computer including the COCO III. Requires 64K and 1 disk drive.



**WARP FACTOR X** (Rainbow Review 2/86) \$34.95

**DARKMOOR HOLD** (Rainbow Review 8/86) \$29.95

**DOLLAR WISE** Requires 32K Tape \$24.95 — Disk \$27.95

**FONTFILE** — (New for the COCO III) \$24.95.

**DRAGON BLADE** (Rainbow Review 11/86)

Animated Graphics Adventure \$29.95

#### POLICY ON PROTECTION

We believe our customers are honest — all of our software can be backed up using standard backup procedures.

Your Personal check is welcome - no delay. Include \$1.50 shipping for each order. TX residents add 6 1/4% sales tax. Orders shipped within two days.

Dealer and author inquiries are always welcome. Canadian dealers should contact Kelly Software Distributors, Ltd. 608, STNT, Calgary, Alberta T5H 2H2, (403) 236-2161.

For a complete listing of all our programs call or write for our free catalog.


**PRICKLY-PEAR SOFTWARE**

213 La Mirada • El Paso, Texas 79932

(915) 584-7784







## KISSable OS-9

# Setting the Stage for OS-9 Level II

By Dale L. Puckett  
Rainbow Contributing Editor

**B**ill Brady's latest communication program, *Wiz*, is the first third-party product we've seen that captures part of the power built into the just-released CoCo Version of OS-9 Level II. *Wiz* will sell for \$79.95 at FHL in Syracuse, New York.

CoCo 2 owners who are running OS-9 Level I, Version 2 will be interested in Brady's *BigT*. *BigT* is *Wiz* without the Level II windows and is an excellent communications program. You can download the binary version of *BigT* from both Delphi and CompuServe. A \$20 donation to William Brady, 4776-B Carmody Court, Harwood, MD 20776, will bring you a printed copy of the manual and the source code.

If you love the many online conferences on RAINBOW's OS-9 SIG, you'll find this program is a dream come true. While in a conference, you type your part of the conversation in a small window at the bottom of the screen. Your great thoughts stay put and can be edited in that window until you press the ENTER key. While you're typing in your private window, you can read all conference chatter in *Wiz*'s main window. When you press ENTER, *Wiz* sends your thought to Delphi. It appears in

the main *Wiz* window when Delphi sends it to everyone in the conference.

In the meantime, a one-line status window at the top of the screen lets you know how many minutes you have been online and reports your current communications parameters. If you need to do something else with your computer for a second, you can tell *Wiz* to wait, and go about your business. When you do this, the special *Wiz* output path to your RS-232 port is closed. Here's a possible use:

You're reading the Forum messages on Delphi and learn that someone needs help finding the `ident` of a module. If you want to help, you can start your reply to the question while online with *Wiz*, then tell *Wiz* to wait temporarily. At this time you can redirect the output of your OS-9 `ident` utility command to your `/T2` device descriptor. This will send the report to Delphi where it will be inserted in your message. As soon as the `ident` command is finished, you can bring *Wiz* back to life and add any comments. Amazing!

## Why *Wiz* Is Important

Brady's *Wiz* is an important product because of the fine job it does in letting your OS-9 based Color Computer communicate with the rest of the world. However, its real importance stems from the fact that it shows that BASIC09, running in the OS-9 Level II windowing environment, is a tremendously viable development tool.

"Another significant thing about both *Wiz* and *BigT* is the way they are constructed and distributed," Brady said. "If you run the OS-9 `ident` utility on the *BigT* file, you will see it contains

both BASIC09 I-Code modules and 6809 object code modules. All modules in the file load at once, and *BigT* assumes they are all in memory and immediately links to them with OS-9 system calls."

Brady's approach makes it easier for users because they need only load and run one program file. They do not have to worry about loading the program's modules by hand — or ensuring they are present in the current execution directory where OS-9 can find them automatically. However, Brady's approach points out an important technical detail that bears explaining.

"By loading all modules in the file at once, we ensure they are loaded contiguously," Brady said. "Under Level II this approach becomes very important because of the memory management hardware used in the CoCo 3."

When you load a program module into your CoCo 3 — or when OS-9 switches a module into a 64K workspace used by a process — it will move an entire 8K block of memory into the space. This will happen even if the module is only 20 bytes long.

This means you need to package your program modules into files that are no longer than 8K bytes long. If they go one byte past the 8K, you might as well add more to the program because you can use up to 16K for the same cost.

Let's use the *Wiz* file as an example. It contains five modules: `WTerm`, 15,435 bytes; `WizDraw`, 1,365 bytes; `Wizmod`, 4,833 bytes; `SysCall`, 98 bytes; and `InKey`, 94 bytes. The file contains 21,825 bytes. When it is loaded into memory, it takes up three 8K blocks or 24,576 bytes of memory. If Brady expands the program, he has another

*Dale L. Puckett, who is author of The Official BASIC09 Tour Guide and coauthor, with Peter Dibble, of The Official Rainbow Guide to OS-9, is a free-lance writer and programmer. He serves as director-at-large of the OS-9 Users Group and is a member of the Computer Press Association. Dale works as a U.S. Coast Guard lieutenant and lives on Governors Island in New York Harbor.*



# OS9 LEVEL II

## SOFTWARE and HARDWARE

"Frank Hogg Laboratory has supported OS9 longer than **ANY** other company!!!"

### INSIDE OS9 LEVEL II

The definitive 'Inside' story behind OS9 for the CoCo III. Kevin Darling and Frank Hogg team up to provide the 'nuts and bolts' information needed to really use OS9 Level II. This book takes you chapter by chapter thru the inner workings of OS9 including the window drivers, fonts and patterns, bugs and how to fix them, GIME reference and it even shows you how to use Tandys Rogue game disk to make a workable OS9 Level II system, plus much more. Approximately 100+ pages. Source listings are provided for some things plus flow charts and tables. A Must buy for anyone interested in OS9 Level II.

**Just \$39.95**

Coming next "Inside Multi-View"

### SCULPTOR

Sculptor is a fourth generation language, an applications generator and a database all rolled into one. The 4th GL part of Sculptor means that programming time is cut by a factor of 5 or 10. The applications generator part of Sculptor writes programs for you and the database part is a very fast B+ tree. Sculptor is FAST! New users are up to speed in a few days, up to speed users can write sophisticated programs in half an hour! In our database of over 20,000 names we can retrieve any name in less than 1 second!! The program that does that only took 2 minutes to write! That's right 2 (two) minutes! Maximum # of records is 22,000,000! No limit to # of fields etc. Includes a menu program, a query program and a variety of utilities to maintain the files. The typeset manual is the best available with both a table of contents and an index. A handy pocket guide is also included. Requires CoCo III and OS9 Level II. Call for more information.

**List \$595 - Special Only \$495!**

### THE QT CoCo

Question: The **QT CoCo** is the second most expensive hard drive/floppy drive subsystem for the CoCo? True or False? The **QT CoCo** is the only system that can be upgraded to a full 68000 based computer? (The **QT Plus**) True or False? The answer to both questions is True. If you want to have the best drive subsystem for your CoCo then The **QT CoCo** is for you. 20 Meg HD + 360 or 720K floppy **\$1350**.



Fast 40 Meg HD with 360K or 720K floppy is **\$1998**.

Requires a host adaptor. (Disto etc)

**Call or send for more information today!**

### The WIZ

By Bill Brady

**The Wiz** is the **First** and **Only** program designed for the CoCo III that uses **WINDOWS!** The Wiz is a smart terminal and communications program for the CoCo III and OS9 Level II. Making use of multiple windows and overlay windows with pop up dialog boxes The Wiz really shines. Features include: Autolog- lets you configure The Wiz's colors, characters boldface etc., Xmodem and text send and receive, sleep mode, conference mode uses a separate window for your text, usage log and much more. Does not work with the CoCo's internal bit banger serial port. The complete package includes a special ACIA driver that allows baud rates from 300 to 19,200 baud. Requires the RS232 pak or the Disto RS232 or similar port plus a CoCo III with OS9 Level II.

**Only \$79.95**

**Frank Hogg Laboratory, Inc.** Est. 1976 - 770 James Street - Syracuse New York - 13203  
**315/474-7856** Visa, M/C, Amex, Diners club accepted. Prices do not include shipping.



2,751 bytes to work with before he must invest another 8K of memory in the process.

Now, let's look at what would have happened if Brady had left all five of

## ***"Microware did a beautiful job on this thing."***

these modules in separate modules and then loaded them. WTerm would have used two 8K blocks or 16,384 bytes, and WizDraw, Wixmod, SysCall and Inkey would have each taken 8K bytes, for a grand total of 49,152 bytes. Brady's method saved 24,576 bytes of program memory area. Keep in mind that even though you may have 512K of memory available to you with OS-9 Level II, each process — defined as a program running — can only use 64K of memory.

### **A Closer Look at BigT**

BigT requires a CoCo 2 with an 80-column screen, a Multi-Pak, an RS-232 pack, BASIC09 and OS-9 Version 2.0. Rather than use a capture buffer, BigT uses the XON/XOFF protocol to tell

the host to stop sending, while it is sending data to your printer or a disk file.

One of the modules that comes in the BigT file is an optimized device driver, SIO. This driver optimizes your CoCo when it is being used as a terminal with any host. It is reliable with screen drivers that do not disable interrupts all the way to 19.2K baud.

You can print the last 1,024 characters received at any time by pressing ALT-P. Or you can redisplay those characters by pressing ALT-S. You can also download everything you receive to a disk file or upload text files to the host. An auto-log feature, similar to that used by the Tandy Model 100 laptop computer, makes automatic operation possible for some tasks.

BigT lets you use the error-free Xmodem protocol to transfer binary files between two computers, and it gives you two 80-character macros you can recall with the two CoCo 3 function keys. Brady is hoping to come up with an OS-9 standard protocol similar to the MacBinary protocol that lets you automatically download executable program files from a host like Delphi.

Wiz adds the ALT-W, ALT-C and ALT-P keys to the BigT repertoire. ALT-W is used to put Wiz to sleep. ALT-C puts you in the conference mode and ALT-P gives you a way to update the time-in status bar along the top of your screen.

The Wiz config menu lets you set the color of the characters on your screen, as well as the background. It also lets you toggle between regular letters or boldface letters. A proportional spacing character set is also available from that menu.

When you tell Wiz you want to go out to the OS-9 shell and do something else, it opens up a dialog window in the middle of your screen. When you return from the shell, your original screen is restored. Incidentally, the event window at the bottom of the screen that is used for conferencing and messages is a device window, as is the main screen. The menus are output to overlay windows.

The status bar at the top of the screen is a pseudo-window. To create it, Brady first created a window that filled the full size of the screen. Then, he wrote out the status bar and resized the main window so it is one line smaller and

### *Two-Liner Contest Winner . . .*

Run this program if you would like a little help in setting the baud rate for your printer.

#### **The listing:**

```
10 CLS:PRINTTAB(6)"PRINTER BAUD
RATE":PRINT:PRINT" 1 = 50"," 9
= 1800"," 2 = 75","10 = 2000"
," 3 = 110","11 = 2400"," 4 =
135","12 = 3600"," 5 = 150","13
= 4800"," 6 = 300","14 = 7200"
," 7 = 600","15 = 9600"," 8 = 1
200":PRINT
20 INPUT"ENTER CHOICE (1-15)";Z:
IF Z<1 OR Z>15 THEN 10 ELSE Z$="
40882227124611531110018000880040
0025002300180010000700030001":PO
KE 149,VAL(MID$(Z$,Z*4-3,1)):POK
E 150,VAL(MID$(Z$,Z*4-2,3)):PRIN
T"BAUD RATE NOW SET"
```

*Michael Kromeke  
Albuquerque, NM*

(For this winning two-liner contest entry, the author has been sent copies of both *The Second Rainbow Book of Simulations* and its companion *The Second Rainbow Simulations Tape*.)

### *Two-Liner Contest Winner . . .*

This Two-Liner will print out PRINT@ worksheets for you.

#### **The listing:**

```
1 INPUT"# OF WORKSHEETS";N:FORZ=
1 TO N:PRINT#-2,TAB(19);"PRINT @
WORKSHEET (32 X 16)":PRINT#-2:P
RINT#-2,TAB(23);:FORX=1 TO 2:T=T
+1:FORY=1 TO 10:PRINT#-2,USING"#
";T;:NEXTY,X:PRINT#-2," 3 3 ":P
RINT#-2,CHR$(15);:FORX=1 TO 3:FO
RY=0TO9:PRINT#-2,TAB(4);
2 PRINT#-2,USING"##";Y;:NEXTY,X:
PRINT#-2," 0 1 ":FORY=1 TO 16:PR
INT#-2,USING"###";H;:PRINT#-2,"!
";:H=H+32:FORX=1 TO 32:PRINT#-2,
"!";:NEXTX:PRINT#-2:NEXTY:PRINT
#-2,CHR$(14):T=0:H=0:NEXTZ
```

*Bobby Greene  
Lenoir, NC*

(For this winning two-liner contest entry, the author has been sent copies of both *The Second Rainbow Book of Simulations* and its companion *The Second Rainbow Simulations Tape*.)



starts one line down. Since the status bar is outside of the main window, it remains on your screen.

Another trick Brady learned while programming *Wiz* was how to draw a border around an overlay window. To make his bevelled borders, he created a bevelled border sized to work with a 640-by-192 pixel screen. He found that after he did this, he could open any size window and write the same code to it. The system then automatically scales the border to the window. In the words of Bill Brady, "Microware did a beautiful job on this thing!"

### WizDraw Listing

Bill Brady is so excited about the new windowing environment, he is sharing the module that draws the *Wiz* start-up screen. This way you can see how easy high resolution graphics can become with BASIC09 under OS-9 Level II.

There's an important time- and space-saving feature built into Brady's code. He makes full use of BASIC09's ability to create special data types. In *WizDraw*, he creates a data type that defines a box and a line, and another that allows him to move OS-9's high resolution graphics cursor anywhere on the screen.

We'll use Brady's definition of the data type `lx` to show the advantages of this approach. The data type `lx` has six parts. Each part is one byte long.

```
TYPE lx=olx,tlx,hbx.lbx,  
hby,lby:BYTE
```

After using the BASIC09 TYPE statement to define his data, Brady uses the DIM statement to actually reserve the memory for his program to use: `DIM line:lx`. This line tells BASIC09 to reserve six bytes of memory — one for

each of the six-byte fields in the new data type `lx`. Next, Brady assigns a value of decimal 27 to the field named `olx` and a value of \$46 to the field named `tlx`.

If you look on pages 4 through 9 of the windowing section of the OS-9 Level II manual, you will find an OS-9 drawing command named `LineM`. `LineM` means, "Draw a line and move." It draws a line, using the current foreground color, from the current draw pointer position to a new point. To send that command to OS-9 so a line can be displayed on your screen, you could simply use the standard display utility command, `OS9: display lb 46 HBX LBX HBY LBX`.

Deja vu! Where have you seen the `lb` and `46` before? Didn't Brady assign those values to the `olx` and `tlx` fields of his new data structure? Read `HBX` as high byte of the X coordinate and `LBX` as low byte of the X coordinate. Read the values for the Y position in a similar manner.

To use this command from the OS-9 shell, you need to know the integer — two bytes wide — value of the end of the line. For example, on a screen 640 decimal pixels wide by 192 decimal pixels high, the middle of the screen would have an X coordinate of 320 and a Y coordinate of 96. That same position would be 140, 60 using hexadecimal notation. Remember the display utility command speaks Hex.

To draw a line from the upper left-hand corner of the screen, position 0 horizontal and 0 vertical, you would type: `OS9: display lb 46 01 40 00 60 ENTER`.

Notice you sent six bytes to the standard output path when you ran this line. When you did, a line popped onto your Color Computer screen. You must

be in a graphics screen before this command line will work. We'll show you a procedure file named *MakeGW*. You can use this file to turn your current window into a graphics window later.

You can also draw lines on your screen using the BASIC09 `GFX2 LINE` function. If you look at the definition of this function, you will see it accepts an optional path number, the word "LINE" and either two- or four-integer (or two-byte) parameters.

If you use two parameters, the `LINE` function will draw the line from the current graphics cursor position to the new position. If you give it four parameters, `LINE` will draw the line between the optional beginning X and Y coordinates and the ending coordinates. Assuming the graphics cursor is located in the upper left-hand corner of the screen, position 0, 0 again, you can draw the same line from within BASIC09: `RUN GFX2("LINE", 320,96)`. Notice that this time we used decimal numbers as coordinates. That's what the `LINE` function wants to see.

For now, let's continue to look at how Brady makes good use of BASIC09's ability to GET and PUT complete data structures with a single command. After he assigns the values to the `olx` and `tlx` fields, he makes similar definitions in his `rbox` and `putgc` data structures. `Rbox` is used to draw a box with one swift command. `Putgc` moves the cursor with the same speed and agility.

He is using assignment statements to place the proper control codes in the first two positions of his data structures and to pass coordinate information to his data structures. The codes he is using are the same codes you would send using the OS-9 display utility command. The coordinates define the position of the corners of the box, the new

## OS-9™ SOFTWARE/HARDWARE

**SDISK**—Standard disk driver module allows the full use of 35, 40 or 80 track double sided disk drives with COCO OS-9 plus you can read/write/format the OS-9 formats used by other OS-9 systems. (Note: you can read 35 or 40 track disks on an 80 track drive). Now updated for OS-9 ver. 02.00.00 **\$29.95**

**SDISK + BOOTFIX**—As above plus boot directly from a double sided diskette **\$35.95**

**L1 UTILITY PAK**—Contains all programs from Filter Kits Nos. 1 & 2 plus Hacker's Kit #, plus several additional programs. Over 35 utilities including "wild card" file cmds, MacGen command language, disassembler, disk sector edit and others. Very useful, many of these you will find yourself using every time you run your system. These sold separately for over \$85. **\$49.95**

**SKIO**—Hi res screen driver for 24 x 51 display; does key click, boldface, italics; supports upgraded keyboards and mouse. With graphics screen dump and other useful programs. **Now UPDATED FOR OS-9 Ver 2.0 \$29.95**

**PC-XFER UTILITIES**—Utilities to read/write and format ss MS-DOSTM diskettes on CoCo under OS-9. **\$45.00 (requires SDISK)**

**CCRD 512K Byte RAM DISK CARTRIDGE**—Requires RS Multipak interface, two units may be used together for 1MB RAM disk. Addressing is switch selectable. **OS-9 level 1 and 2 driver and test software included. \$169.00**

All disk prices are for CoCo OS-9 format; for other formats, specify and add \$2.00 each. Order prepaid or COD, VISA/MC accepted, add \$1.50 S&H for software, \$5.00 for CCRD; actual charges added for COD.

**D.P. Johnson, 7655 S.W. Cedarcrest St.  
Portland, OR 97223 (503) 244-8152**

(For best service call between 9-11 AM Pacific Time)

OS-9 is a trademark of Microware and Motorola Inc.  
MS-DOS is a trademark of Microsoft, Inc.



end of the line or the new position of the cursor.

Once he has stored all this information in the data structure, Brady sends those data structures intact to the standard output path, which just happens to be your screen. For example:

```
putgc.ox=$1b
putgc.txy=$40
putgc.hxyx=0
putgc.lxyx=200
putgc.hxyy=0
putgc.lxyy=12
PUT #1,putgc
```

These BASIC09 statements move the draw pointer to a position 200 pixels to the right of the left edge of the screen and 12 pixel positions down from the top of the screen. This is the first cursor movement in the program. The next magic command out of the hat? PUT #1, rbox.

This draws a "relative" box with one corner on the starting position above and the opposite corner located 20 pixels to the right and 60 pixels down. From there, Brady moves the cursor just inside the box and sends out the command to fill the box with the current foreground color. Then, he moves the cursor again before drawing a number of lines one after the other. Each line begins where the last one ended. In about a second, a giant *Wiz* logo is drawn on your screen.

Instead of typing a series of shell display statements in his BASIC09 program, Brady has sent out his code with a simple PUT statement. He also saves 8K of memory in the process because every time you create a new shell to run a process, you use up one 8K block of data memory, albeit temporarily.

### Creating a Graphics Window

To create a graphics window in place of the text window, you must send out a sequence of OS-9 display commands. Essentially, these commands must end the window you are using, set the type of the new window you want to use and then select that new window for use.

Create the following OS-9 procedure file with the build utility command or your editor, and then run it when you want to change in place from a text window to a graphics window. The characters appear to be a little sharper in the text windows — like the one created on device /w7 by the procedure file window.tb0s that comes on your

Level II system disk — than they do in the graphics windows. Here is MakeGW.

```
merge /d0/sys/stdfonts
montype r
display lb 24
display lb 20 5 0 0 50 18
1 0 0
display lb 31 1 0
display lb 3a C8 01
display lb 21
```

This procedure file will create an 80-by-24 white screen with black letters. The display commands are actually calls to the following OS-9 functions:

DWEnd	Device Window End
DWSet	Device Window Set
Palette	Change Palette
Font	Select Font
Select	Window Select

### The Magic of /dd

One great new feature in the OS-9 Level II release is the device descriptor /dd. The "dd" stands for default drive. Microware and Tandy obviously intend for all software developers to use this device descriptor when they must hard code a pathlist into a program.

When you boot your OS-9 Level II system, the device descriptor is merely a copy of the standard /d0 device descriptor that is also present.

Who cares, you might ask. You will — soon! Follow this scenario that actually happened to me. Immediately after booting my new OS-9 Level II system, I created a new boot file. This file contained /d0 and /d1 device descriptors set at 40 tracks, double-sided with a step rate of 6 ms. I left /dd in the boot file, not even noticing it was there.

Later, I encountered a new error number while creating new windows. I immediately typed ERROR 192 and waited for the system to tell me what I had done wrong. No such luck! I got a message that said I couldn't open a path to /dd/sys/errmsg.

I wondered for a second, then I got the picture. The disk that now con-

tained my system and errmsgs was a double-sided disk. The default drive, /dd, was still set to look like the original /d0, a single-sided, 35-track affair. When the error utility command tried to read the errmsg file from the SYS directory on my double-sided disk, it couldn't access it. Foiled, but protected at the same time.

After I got my Disto hard disk drivers installed in my Level II system, I made a copy of the /h0 device descriptor and patched it so the module it contained was named /dd. I verified it to update the CRC and then used DS9Gen to generate a new DS9Boot file with my new /dd replacing the original.

I had already copied the errmsgs into the SYS directory on the hard disk drive. The next time I hit an error message I typed the error utility command again. This time, the hard disk started clicking and, a second later, the system reported the English language version of the sin I had committed.

Now, as soon as all developers start using /dd/defs/defsfiles instead of /d0/defs/defsfiles, etc., we will have it made. By the way, if you have a RAM disk instead of a hard disk, you can create a default device descriptor, /dd, that points to your RAM disk. Then, if you put your SYS directory in your RAM disk, the error utility command will respond almost instantaneously. So will the help utility command.

In summary, the default device descriptor /dd is nothing more than a copy of the device descriptor for the drive where you would like to store things that must always be found.

Here's another point. Using my current system as an example, /dd is nothing more than a copy of /h0. Both /dd and /h0 are still in the boot file, and both can be used to access that single piece of hardware. Since both device descriptors have the same drive number and the same address with only the name changed, there are no collisions.

If we all come behind this Microware standard and create a few standard default directory names of our own, it

### Listing 1: wizdraw

```
PROCEDURE wizdraw
0000 TYPE bx=obx,tbx,hbbx,lbxx,hbby,lbby:BYTE
001F TYPE putxy=oxy,txy,hxyx,lxyx,hxyy,lxyy:BYTE
003E TYPE lx=olx,tlx,hbx,lbx,hby,lby:BYTE
005D DIM ffil:STRING[2]
0069 DIM rbox:bx
0072 DIM putgc:putxy
007B DIM line:lx
```



may someday be much easier to write programs that can be used easily — no matter where your current data directory is located. It won't make any difference if we are using a 40-track, double-sided floppy disk, a RAM disk, an 80-track quad-density floppy or a hard disk drive — if our programs look in `/dd/sys/errmsg` for English language messages they will find them, if we have copied the `sys/errmsg` file to that medium.

### How To Use *ModPatch*

The same day we received our OS-9 Level II package we got a call from Cray Augsburg of Delphi RAINBOWMAG fame. Cray had received his package, too, and wanted to know how to patch his device descriptors to pick up a six millisecond step rate. He had already used `config` to make a new `OS9Boot` file that let him use his double-sided drives.

For some reason, I couldn't find the *ModPatch* directions in the thick manual that comes with Level II, so I typed help `modpatch` and picked up enough of the syntax to do the job.

*ModPatch* reads a file containing the patches you want to make, to a module in memory. The patch file I sent to Cray on Delphi looked like this:

```
L d0
C 14 00 03
V
L d1
C 14 00 03
V
```

That file will take care of both `/d0` and `/d1`. It links to the device descriptor in the first line. In the second line, it changes the byte at an offset 14 Hex bytes from the beginning of the file from 00 to 03. This changes the step rate from 30 milliseconds to six milliseconds. The official name of that byte in a device descriptor is `IT.STP`.

To actually make the patch after he downloaded the listing into a file named `patch`, Cray typed: `ModPatch patch ENTER`.

And while we're speaking of patches, if you have any device descriptors you are upgrading to Level II, you need to change the byte at an offset of 14 decimal from FF to 07. To do it, create a *ModPatch* patch file like this:

```
L H0
C 0E FF 07
V
```

That's all there is to it!

```
0084      putgc.oxy=27 \putgc.txy=$40
009B      line.olx=27 \line.tlx=$46
00B2      ffil=CHR$(27)+CHR$(4F)
00BF      rbox.obx=27
00CA      rbox.tbx=$49
00D6      rbox.hbbx=0
00E1      rbox.lbbx=20
00EC      rbox.hbby=0
00F7      rbox.lbby=60
0102      PRINT CHR$(0C);
0109      putgc.hxyx=0 \putgc.lxyx=200 \putgc.hxyy=0 \putgc.lxyy=12
0135      PUT #1,putgc
013E      PUT #1,rbox
0147      putgc.lxyx=202 \putgc.lxyy=13
015D      PUT #1,putgc
0166      PUT #1,ffil
016F      putgc.lxyx=220
017A      putgc.lxyy=72
0185      PUT #1,putgc
018E      line.hbx=1 \line.hby=0
01A4      line.lbx=$18 \line.lby=72
01BB      PUT #1,line
01C4      line.hbx=1
01CF      line.lbx=$2C \line.lby=62
01E6      PUT #1,line
01EF      line.lby=12
01FA      PUT #1,line
0203      line.lbx=26
020E      PUT #1,line
0217      line.lby=68
0222      PUT #1,line
022B      line.lby=70 \line.lbx=$18
0242      PUT #1,line
024B      line.lbx=6
0256      PUT #1,line
025F      line.lby=12
026A      PUT #1,line
0273      line.hbx=0 \line.lbx=$F1
028A      PUT #1,line
0293      line.lby=70
029E      PUT #1,line
02A7      line.lbx=220
02B2      PUT #1,line
02BB      putgc.lxyx=222
02C6      putgc.lxyy=71
02D1      PUT #1,putgc
02DA      PUT #1,ffil
02E3      putgc.hxyx=1 \putgc.lxyx=$20
02FA      putgc.lxyy=14
0305      PUT #1,putgc
030E      PUT #1,ffil
0317      putgc.hxyx=1 \putgc.lxyx=$40 \putgc.lxyy=12
0339      rbox.lbbx=20 \rbox.lbby=5
034F      PUT #1,putgc
0358      PUT #1,rbox
0361      putgc.lxyx=$41 \putgc.lxyy=13
0378      PUT #1,putgc
0381      PUT #1,ffil
038A      putgc.lxyy=24
0395      putgc.lxyx=$40
03A1      PUT #1,putgc
03AA      rbox.lbby=48
03B5      PUT #1,rbox
```

**CC-Check Writer** If you use Dynacalc to keep track of your household bills, then here is the best way to pay them. **\$19.95**

**CC-Flight Log** Prepares a flight log to use in flight, airport directory built-in, customize it to your airplane. **\$24.95**

**COMING SOON!! CC-OFFICE WORLD** accounting package!! Requires OS-9 and printer, Works with PBJ Wordpak

**DISKS, 100% CERTIFIED, MADE IN USA!!**

Double Sided, Double Density \$4.90/10 disks \$43.00/100 Disks

**TO ORDER CALL**  
**(713) 550-3565**

**F.M. Technology**  
14115 Spencer Road  
Suite 2

Answering  
machine on  
duty, 8:00AM  
to 8:00PM

Checks, MasterCard  
and VISA Accepted  
Add \$3.00 S&H

Houston, TX 77041

Tx Residents add  
6.25% sales tax

OS-9 trademark of Microware & Motorola Inc.



```

03BE      putgc.lxyx=25 \putgc.lxyx=$41
03D5      PUT #1,putgc
03DE      PUT #1,ffil
03E7      putgc.lxyx=$68 \putgc.lxyy=24
03FE      PUT #1,putgc
0407      line.hbx=1 \line.lbx=$B8
041E      line.hby=0
0429      line.lby=24
0434      PUT #1,line
043D      line.lby=34
0448      PUT #1,line
0451      line.lby=70
045C      line.lbx=$70
0468      PUT #1,line
0471      line.lbx=$B8
047D      PUT #1,line
0486      line.lby=72
0491      PUT #1,line
049A      line.lbx=$68
04A6      PUT #1,line
04AF      line.lby=62
04BA      PUT #1,line
04C3      line.lby=26 \line.lbx=$B0
04DA      PUT #1,line
04E3      line.lbx=$68
04EF      PUT #1,line
04F8      line.lby=24
0503      PUT #1,line
050C      putgc.lxyx=$90 \putgc.lxyy=48
0523      PUT #1,putgc
052C      PUT #1,ffil
0535      END

```

## Listing 2: xmode

```

/*
 * modified xmode utility to allow changing IT.Col and IT.Row
 * in the device descriptor.
 *
 * Copyright (c) 1986 by Gregory A. Law
 */

#include <ctype.h>
#include <module.h>

#define DIGHEX(x) ((x) <= '9' ? (x) - '0' : toupper(x) - 'A' + 0xA)
#define TRUE 1

/*
 * pointer to the options section of the device descriptor
 */

struct {
    char      dvc, upc, bso, dlo, eko, alf, nul, pau, pag,
             bsp, del, eor, eof, rpr, dup, psc, abort, quit,
             bse, ovf, par, bau;
    unsigned  d2p;
    char      xon, xoff, col, row;
} *Opts;

main(argc, argv)
int argc;
char *argv[];
{
    char      *Module;      /* pointer to the descriptor */
    unsigned  Address;      /* address of the descriptor */
    unsigned  *Length;      /* size of the descriptor */
    unsigned  *PortAddr;    /* pointer to the port address */
    char      *ModCrc;      /* pointer to the CRC bytes */
    char      *NamePtr;     /* pointer to the module name */
    int       Modified = 0; /* modified flag */
    int       i;

    NamePtr = argv[1];      /* point to the module name */
    if (NamePtr[0] == '/') /* if the name contains a slash */
        NamePtr[0] = '\0'; /* simply strip it out */

    Module = modlink(NamePtr, 0, 0); /* link the descriptor */
    if (Module == -1) /* if there is an error */
        exit(221); /* exit with an error */

    PortAddr = Module + 0x0f; /* point to the port address */
    Opts = Module + 0x12; /* set the structure pointer */

    if (argc > 2) { /* if there are command line options */
        Modified = 1; /* set the modified flag */
        for (i = 2; i < argc; i++) /* do for each command line word */
            parse(argv[i]); /* run through the parsing routine */
    }

    if (! Modified) {
        printf("Port address=0x04X\n", *PortAddr);
    }
}

```

## New Level II Utility Programs From Kevin Darling

Kevin Darling has uploaded a set of OS-9 Level II utility programs to both the RAINBOW Delphi OS-9 Online SIG and the CompuServe OS-9 SIG. They take CoCo OS-9 Level II memory management techniques into consideration and are stored in one file just under 8K bytes long. The package includes *proc*, a *procs*-like utility that also reports the standard input and output devices for each process; *dirm*, an *mdir* replacement that prints true block numbers and a tick mark on the left side of the first module name loaded from a file; *mmap*, which prints a memory block map that shows where modules are loaded, data is being stored or is free; *smmap*, which shows the layout of memory in the system page; *pmap*, which shows process DAT image maps and tells which process is using each block; and *dmem*, which can be used to write up to 1,024 bytes of data from a specified memory block to the standard output path. These utilities make a nice addition to your OS-9 toolkit.

## DeskMate Tip From Color Expo

We interviewed two of the Color Computer Community's movers and shakers, Dale Lear and Paul Searby, at Color Expo '87. We talked to Dale about a new way to use the *VShell* program built into his *TSWord* package. Look for it in the next column. We'll also feature Lear in a short personality profile.

Paul Searby was so busy demonstrating Computerware's new *Screen Star* program at Anaheim, we barely caught him for the interview. The new *WordStar*-like program works with either Level I or Level II OS-9. The Level II version takes advantage of the CoCo 3's ALT and function keys. It uses the Level II dialog windows to create pop-up menus and features a "smart speller" that uses a dictionary containing the most common misspellings in the English language.

Searby has been a staunch supporter of OS-9 for more than five years. Next month, we'll feature a few of his views about OS-9 Level II and the future of the CoCo 3.

After our OS-9 presentation at Color Expo '87, we got into a long conversation with John Alan Lind, KD7XG, the Orange Section Technical Coordinator of the American Radio Relay League. Lind had solved a *DeskMate* printing



problem that has plagued many users. He shared his solution with us.

One of the main problems with *DeskMate* is that it only supports two baud rates, 600 and 1200. The baud rate is set by using the ALT\* keystroke pair and by selecting the printer icon that appears at the top of the screen. At the end of this process, you are asked to select between 600 and 1200 baud.

Resetting the default baud rate for the printer device descriptor, `/p`, using `xmode` and `cobbler` will not work. *DeskMate* "conveniently" resets the baud value right back to 600 with its own embedded version of `xmode`. The `tuneport` utility gave Lind a tool to solve the problem.

It works at a lower level in the descriptor than `xmode` and resets the actual timing loop value for the baud rate selected. It allows gross as well as fine tuning, and Lind decided to set the 1200 baud timing loop so it would actually print at 2400 baud. He figured, accurately, that if he could do this, he would be able to make the 1200 baud selection to print at 2400 baud.

First, load `xmode`, `tuneport` and `cobbler` into memory from your OS-9 system disk. Then, replace your system disk with the *DeskMate* disk and run the sequence below. Remember, the *DeskMate* disk is the one you want mounted at this time, because it is the one you are changing.

You must make sure your printer is connected. If it isn't, `tuneport` won't work. If you forget, you'll see an "Error #246" message. Also, make sure your printer is set to the baud rate you want to use. Now type:

```
OS9: chx d0/cmds
OS9: xmode /p baud=03
```

This sets `/p` to the 1200 baud rate. If you want to retune the 600 baud selection, you must use `xmode /p baud=02`.

Now type: `OS9: tuneport /p -s=45`. `tuneport` will have you verify that you have indeed used the correct timing loop value. If the test message is printed OK, just press the ENTER key. If not, fine tune the delay by entering a new value close to 45.

After you have run `tuneport`, use `cobbler` to rewrite the `OS9Boot` file on your *DeskMate* disk: `OS9: cobbler /d0 ENTER`.

That's it! The next time you select 1200 baud in *DeskMate*, the program will use `xmode baud=03`. Since you have set the timing loop at `baud=03` to 2400

```
printf("%s ", Opts->upc == 0 ? "-upc" : "upc");
printf("%s ", Opts->bso == 0 ? "-bsb" : "bsb");
printf("%s ", Opts->dlo == 0 ? "-bsl" : "bsl");
printf("%s ", Opts->eko == 0 ? "-echo" : "echo");
printf("%s ", Opts->alf == 0 ? "-lf" : "lf");
printf("nulls=%X ", (unsigned) Opts->nul);
printf("%s ", Opts->pau == 0 ? "-pause" : "pause");
printf("pag=%d ", (unsigned) Opts->pag);
printf("bsb=%02X\n", (unsigned) Opts->bsp);

printf("del=%02X ", (unsigned) Opts->del);
printf("eor=%02X ", (unsigned) Opts->eor);
printf("eof=%02X ", (unsigned) Opts->eof);
printf("reprint=%02X ", (unsigned) Opts->rpr);
printf("dup=%02X ", (unsigned) Opts->dup);
printf("psc=%02X ", (unsigned) Opts->psc);
printf("abort=%02X\n", (unsigned) Opts->abort);

printf("quite=%02X ", (unsigned) Opts->quit);
printf("bse=%02X ", (unsigned) Opts->bse);
printf("bell=%02X ", (unsigned) Opts->ovf);
printf("type=%02X ", (unsigned) Opts->par & 0xff);
printf("baud=%02X ", (unsigned) Opts->bau);
printf("xon=%02X ", (unsigned) Opts->xon);
printf("xoff=%02X\n", (unsigned) Opts->xoff);

printf("col=%d ", (unsigned) Opts->col);
printf("row=%d\n", (unsigned) Opts->row);
}

/*
 * this routine updates the CRC of the descriptor
 */
if (Modified) {
    Address = Module;
    Length = Address + 2;
    ModCrc = Module + (*Length) - 3;
    ModCrc[0] = ModCrc[1] = ModCrc[2] = 0xff;
    crc(Module, *Length - 3, ModCrc);
    ModCrc[0] = ~ModCrc[0];
    ModCrc[1] = ~ModCrc[1];
    ModCrc[2] = ~ModCrc[2];
}
munlink(Module); /* finally, restore the link count */
}

/*
 * This is a quick and dirty parsing routine using strcmp() to
 * compare the input string with a know flag. It could have been
 * smaller but at the time I was too lazy to write the real
 * parsing routine and parsing tables. After all, are not macros
 * easier to type?
 */
parse(command)
char command[];
{
    int i;
    char value;

    for (i = 0; i <= strlen(command); i++)
        command[i] = tolower(command[i]);

    if (! strcmp(command, "upc"))
        Opts->upc = 1;

    if (! strcmp(command, "-upc"))
        Opts->upc = 0;

    if (! strcmp(command, "bsb"))
        Opts->bso = 1;

    if (! strcmp(command, "-bsb"))
        Opts->bso = 0;

    if (! strcmp(command, "bsl"))
        Opts->dlo = 1;

    if (! strcmp(command, "-bsl"))
        Opts->dlo = 0;

    if (! strcmp(command, "echo"))
        Opts->eko = 1;

    if (! strcmp(command, "-echo"))
        Opts->eko = 0;

    if (! strcmp(command, "lf"))
        Opts->alf = 1;

    if (! strcmp(command, "-lf"))
        Opts->alf = 0;

    if (! strcmp(command, "pause"))
        Opts->pau = 1;

    if (! strcmp(command, "-pause"))
        Opts->pau = 0;
}
```



```

if (! strncmp(command, "null=", 5))
    Opts->nul = tohex(command) & 0xff;

if (! strncmp(command, "pag=", 4))
    Opts->pag = toint(command) & 0xff;

if (! strncmp(command, "bsp=", 4))
    Opts->bsp = tohex(command) & 0xff;

if (! strncmp(command, "del=", 4))
    Opts->del = tohex(command) & 0xff;

if (! strncmp(command, "eor=", 4))
    Opts->eor = tohex(command) & 0xff;

if (! strncmp(command, "eof=", 4))
    Opts->eof = tohex(command) & 0xff;

if (! strncmp(command, "reprint=", 8))
    Opts->rpr = tohex(command) & 0xff;

if (! strncmp(command, "dup=", 4))
    Opts->dup = tohex(command) & 0xff;

if (! strncmp(command, "psc=", 4))
    Opts->psc = tohex(command) & 0xff;

if (! strncmp(command, "abort=", 6))
    Opts->abort = tohex(command) & 0xff;

if (! strncmp(command, "quit=", 5))
    Opts->quit = tohex(command) & 0xff;

if (! strncmp(command, "bse=", 4))
    Opts->bse = tohex(command) & 0xff;

if (! strncmp(command, "bell=", 5))
    Opts->ovf = tohex(command) & 0xff;

if (! strncmp(command, "type=", 5))
    Opts->par = tohex(command) & 0xff;

if (! strncmp(command, "baud=", 5))
    Opts->bau = tohex(command) & 0xff;

if (! strncmp(command, "xon=", 4))
    Opts->xon = tohex(command) & 0xff;

if (! strncmp(command, "xoff=", 5))
    Opts->xoff = tohex(command) & 0xff;

if (! strncmp(command, "col=", 4))
    Opts->col = toint(command) & 0xff;

if (! strncmp(command, "row=", 4))
    Opts->row = toint(command) & 0xff;
)

/*
 * This routine converts an ASCII hex value into a hex int value
 * using DIGHEX found in the above #define. Note, if the value
 * is preceded by a '%' (ie, eof=%xx) then it will convert
 * a binary value to hex int.
 */
tohex(line)
char line[];
{
    char *ptr;
    int value;

    ptr = line;
    while(*ptr != '=') /* search for the '=' until found */
        ptr++; /* trying the next char until done */
    ptr++; /* now point to one beyond the '=' */

    if(ptr[0] == '%') /* is it a bin specifier */
        return(tobin(ptr)); /* yes, do binary instead */

    while(*ptr) { /* process each digit there */
        value = (value << 4) + DIGHEX(*ptr); /* shift left nibbles */
        ptr++; /* point to the next character */
    }

    return(value); /* return the value calculated */
}

/*
 * This routine converts an ASCII decimal value to hex int via
 * atoi() as found in the C Library. Note that "pag", "col"
 * and "row" MUST be set using only integer values.
 */
toint(line)
char line[];
{
    char *ptr;

    ptr = line;

```

baud, *DeskMate* will print at 2400 baud. Makes sense.

"It took me a week to figure out how to fool *DeskMate* with this patch," Lind said. "I was really frustrated that the authors didn't allow me to select a higher baud rate but was happy to be able to work it out."

If you're an amateur radio operator, here's more good news. Lind is busy porting the WA7MBL packet BBS system into OS-9 C for the CoCo.

### D.P. Johnson's 512K Memory Upgrade

Dan Johnson, of SDisk driver fame, was wearing bells at his Color Expo '87 booth with Hemphill Electronics, Inc. He sold several dozen Plus-100 512K memory upgrades to CoCo 3 owners. The board uses prime, factory-fresh 120-nanosecond chips and gold plated connectors. It is the first CoCo upgrade board I have seen that uses the new zigzag package chips. The new chips give you the smallest overall board size, the shortest data paths and superior decoupling.

Johnson and his partner were also demonstrating their new Vanguard PDI OS-9 Level I microcomputer. The PDI uses a 6809E running at 2 megahertz and sports three serial ports, a modem port, a centronics printer port and a real-time clock with a front panel LED display. A 450K RAM disk is standard. It uses two dual-speed drives that can read single- or double-sided, 35-, 40- or 80-track single-, double- or high-density disks in either standard OS-9, Radio Shack, Mizar or Fujitsu formats. It can also read and write IBM PC disks. The high density mode gives you a total storage of more than two million bytes and a data transfer rate of 500 kilobits per second. The whole thing is about the size of a lunch box.

### Color America Notes

One of the fine people we met at Color Expo '87 was Jack W. Eizenga, the software exchange librarian for Color America. The club now has several public domain disks in its library. Included in the selection are several RS-232 pack drivers, a terminal program, Steve Bjork's bouncing ball demo programs, several files containing OS-9 patch information, a set of OS-9 tutorials Jack wrote and a Bulletin Board System written in BASIC09. If you have programs you would like to contribute to their efforts in Southern California or would like to join Color America, write to Eizenga at 3811



North Foster Ave., Baldwin Park, CA 91706. We put him in touch with Carl Kreider, the new OS-9 Users Group software librarian.

### Sanford Sends Bouquet for Owlware

In today's negative world, it does my heart good to see a positive note occasionally. One such note came in a letter from James A. Sanford of Hampton, Virginia.

"A large bouquet to Owl Services," Sanford writes. "Tom called me back several times and spent quite a bit of time on the phone answering detailed questions about their system. When I got it, it had been 100 percent tested and worked fine."

While on both CompuServe and Delphi, I noticed that the L R Tech hard disk system from Owl Services was one of the first ones up and running on OS-9 Level II. Good going guys!

### This Month's Listings

Wizdraw from Bill Brady forms the heart of our tutorial this month.

From Greg Law, is an English language *xmode*, which is a little more flexible than the standard version. It gives you the port address and an understandable listing of the defaults for the descriptor in question.

Dennis Duke of Bessemer, Alabama, is back with this utility that takes input from the standard input path and sends out 16 hexadecimal characters per line on the standard output path. It prints the Hex representation above the ASCII representation of each byte.

### Finally, a Reader's Challenge

Robert Parsons of Blackfoot, Idaho, had an idea.

"Quite a few years ago, another magazine came out with an article that showed how to build an organ. Then, for months they featured articles with enhancements that added to the organ," Parsons said. "By initiating the same thing to programming for the CoCo 3 under OS-9 Level II, we could come up with a program like *CoCo Max 3* for OS-9."

"The program could be written a module at a time by RAINBOW readers and the RAINBOW staff and submitted through 'KISSable OS-9,'" Parsons continued. "I believe that writing modules for main programs in this manner would boost the interest in using OS-9."

Let me know what you think. Who will write the first module? Time will tell. See you in June. □

```
while(! isdigit(*ptr)) /* search through the line finding the decimal */
    ptr++;
return(atoi(ptr)); /* now tell C to convert it and return value */
}

/*
 * This routine converts an ASCII binary value into a hex int.
 */
tobin(line)
char line[];
{
    int i;
    int j[8];
    int value = 0;

    for (i = 0; i <= 7; i++) {
        j[i] = ((line[i+1] == '1') ? 1 : 0); /* repeat for 8 values */
        value = (value << 1) + j[i]; /* convert ASCII to dec */
    } /* shift value left + j */
    return(value);
}
```

### Listing 3: hexdump

```
char modid[] = "@(#)hexdump.c      1.0";

/*
 * ----- OS-9 utility ----- hexdump -----
 *
 *          by Dennis J. Duke
 *          Bessemer, Al.
 *          31 October 86
 *
 *      Read a file and dump it in hex
 */

#include <stdio.h>
#include <ctype.h>

int c, i, j = 0;
char holdit1[16][2], holdit2[16][2];
char hold1[2], hold2[2];

main()
{
    while((c = getchar()) != EOF) {
        /* Convert the input integer to an ascii char. */
        hold1[0] = toascii(c);

        /* Eliminate non-printable chars by replacing them with a '.' */
        if(c < 32 || c > 126)
            c = 46;
        /* Convert this integer to an ascii char. */
        hold2[0] = toascii(c);

        /* Copy these chars. to a holding area */
        if(j < 16)
            copyit();
        else {
            /* Print the output */
            printit();
            printf("\n\n");
            /* Start the next string */
            j = 0;
            copyit();
        }
    }
    /* Finish up whatever is left over */
    printit();
    putchar('\n');
}

copyit()
{
    strcpy(holdit1[j], hold1);
    strcpy(holdit2[j], hold2);
    j++;
}

printit()
{
    /* Print the chars. in hex */
    for(i = 0; i < j; i++)
        printf("%02x ", holdit1[i][0]);
    putchar('\n');
    /* Print the chars. in ascii */
    for(i = 0; i < j; i++)
        printf(" %s ", holdit2[i]);
}
```



# THESE FINE STORES CARRY THE RAINBOW

The retail stores listed below carry THE RAINBOW on a regular basis and may have other products of interest to Tandy Color Computer users. We suggest you patronize those in your area.

## ALABAMA

Birmingham  
Brewton  
Florence  
Greenville  
Madison  
Montgomery

Jefferson News Co.  
McDowell Electronics  
Anderson News Co.  
M & B Electronics  
Madison Books  
Trade 'N' Books

## ALASKA

Fairbanks

Electronic World

## ARIZONA

Phoenix  
Sierra Vista  
Tempe

TRI-TEK Computers  
Livingston's Books  
Books Etc.  
Computer Library  
Anderson News Co.

## ARKANSAS

Fayetteville  
Ft. Smith  
Little Rock

Vaughn Electronics/Radio Shack  
Hot Off the Press Newsstand  
Anderson News Co.

## CALIFORNIA

Citrus Heights  
Grass Valley  
Half Moon Bay  
Hollywood

Software Plus  
Advance Radio, Inc.  
Strawflower Electronics  
Levity Distributors  
Polygon Co.  
Tower Magazine  
Sawyer's News, Inc.  
Computer Literacy

Sacramento  
Santa Rosa  
Sunnyvale

## COLORADO

Westminster

Software City

## DELAWARE

Middletown  
Milford  
Wilmington

Delmar Co.  
Milford News Stand  
Normar, Inc.—The Smoke Shop

## FLORIDA

Boca Raton  
Cocoa  
Davie  
Deltona  
Ft. Lauderdale  
Jacksonville

Software, Software, Inc.  
The Open Door  
Software Plus More  
Wilson Assoc. dba Radio Shack  
Electronics Engineers  
Mike's Electronics Distributor  
The Book Nook  
Book Town  
Deano's TV

North Miami  
Beach  
Orlando  
Panama City  
Pensacola  
Pinellas Park  
Sarasota  
Stark

Almar Bookstore  
Book Mania  
Boyd-Ebert Corp.  
Anderson News Co.  
Wolf's Newsstand  
Family Computers  
Record Junction, Inc.  
Radio Shack Dealer  
Anderson News Co.  
Fine Print Bookstore  
Computrac

Tallahassee  
Tampa  
Titusville

## GEORGIA

Athens  
Bremen  
Jesup  
Marietta  
Toccoa

The Academic Resource Center, Inc.  
Bremen Electronics/Radio Shack  
Radio Shack  
Act One Video  
Martin Music Radio Shack

## IDAHO

Lewiston  
Moscow

Books, Etc.  
Johnson News Agency

## ILLINOIS

Aurora  
Belleville  
Champaign  
Chicago

Kroch's & Brentano's  
Software or Systems  
Book Market  
B. Dalton Booksellers  
N. Wabash St.  
West Jackson St.  
Bob's in Newtown  
Bob's News Emporium  
Bob's Rogers Park

Chillicothe  
Danville  
Decatur

East Moline  
Evanston  
Geneseo  
Kewanee  
Lisle  
Newton  
Oak Brook  
Oak Park  
Paris  
Peoria

Schaumburg  
Skokie  
Springfield

Sunnyland  
West Frankfort  
Wheeling

## INDIANA

Angola

D & D Electronics  
Radio Shack  
White Cottage Electronics  
Micro Computer Systems, Inc.  
Finn News Agency, Inc.  
The Computer Experience  
Bookland, Inc.  
Delmar News  
Indiana News  
Elex Mart  
Arco Office Supplies  
Radio Shack  
Mitling's Electronics

Jasper  
Madison  
Martinsville  
Wabash

## IOWA

Davenport  
Ottumwa

Interstate Book Store  
Southside Drug

## KANSAS

Topeka

Palmer News, Inc.  
Town Crier of Topeka, Inc.  
Amateur Radio Equipment Co.  
Lloyd's Radio

## KENTUCKY

Georgetown  
Hazard  
Hopkinsville  
Louisville  
Paducah  
Pikeville

Goodwin Electronics  
Daniel Boone Gulf Mart  
Hobby Shop  
The Computer Store  
Radio Shack  
Ray's Furniture/Radio Shack Dealer

## LOUISIANA

Crowley  
Monroe

Acadiana Newsstand  
The Book Rack

## MAINE

Brockton  
Caribou  
Waterboro

Voyager Bookstore  
Radio Shack  
Radio Shack

## MARYLAND

Silver Spring

Layhill Newsstand

## MASSACHUSETTS

Brockton  
Cambridge  
Fitchburg  
Ipswich  
Littleton  
Lynn  
Swansea

Voyager Bookstore  
Out Of Town News  
Corners Book Shop  
Ipswich News  
Computer Plus  
North Shore News Co.  
Newsbreak, Inc.

## MICHIGAN

Allen Park  
Dearborn  
Durand  
Harrison  
Howell  
Lowell  
Mt. Clemens  
Muskegon  
Owosso  
Perry  
Royal Oak  
Sterling  
Heights  
Trenton  
Wyoming

Book Nook, Inc.  
DSL Computer Products  
Robbins Electronics  
Harrison Radio Shack  
Howell Auto Parts  
Curt's Sound & Home Arcade Center  
Michigan Radio  
The Eight Bit Corner  
C/C Computer Systems  
Perry Computers  
Software City  
Sterling Book Center  
Trenton Book Store  
Gerry's Book Co.

## MINNESOTA

Duluth  
Minneapolis  
Willmar

Carlson Books  
Read-More News  
The Photo Shop

## MISSISSIPPI

Jackson

North Side News

## MISSOURI

Farmington  
Jefferson City  
Kirksville  
Moberly  
St. Louis

Ray's TV & Radio Shack  
Cowley Distributing  
T&R Electronics  
Audio Hut  
Book Emporium  
Computer Xchange  
Front Page News

## MONTANA

Butte  
Whitefish

Plaza Book Store  
Consumer Electronics of Whitefish

## NEBRASKA

Lincoln  
Omaha

Hobby Town  
Nelson News

## NEVADA

Las Vegas

Hurley Electronics

## NEW HAMPSHIRE

West Lebanon

Verham News Corp.

## NEW JERSEY

Cedar Knolls  
Clinton  
Marmora  
Pennsville  
River Edge  
Rockaway

Village Computer & Software  
Micro World II  
Outpost Radio Shack  
Dave's Elect. Radio Shack  
Software City  
Software Station

## NEW MEXICO

Alamogordo  
Albuquerque

New Horizons Computer Systems  
Desert Moon Distributors  
Page One Newsstand

## NEW YORK

Brockport  
Brooklyn  
Elmira Heights  
Fredonia  
Hudson Falls  
Johnson City  
New York

Lift Bridge Book Shop, Inc.  
Cromland, Inc.  
Southern Tier News Co., Inc.  
On Line: Computer Access Center  
G.A. West & Co.  
Unicom Electronics  
Barnes & Noble—Sales Annex  
Coliseum Books  
Eastern Newsstand  
Grand Central Station, Track 37  
200 Park Ave., (Pan Am #1)  
55 Water Street  
World Trade Center #2



	First Stop News Idle Hours Bookstore International Smoke Shop Jonil Smoke Penn Book Software City State News Usercom Systems, Inc. Walden Books World Wide Media Services Software City Universal Computer Service Village Green World Wide News Spectrum Projects				
N. White Plains Pawling Rochester Woodhaven			Knoxville Memphis Nashville Smyrna Union City	Anderson News Co. First Byte Computer Co. Computer Center Software, Inc. Mosko's Book Store Deiker Electronics Cox Electronics Radio Shack	
<b>NORTH CAROLINA</b>			<b>TEXAS</b>		<b>BRITISH COLUMBIA</b>
Aberdeen	King Electronics Radio Shack News Center in Cary Village Newsstand Int'l Papers & Paperback Computer Plus C2 Books & Comics Boomers Rhythm Center JB's Newsstand		Brenham Eglin Orange	Moore's Electronics The Homing Pigeon Northway Books & News	Burnaby Burns Lake Campbell River Chilliwack Coortenay Dawson Creek Golden Kelowna Langley N. Vancouver Nelson Parksville Penticton
Cary Charlotte			<b>VIRGINIA</b>	Electronics Marketing I-O Computers Software City	Salmon Arm Sidney Smithers Squamish 100 Mile House
Havlock Hickory Marion Wilmington			Gaith Norfolk Richmond		Tip Top Radio & TV
<b>OHIO</b>			<b>WASHINGTON</b>		
Blanchester Canton Chardon Cincinnati Columbiana Coshocton Dayton	JR Computer Control Little Professor Book Center Thrasher Radio & TV Cinsoff Fidelity Sound & Electronics Utopia Software Huber Heights Book & Card Wilke News News-Readers The News Shop T.W. Hogan & Associates Lakewood International News Brunner News Agency Edu-Caterers Wilke News Mount Orab Radio Shack Programs Unlimited Leo's Book & Wine Shop Fine Print Books		Seattle Tacoma	Adams News Co., Inc. B & I Magazines & Books Nybbles 'N' Bytes	Compulit VT. Video Works TRS Electronics Charles Parker Rick's Music & Stereo Bell Radio & TV Taks Home Furnishings Telesoft Marketing Langley Radio Shack Microwest Distributors Oliver's Books Parksville TV D.J.'s Four Corner Grocery Matrix Computing Sidney Electronics Wall's Home Furniture Kotyk Electronics
Fairborn Kent Kenton Lakewood Lima			<b>WEST VIRGINIA</b>	Nick's News Stan's Electronics & Radio Shack Communications, LTD Valley News Service	
Miamisburg Mount Orab Rocky River Toledo Xenia			Huntington Logan Madison Parkersburg		<b>MANITOBA</b>
<b>OKLAHOMA</b>			<b>WISCONSIN</b>	Badger Periodicals Cudahy News & Hobby Electronics, Etc. Book Tree Booked Solid Booked Solid II Harvey Schwartz Bookshop Univ. of Wisconsin Bookshop Island Technologies	Altona Lundar Morden The Pas Selkirk Virden Winnipeg
Oklahoma City Tahlequah Tulsa	Merit Micro Software Thomas Sales, Inc. dba Radio Shack Steve's Book Store		Appleton Cudahy Ladysmith Milwaukee		L.A. Wiebr Ltd. Goranson Elec. Central Sound Jodi's Sight & Sound G.L. Enns Elec. Archer Enterprises J & J Electronics Ltd.
<b>OREGON</b>			Minocqua		<b>NEW BRUNSWICK</b>
Portland	Fifth Ave. News		<b>WYOMING</b>	The Computer Store	Moncton Sussex
<b>PENNSYLVANIA</b>			Casper		<b>NEWFOUNDLAND</b>
Allison Park Altoona Brookville Malvern Philadelphia	Software City Newborn Enterprises Larry's Stereo Shop Personal Software City Software Center Newsy Stevens Radio Shack All-Pro Souvenirs Pitt Computer & Software Software Corner Micro World The Computer Center of York		<b>ARGENTINA</b>		Botwood Carbonear
Phoenixville Pittsburgh Pleasant Hills Temple Wind Gap York			Cordoba	Informatica Y Telecomunicaciones	Seaport Elec. Slade Realities
<b>RHODE ISLAND</b>			<b>AUSTRALIA:</b>	Paris Radio Electronics	<b>NOVA SCOTIA</b>
Warwick	Software Connection		Kingsford		Halifax
<b>SOUTH CAROLINA</b>			<b>CANADA:</b>		<b>ONTARIO</b>
Charleston Hts. Gaffney Greenville Spartanburg Union	Software Haus, Inc. Gaffney Book Store Palmetto News Co. Software City Fleming's Electronics		<b>ALBERTA</b>	Banff Radio Shack L & K Sports & Music Paul Tierler Double "D" A.S.C. Radio Shack Billy's News Kelly Software Distributors Radio Shack Associated Stores Langard Electronics CMD Micro Radio Shack D.N.R. Furniture & TV Fox City Color & Sound A.S.C. Radio Shack	Aurora Concord Exceter Hanover Huntsville Kenora Kingston Listowel South River
<b>TENNESSEE</b>			Blairmore Bonnyville Brooks Calgary		Compu Vision Ingram Software J. Maclean & Sons Modern Appliance Centre Huntsville Elec. Donny "B" T.M. Computers Modern Appliance Centre Max TV Dennis TV
Chattanooga Dickson	Anderson News Co. Guild Books & Periodicals Highland Electronics		Claresholm Drayton Valley Edmonton Edson Fairview Fox Creek		<b>QUEBEC</b>
			Ft. Saskatchewan Grande Cache Grande Centre Hinton Innisfail Leduc Lethbridge Lloydminster Okotoks Peace River	Ft. Mail Radio Shack, ASC The Stereo Hut The Book Nook Jim Cooper L & S Stereo Radio Shack Associated Stores Datatron Lloyd Radio Shack Okotoks Radio Shack Radio Shack Associated Stores Tavener Software Walter's Electronics Steffler Radio Shack Wheatland Electronics Pynewood Sight & Sound Westlock Stereo Radio Shack	LaSalle Pont. Rouge Messageries de Presse Benjamin Enr. Boutique Bruno Laroche
			St. Paul Steffler Strathmore Taber Westlock Wetaskiwin		<b>SASKATCHEWAN</b>
					Assiniboia Estevan Moose Jaw Nipiwani Regina Saskatoon Shellbrook Tisdale Unity
					Teistar News Kotyk Electronics D&S Computer Place Cornerstone Sound Regina CoCo Club Software Supermarket Everybody's Software Library Gec. Laberge Radio Shack Paul's Service Grant's House of Sound
					<b>YUKON</b>
					Whitehorse
					H & O Holdings
					<b>JAPAN</b>
					Tokyo
					America Ado, Inc.
					<b>PUERTO RICO</b>
					San Juan
					Software City

Also available at all B. Dalton Booksellers, and selected Coles Bookstores, Waldenbooks, Pickwick Books, Encore Books, Barnes & Noble, Little Professors, Tower Book & Records, Kroch's & Brentano's, and Community Newscenters.






# ADVERTISER INDEX

We encourage you to patronize our advertisers — all of whom support the Tandy Color Computer. We will appreciate your mentioning **THE RAINBOW** when you contact these firms.

Alpha Products .....	21	Gimmesoft .....	55	Probitas .....	117
Ark Royal Games .....	33	Hard Drive Specialists .....	163	PXE Computing .....	7
Bytes Bits & Chips .....	142	Hawkes Research		Radio Shack .....	105, 107
Canyon County Devices .....	154	Services .....	134	Rainbow Adventure	
Cer-Comp .....	127	Hemphill Electronics .....	15	Book III .....	65
Challenger .....	85	HJL div. of Touchstone		Rainbow Binder .....	185
Cinsoft .....	135	Technology, Inc. ....	BC	Rainbow Bookshelf .....	209
Clearbrook Software		Howard Medical .....	34, 210	Rainbow Gift	
Group .....	177	Inventive Solutions .....	54	Subscription .....	130
CNR Engineering .....	157	J & M Systems .....	31, 119	Rainbow on Disk .....	158
CoCo Cat Anti-Drug ad .....	113	J & R Electronics .....	97	Rainbow on Tape .....	190
Cognitec .....	83	Jason Guilbeau .....	32	Robotic Microsystems .....	165
Colorware .....	22, 23	Kelly Software		Seca .....	181
Computer Center .....	35	Distributors .....	136	Software House, The .....	167
Computer Island .....	101	Metric Industries .....	13	Spectrogram .....	79
Computer Plus .....	3	Micro Works, The .....	133	Spectrosystems .....	143
Computerware .....	50, 51	Microcom Software ....	9, 11, 95	Spectrum Projects	
D.P. Johnson .....	199	Microtech Consultants		Inc. ....	67, 69, 71
Dayton Associates of		Inc. ....	81	Speech Systems	
W. R. Hall, Inc. ....	128	MicroWorld .....	29	.....	39, 40, 41, 42, 43, 44, 45
Delphi .....	122, 123	Moreton Bay .....	145	Sugar Software .....	175
Derringer		Novasoft .....	56	Sunrise Software .....	137
Software .....	17, 147, 151	Other Guys Software, The .....	49	T & D Software .....	14, 103
Diecom .....	IFC	Owl-Ware .....	85, 86, 87	Tepco .....	116
Duck Productions .....	155	PCM .....	124	Tom Mix Software .....	57
F.M. Technology .....	201	Perry Computers .....	16	True Data Products ....	172, 173
Federal Hill Software .....	111	Preble's Programs, Dr. ....	IBC	Woodstown Electronics .....	49
Frank Hogg Laboratories ...	197	Prickly-Pear Software .....	195	Zebra Systems .....	25



<p> Call: Shackleford, Nolan, Davis, Gregg and Associates Cindy Shackleford, president Marian Nolan Carpenter Advertising Representative P.O. Box 725 516-189th St. Court East Spanaway, WA 98387 (206) 847-9901</p>	<p> Call: Kim Vincent Advertising Representative The Falsoft Building 9509 U.S. Highway 42 P.O. Box 385 Prospect, KY 40059 (502) 228-4492</p>	<p> Call: Jack Garland Garland Associates, Inc. 10 Industrial Park Road Hingham, MA 02043 (617) 749-5852</p>
--	--	---





## Fill out your CoCo library with these selections

### The Complete Rainbow Guide to OS-9

Authors Dale Puckett and Peter Dibble show how to take advantage of OS-9's multitasking and multiuser features. An easy-to-read, step-by-step guide packed with hints, tips, tutorials and free software in the form of program listings.

Book \$19.95

Disk Package \$31 (2 disks, book not included)

### The Rainbow Introductory Guide to Statistics

Dr. Michael Plog and Dr. Norman Stenzel give a solid introduction to the realm of statistical processes and thinking for both the beginner and the professional.

Book \$6.95, Tape or Disk \$5.95, Package \$11.95

### The First Rainbow Book of Adventures

Contains 14 winning programs from our first Adventure contest. Includes *Sir Randolph of the Moors*, *Horror House*, *One Room*, *Dr. Avaloe* and more. Plus hints, tips on solving Adventures.

Book \$3.50, Tape \$3.50

### The Second Rainbow Book of Adventures


Featuring 24 of the most challenging Adventure games ever compiled. Meet the Beatles and battle the Blue Meanies, find a hidden fortune, or win the heart of a mysterious princess. *Ring Quest*, *Secret Agent Man*, *Dark Castle*, *Curse of Karos* and more!

Book \$13.95, Tape \$13.95

### The Third Rainbow Book of Adventures

The excitement continues with 19 new Adventures. Discover backstage intrigue at the London Theatre, attempt a daring space rescue, or defeat evil in the year 2091 as a genetic android. *Evil Crypt*, *Spymaster*, *Time Machine*, *The Amulet*, and that's only the beginning!

Book \$11.95, Tape \$9.95, Two-Disk Set \$14.95



### The Rainbow Book of Simulations

20 award-winning entries from THE RAINBOW's first Simulations contest. You are a Civil War Commander, an air traffic controller, a civil defense coordinator, or a scientist on Mars... your wits are on the line.

Book \$9.95, Tape \$9.95

### The Second Rainbow Book of Simulations

The 16 winners from our second Simulations contest. Fly through dense African jungle, bull your way down Wall Street, lead a bomb squad, or try your hand at Olympic events. Test your skills and talents. Book \$9.95, Tape \$9.95, Disk \$10.95

*Coming soon: A complete Rainbow guide to using OS-9 Level II on the Color Computer 3*

#### I want to start my own Rainbow Bookshelf!

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ ZIP \_\_\_\_\_

☐ Payment Enclosed, or ☐ Charge to:

☐ VISA ☐ MasterCard ☐ American Express

Account Number \_\_\_\_\_

Card Expiration Date \_\_\_\_\_

Signature \_\_\_\_\_

Please send me:

- |  |                            |
|--|----------------------------|
| <input type="checkbox"/> The Rainbow Book of Simulations                               | \$ 9.95                    |
| <input type="checkbox"/> Rainbow Simulations Tape                                      | \$ 9.95                    |
| <input type="checkbox"/> The Second Rainbow Book of Simulations                        | \$ 9.95                    |
| <input type="checkbox"/> Second Rainbow Simulations Tape                               | \$ 9.95                    |
| <input type="checkbox"/> Second Rainbow Simulations Disk                               | \$10.95                    |
| <input type="checkbox"/> The Complete Rainbow Guide to OS-9 (book only)                | \$19.95                    |
| <input type="checkbox"/> Rainbow Guide to OS-9 Disk Package (2 disks)                  | \$31.00                    |
| <input type="checkbox"/> The Rainbow Book of Adventures (first)                        | \$ 3.50 <del>\$ 7.95</del> |
| <input type="checkbox"/> Rainbow Adventures Tape (first)                               | \$ 3.50 <del>\$ 7.95</del> |
| <input type="checkbox"/> The Second Rainbow Book of Adventures                         | \$13.95                    |
| <input type="checkbox"/> Second Rainbow Adventures Tape                                | \$13.95                    |
| <input type="checkbox"/> The Third Rainbow Book of Adventures                          | \$11.95                    |
| <input type="checkbox"/> Third Adventures Tape   | \$ 9.95                    |
| <input type="checkbox"/> Third Adventures Disk Set (2 disks)                           | \$14.95                    |
| <input type="checkbox"/> Introductory Guide to Statistics                              | \$ 6.95                    |
| <input type="checkbox"/> Guide to Statistics Tape or Disk (indicate choice)            | \$ 5.95                    |
| <input type="checkbox"/> Guide to Statistics Package (indicate choice of tape or disk) | \$11.95                    |

Add \$1.50 per book Shipping and Handling in U.S.

Outside U.S., add \$4 per book

Kentucky residents add 5% sales tax

(Allow 6 to 8 weeks for delivery)

Total \_\_\_\_\_

**Mail to: Rainbow Bookshelf, The Falsoft Building, P.O. Box 385, Prospect, KY 40059**

To order by phone (*credit card orders only*) call (800) 847-0309, 8 a.m. to 5 p.m. EST. For other inquiries call (502) 228-4492.


Please note: The tapes and disks offered by The Rainbow Bookshelf are not stand-alone products. That is, they are intended to be an adjunct and complement to the books. Even if you buy the tape or disk, you will still need the appropriate book. OS-9® is a registered trademark of the Microware Systems Corporation.



# Save \$80 on Magnavox Monitors Magnavox CM8505 RGB Analog only \$220!!

## MONITORS

**ZENITH**  
**123A 12"**



This 12" green screen high resolution monitor offers 80 column capability, Zenith quality and a 30-day warranty valid at any of Zenith's 1200 locations.

Retail \$149  
Our price  
(\$7 shipping)

**\$67.50**  
**REPACK**

All monitors require an amplifier circuit to drive the monitor and are mounted inside the color computer. They attach with spring connectors with two wires extending out of the computer, one for audio and one for video. CoCo 3 does not require an amplifier circuit.

VA-1 for monochrome monitors only, fits all color computers

(\$2 shipping) **\$24.45**

VC-4 for monochrome or color, fits all color computers  
(\$2 shipping) **\$39.45**

### MAGNAVOX


**CM 8505** has analog RGB and TTL RGB and composite color input. Built in speaker. 13" screen with 390 dots x 240 resolution in RGB mode. Plus 1 year parts & labor warranty.

reg. list \$299

**SAVE \$80**

**\$220**

+ \$14 Shipping



122A Zenith 12" Amber Screen offers the same 640 dots x 200 dots resolution at 15MHz as the 123A and a 90-day warranty valid at 1200 locations.

(\$7 shipping)

**\$88**

### MAGNAVOX

**8 CM 515** has analog RGB for CoCo 3, TTL RGB for Tandy 1000 or IBM PC's, and composite color for CoCo 2 and 3. Built-in speaker. 14" screen with 640 dot x 240 line resolution. Plus 2 years parts and labor warranty.

reg. list \$499


**SAVE \$100**

**\$298**

+ \$14 Shipping

CC-3 Magnavox RGB cable.

only **\$19.95** with Magnavox Monitor order.  
\$29.95 w/o monitor.



## DRIVE 0 +

Howards Drive 0 gives you a DD-3 MPI drive, a CA-1 cable and a J&M DC-4 Disk Controller for only

**\$178.45**

(\$5 shipping)

Add \$34 for a Disto DC-3.

**DOUBLE SIDED  
DOUBLE DENSITY  
360K**

## GUARANTEE

Howard Medical's 30-day guarantee is meant to eliminate the uncertainty of dealing with a company through the mail. Once you receive our hardware, try it out; test it for compatibility. If you're not happy with it for any reason, return it in 30 days and we'll give you your money back (less shipping.)

Shipping charges are for 48 states.

APO, Canada and Puerto Rico orders slightly higher.

## DISK CONTROLLER

**DISTO**

Includes controller and C-DOS 4.0 ROM Chip.

**\$98** DC-3

\$2 shipping on all DISTO products

## ADD-ON BOARDS

DC-38 includes 80 column capacity, parallel printer, real time clock, and all software

**\$138**

DC-256 256K RAM Board includes software to access all RAM

**\$90**

DC512 512K RAM Board with software

**\$125**

DC-3C Clock Calendar and parallel printer port

**\$40**

DC-3P Mini Eeprom programmer includes all software to program 2764 or 27128 chips

**\$55**

2764 8K Eeprom 28 pin

**\$850** each

27128 16K Eeprom 28 pin

**\$850** each

C-DOS 3 28 pin Eeprom makes Disto controller compatible with CoCo 3

**\$20**

## SOFTWARE SPECIALS

### Payroll/BAS™

(\$2 shipping)

- Nonprotected basic modifiable
- Tax tables built in for automatic state and federal calculation
- Custom code for every state
- 4 pay periods
- 7 deductions
- Prints checks
- 100 employees
- 30 ledger numbers for checks other than payroll
- Check register includes monthly or weekly federal deposit amount
- Enter, update, delete employees, company and check information
- Print payroll and nonpayroll checks

### Payroll/BAS™

30 Day Trial

**\$79.95**

### VIP LIBRARY

Softlaw's integrated package includes VIP writer terminal, data base, call and disk zap which can fix a diskette that is giving I/O errors

**\$125**

(\$2 shipping)

## MEMORY

Memory for CoCo 3 PC memory board plugs into the spare slots inside the computer and can be populated with 256K ram chips. Completely solderless with complete easy to install instructions.

**\$49.50**

PC Memory board with 256K **\$99**  
PC Memory board with 512K **\$118**

Software spooler and RAM disk for lightning quick response or no disk swapping drive backup for 1 drive system and printer spooler to free computer during long listings.

**\$19.45**

(\$2 shipping on Memory products)

64-2 for CoCo 2. Kit requires one solder point, no trace cuts.

(\$2 shipping) **\$24.45**

64-E1 for E Boards with complete instructions. Remove old chips and replace with preassembled package—no soldering or trace cuts.

(\$2 shipping) **28.45**

64-F1 for F Boards. No soldering needed. Capacitor leads must be cut.

(\$2 shipping) **\$24.45**

64-22 Two chip set for 26-3134A and B, 26-3136A and B. Koren Color Computers require 1 solder point.

(\$2 shipping) **28.45**

Howard Medical Computers

1690 N. Elston Chicago, IL 60622



ORDERS

INQUIRIES AND ORDER STATUS

**(800) 443-1444** **(312) 278-1440**

Showroom Hours:  
8:00 - 5:00 Mon. - Fri.  
10:00 - 3:00 Sat.

WE ACCEPT: VISA • MASTERCARD • AMERICAN EXPRESS  
C.O.D. OR CHECKS • SCHOOL PO'S



# Dr. Preble's Programs Striking A Blow For



*"... Freedom is nothing else but a chance to be better ..."*

— Albert Camus

## \*\*\* Mental Freedom \*\*\*

for CoCo 1, 2 and 3!

A Thought-Controlled Video Challenge

We call it The Preble Thoughtware.

DOES GREEN BLOOD flow in your veins like Mr. Spock? Is your mind well ordered? Or is your mind a mass of conflicting emotions like most humans?

THOUGHTWARE may answer these questions and more.

IMAGINE! Some day, a computer so advanced that it responds to your very thoughts and emotions. Imagine, some day, thought-controlled graphics: levitation and materialization!

PLUG IN YOUR MIND and UNHOOK YOUR JOYSTICKS — that day is now! The Radio Shack Color Computer has many advanced capabilities, just waiting to be tapped. Dr. Preble's Programs combines the advanced technology of the CoCo with the amazing Radio Shack BIOFEEDBACK MONITOR to bring you "Preble Thoughtware."

THOUGHT-CONTROLLED VIDEO CHALLENGE? Unlike any video game you have ever played, Thoughtware tests your ability to handle stress, to remain calm under adverse circumstances.

LIGHTNING FAST reflexes will do you no good here, unless you first tame the fickle dragon of your mind.

DO YOU HAVE SELF-CONTROL? Many people can keep a "Poker Face", even when they are worried so that others may not notice; but can you really stop the worry itself? Thoughtware will find out!

AND IT TALKS! Did you know that the CoCo can produce incredibly realistic digital speech without a special speech synthesizer? And I mean really high quality speech! Forget the mechanical robot voice. This voice quality is so good, it sounds human! Honest. Best of all, no extra hardware is needed for speech. None. The CoCo produces this amazing digital speech all by itself (with a wee bit of programming by Dr. Preble).

THOUGHTWARE — Next time your friends ask what your computer can do, show them the Preble Thoughtware!

Requires Radio Shack's Biofeedback Monitor Catalogue #63-675

The Preble Thoughtware — TAPE \$27.95 + s/h, on DISK \$29.95 + s/h

## \*\*\* Basic Freedom \*\*\*

for The Color Computer 3

(with versions for CoCo 1 & 2)

A Full Screen Editor for BASIC Programming

We call it EDITOR 3. Chris Babcock wrote a pure, efficient Machine Language program to open a new dimension of ease and power for anyone typing in a BASIC program.

Here are your BASIC Freedoms!

FULL CURSOR MOVEMENT — Use the arrow keys to move anywhere on a screen. If you are using a Color Computer 3, then even the 40 or 80 column screen is supported!

INSERT, CHANGE or DELETE CHARACTERS anywhere on the screen. Simply move to what you wish to change, change it and continue working!

LOWERCASE COMMANDS are OK! EDITOR 3 lets you type in lowercase any time or all the time. Lowercase command words are automatically translated to uppercase for BASIC. Of course, lowercase text within quotes stays lowercase. This is great when typing with the CoCo 3's 40 or 80 column mode with true lowercase!

MERGE LINES within a program with just a few keystrokes!

AUTO KEY REPEAT — Hold down any key and it will repeat.

INVISIBLE — Once EDITOR 3 has been loaded in, it is activated with a single keystroke! It hides itself out of the way of other programs and can be turned off any any time. Pressing RESET will not hurt EDITOR 3!


EASY TO USE — Installation takes seconds! Well-written goof-proof manual included.

COCO 1 & 2 — Yes, even though this program was conceived for the powers of the new CoCo 3, we still support the previous Color Computers. They too, need their BASIC Freedom!

EDITOR 3 — So easy and handy, you'll never want to run your CoCo without it!

Available on DISK only for CoCo 3 @ \$29.95 + s/h

CoCo 1/2 version can not support 40 or 80 column screens. CoCo 1/2 version is available on TAPE for \$27.95 + s/h or DISK for \$29.95 + s/h.



## Also Available for CoCo 1 & 2 only:

VDOS, the UnDISK: Save multiple programs in memory! Works with or without a disk drive. TAPE \$27.95 + s/h, DISK \$29.95 + s/h

VDUMP, for the UnDISK: Save multiple programs in a single file! \$14.95 + s/h on tape.

VPRINT, for the UnDISK: Printout UnDISK Directory! \$9.95 + s/h on tape.

Check, Money Order, MasterCard, VISA or COD accepted. For Shipping to USA and Canada add \$1.50, to other countries add \$5.00.

Order From  
**Dr. Preble's Programs**  
6540 Outer Loop  
Louisville, KY 40228  
(502) 966-8281

Technical questions answered  
Monday, Wednesday, Friday



# The Ultimate Color Computer

Enhancements  
for Productivity  
from HJL Products

*★ Now at all-time  
Low prices!*



To achieve maximum productivity with your Color Computer, you have to make it as easy as possible to get information into and out of the system.

This is why we developed the HJL family of high-performance enhancements for ALL MODELS of the Color Computer.

## The Keyboard - \$79.95

The overwhelming favorite of serious Color Computer users worldwide, the HJL-57 keyboard has the smooth, consistent feel and reliability you need for maximum speed with minimum input errors. Includes 4 Function Keys and sample function key program. Installs in just a few minutes with no soldering.

## The Numeric Keypad - \$89.95

The NumberJack is a self-contained, cable-connected keypad for heavy-duty number-crunchers. Besides the number keys, it has all the cursors, symbols and math keys, including autoshifted (one-touch) ADD and MULTIPLY. Comes complete with 3-foot cable and all necessary connectors for quick and easy installation without soldering.

## The Monitor Adapter - \$25.95

This universal driver works with all monochrome monitors, and is easily installed without clips, jumpers or soldering (except in some later CoCo 2s with soldered-in video chips). Here's crisp, clear, flicker-free monitor output with all the reliability you've come to expect from HJL Products.

## The Monitor - \$89.95

The GoldStar high-resolution amber monitor brings you the monochrome display that's preferred by most computer professionals today. Once you've used it you'll never connect your computer to a TV set again. The 12-inch diagonal CRT has an etched non-glare faceplate. (Requires adapter sold above)

## The BASIC Utility - \$25.95

Quick Basic Plus, a high-performance programming utility, can be used with any color computer that has four function keys. 26 pre-defined BASIC statements, 10 user-defined macros at a time (you can save as many sets of macros as you like), automatic line-numbering, word wrap, global search,

**Now available for all models, including CoCo 3**

and instant screen dump to printer, make this software the BASIC programmer's dream come true. Comes with re-legendable 3-way reference chart. Specify disk or cassette.

## The HJL Warranty

Every HJL product comes with a full, one-year warranty and the exclusive HJL 15-day unconditional guarantee (except software).

## Pick a Pair & Save 15%

Now, for a limited time, we'll give you 15% off the price of any two or more products shown here. Just mention this ad when you order.

**Call Now, Toll Free**

**1-800-828-6968**

In New York 1-800-462-4891  
International calls: 716-235-8358

**HJL**  
PRODUCTS  
Div. of Touchstone Technology Inc.

955 Buffalo Road • P.O. Box 24954  
Rochester, New York 14624

**Ordering Information:** Specify model (Original, F-version, or CoCo 2 Model Number). Payment by C.O.D., check, MasterCard, or Visa. Credit card customers include complete card number and expiration date. Add \$2.00 for shipping, 3.50 to Canada; except monitors (call for shipping charges before ordering monitors). New York state residents add 7% sales tax. **Dealer Inquiries Invited**